



Sarveshwari Engineers

Complete Tyre Care, Made Easy

SOLUTIONS FOR

A horizontal row of three red square icons, each containing a white checkmark. To the right of each icon is a category name in a bold, black, sans-serif font.



2026-2027

Premium Quality GARAGE TOOLS & ACCESSORIES FOR AUTOMOTIVE & TYRE SERVICE INDUSTRY





Mr. Mahendra N. Goel
President

Sarveshwari Engineers stands at the forefront of technology & innovation delivering superior products in tandem with maximized cost effectiveness. Quality remains at the core of our commitment.

Our philosophy to nurture long term associations with our esteemed customers and partners stimulates us towards a systematic approach for rapid implementation. Our credo has been to identify and cater to ever changing needs of our clients adding value through monitoring and management processes, utilities and environment.

Our endeavour to strengthen partnerships and successfully execute projects to various markets in all major markets and companies across India and the international markets has enabled **Sarv** achieve highest standard of excellence.

PRESENCE IN INTERNATIONAL EXHIBITIONS :



Reifen, Essen Germany

automechanika
FRANKFURT



Automechanika, Frankfurt Germany



Autopromotec, Bologna Italy



Tyre Expo, Joburg South Africa



Sema Show, Las Vegas USA



The Tire Cologne, Cologne Germany



Sarveshwari Group

Sarveshwari Engineers

Manufacturers and Exporters of Garage Tools and Accessories

www.sarveshwari.com

Sarveshwari Technologies Ltd.

Workshop Tools & Equipments

www.garageequipments.com



Quality Reliability Service...



ENGINEERING INNOVATION DESIGN

Sarveshwari Engineers popularly known by its brand name **osarv** with its success story going over more than 38 years in the automotive industry has gained international reputation with its high quality products and premium services.

Today **osarv** is synonymous with garage tools and equipment in terms of reliability, competency, outstanding service and pioneering innovation. We believe in constantly evolving with the needs of the customer in order to provide greater flexibility in national and international markets. With the skill of manufacturing tools and accessories for garage equipment through continuous R&D and an undaunted urge to achieve perfection, **osarv** stands as the most preferred brand for solutions for garage equipment manufacturers, professional tyre shops and garages.

At **osarv** we offer customized system solutions fulfilling needs of our customers with world-class products and excellent service of highest standards at any place and any time. Quality is the guiding light at **osarv**. The products manufactured undergo stringent quality control as per the international standards at our three manufacturing units at Kundli (Haryana) that have in-house facilities like steel forging, plastic moulding, sheet metal jobs, surface finishing and despatch logistics. Our focus to achieve and deliver the best has earned us global reputation and international presence.

Today **osarv** caters to more than 70 countries around the world including Germany, Italy, France, UK, U.S.A, Poland, Australia, Middle East, Africa, Japan, Malaysia, Singapore.

With our Engineering, Innovation and Design, we aspire to become the ultimate solution provider for the entire tyre market and let the world seek no further!

Facility-1



Facility-2



Facility-3





SOLUTIONS FOR
VEHICLE GARAGES



SOLUTIONS FOR
PROFESSIONAL TYRE SHOPS



SOLUTIONS FOR GARAGE
EQUIPMENT MANUFACTURERS



IN HOUSE
MANUFACTURING



ENGINEERING • INNOVATION • DESIGN

TABLE OF CONTENTS

Wheel Balancing Machine Accessories.....01 - 05



Wheel Alignment Machine Accessories.....06 - 10



Tyre Service Tools.....11 - 19



Tyre Changing Machine Accessories.....20 - 32



Tyre Valve Tools.....33 - 36



Tyre Repair Tools.....37 - 41



Tubeless Tyre Repair Kits.....42 - 43



Miscellaneous Tools44 - 44



Workshop Equipments45 - 46



Wheel Chocks & Rubber Pads for Vehicle Lifts.....47 - 49



Rubber Pads for Jack.....50 - 50



Rubber & Nylon Pads For Tyre Changers.....51 - 52





1 110001



1 110011



1 110031



1 110051



2 110101



2 1100019



3 115011



4 110001



5 110021



6 110184



7 110009



8 110002



9 110003

1 Wheel Balancing Weight Plier (Premium)

Colour:	Size:	Weight:	Code No.
Red	255mm long	395gms	110001
Black	255mm long	395gms	110011
Blue	255mm long	395gms	110031
Green	255mm long	395gms	110051

Material : Drop Forged Chrome Vanadium Steel, hardened & tempered for longer life.

Finish : Sand Blasted, Nickel Chrome plated polished hammer head with PVC coated handle for hand protection.

Use : Loosening, cutting to size & securing wheel weights.

2 Wheel Balancing Weight Plier with Soft Head

Size:	Weight:	Code No.
255mm long	390gms	110101

Use : Loosening, cutting to size & securing wheel weights on the Aluminum Alloy rims.

Special Plastic Hammer Head

Size:	Weight:	Code No.
27mm Dia (OD)	7gms	1100019

Note : This Hammer head fits only on the Plier 110101.

3 Wheel Balancing Weight Plier

Size:	Weight:	Code No.
255mm long	341gms	115011

Material : Drop Forged Chrome Vanadium Steel, hardened & tempered.

Finish : Sand Blasted, Nickel Chrome Plated polished Hammer head with PVC coated handle for hand protection.

4 Wheel Balancing Weight Plier

Size:	Weight:	Code No.
260mm long	380gms	111001

Material : Drop Forged Chrome Vanadium Steel, hardened & tempered.

Finish : Black Powder Coating with red PVC handle.

5 Plier with Longer Hammer (Heavy & Strong)

Size:	Weight:	Code No.
260mm long	535gms	110021

Material : Drop Forged Chrome Vanadium Steel, hardened & tempered.

Finish : Heavy & extra strong. Black Powder Coating with red PVC handle.

6 Deluxe Soft Head Wheel Weight Plier

Size:	Weight:	Code No.
260mm long	500gms	110184

Material : Heat Strengthened Steel. Comfortable Vinyl handle grip.

Replaceable special Plastic durable Hammer cap.

7 Wheel Balancing Weight Plier for Truck

Size:	Weight:	Code No.
265mm long	620gms	110009

Material : Drop Forged Chrome Vanadium Steel, hardened & tempered.

Use : Removing and fixing of Truck wheel weights.

8 Wheel Balancing Weight Plier (Sheet Metal)

Size:	Weight:	Code No.
250mm long	315gms	110002

Material : Sheet Metal of EN9 Steel, hardened and tempered.

Finish : Sand Blasted Auto Black, with red PVC handle.


9 Wheel Balancing Weight Plier with Soft Head (Sheet Metal)

Size:	Weight:	Code No.
240mm long	400gms	110003

Material : Sheet metal of EN9 Steel, hardened and tempered.

Finish : Sand Blasted Auto Black, PVC coated handles for hand protection.


Use : For removing and fixing of wheel weights having replaceable Nylon soft head with Nylon coated remover to prevent scratching.



10 110204




11 110174




12 110046



12 110056



12 110006



12 110026



13 110229



14 110029



15 110007

16 110008



17 1100010

10 Adhesive Weight Removing Plier

Size: 260mm long **Weight:** 425gms **Code No.:** 110204

Material : Chrome Vanadium Steel / Special Alloy.

Use : Removes adhesive weights easily without damaging the soft metal rim. Light weight yet heavy duty. Comfortable angled design makes it go deeply inside.

11 Adhesive Weight Cutter

Size: 190mm long **Weight:** 245gms **Code No.:** 110174

Material : Carbon Steel.

Use : Used for cutting easily the segments of adhesive weight strip.

12 Adhesive Balance Weight Remover

Colour:	Size:	Weight:	Code No.:
Red	225mm long	80gms	110046
Red	265mm long	130gms	110056
Red	274mm long	80gms	110006
Blue	272mm long	85gms	110006BLU
Red	276mm long	66gms	110026
Blue	276mm long	66gms	110036

Material : PA6

Use : For removing emblems, body moulding or adhesive wheel weights without damaging alloy rims. Can be re-sharpened. Easily scrapes off wheel weights, sticker or gasket.

13 Wheel Weight Fixer

Size: 284mm long **Weight:** 412gms **Code No.:** 110229

Material : Wooden handle, special Plastic Hammer head & middle part made from Casting.

Use : Used for securing/fixing wheel balancing weights by hammering clip weights and adhesive strips. Having special Plastic Hammer head to protect the wheel weights and light metal alloy rims.

14 Wheel Weight Remover/Fixer

Size: 300mm long **Weight:** 470gms **Code No.:** 110029

Material : Replaceable Pin made from Special Spring Steel.

Use : For fixing & removing wheel balance weights while balancing wheels. Having special Plastic Hammer head to protect the coated wheel weights & alloy rims.

15 Rim Width Caliper (Standard)

Size: Measures wheel rim width from 3" to 14" **Weight:** 450gms **Code No.:** 110007

Material : ABS (Acrylonitrile Butadiene Styrene) for greater impact, strength & longer durability.

Finish : High surface finish. Measuring scales have been designed by in mould and hot stamped for longer life and best readability.

Use : Measures wheel rim width while balancing in 1/2" or 1" increment.

16 Rim Width Caliper (with Ears)

Size: Measures wheel rim width from 4" to 13" **Weight:** 500gms **Code No.:** 110008

Inner dia 10" to 17"

Material : PA6 glass filled or ABS.

Finish : Black colour dull finish. The scales are screen printed for easy and quick readability.

Use : For measuring inner and outer width of the wheels.

17 Rim Width Caliper (for Trucks)

Size: Measure wheel rim width from 4" to 16" **Weight:** 1.350kg **Code No.:** 1100010

Material : PA6 glass filled for super impact resistance. Measuring jaws made out of Steel pipe.

Finish : Black colour and dull finish.

Use : Measuring rim width of Truck wheels.



18 110005



18 110025



19 110015



20 1143694



20 1160814



20 11791104



20 11881374



20 11951854



21 117314KIT



22 110404



23 1103559



24 1103659



25 1133659

18 PCD Measuring Tool

Weight:	Code No.
109gms	110005
112gms	110025

Material : PA6 glass filled.

Use : To measure pitch circle diameter of wheels having mounting holes 3, 4 and 5.

19 PCD Measuring Tool

Weight:	Code No.
127gms	110015

Material : PA6 glass filled.

Use : To measure pitch circle diameter of wheels having mounting holes 3, 4, 5 and 6.

20 Self Centering Cone (Available in Two Bore Sizes)

Rim Hole Size:	For 36mm dia shaft	For 40mm dia shaft	Weight:	Code No.
Dia 43.0-69mm	400gms	1143693	340gms	1143694
Dia 54.0-80mm	900gms	1160813	790gms	1160814
Dia 70.0-104mm	1.760kg	11791103	1.650kg	11791104
Dia 88.5-137mm	1.725kg	11881373	1.625kg	11881374
Dia 96.0-180mm	-----	-----	4.400kg	11951854

Material : Special Steel.

Note : Cone 11951854 is used for Heavy Commercial Vehicles.

CONESET (Set of 3 Cones for 36mm & 40mm shaft)

Cones for 36mm dia shaft	Weight:	Code No.
1143693, 1160813, 11791103	3.160kg	CONESET36
Cones for 40mm dia shaft	Weight:	Code No.
1143694, 1160814, 11791104	2.780kg	CONESET40

21 Dual Side Truck Cone Kit (For 40mm dia shaft)

Weight:	Code No.
7.400 kg	117314KIT

The Kit contains the following items:

Dia	Qty.	Rim Hole Size	Weight:	Code No.
Dual Side Cone	40mm	1 No. Dia 175-118mm	4.200 kg	11731484
Spacer	1 No.		3.200 kg	11731485

Material : Special Steel.

Size:	Weight:	Code No.
36 x 3mm	1.100kg	1103633
40 x 3mm	1.165kg	1104033
40 x 4mm	1.450kg	1104043

Material : Special Steel.

Use : Threaded shaft for Wheel Balancing Machine needed for the mounting of wheels for balancing.

23 Quick Lock Nut for Wheel Balancing Machine

Bore Size:	Weight:	Code No.
36mm	1.500kg	1103559

Material : Special Steel.

Use : Standard Pressure Cup 1104051 is used with Quick Lock Nut.

24 Quick Lock Nut for Wheel Balancing Machine

Size:	Weight:	Code No.
36 x 3mm	650gms	1103659
40 x 3mm	575gms	1104059
40 x 4mm	575gms	1114059

Inserts for above Quick Lock Nut

Dia:	Size:	Weight:	Code No.
20mm	36 x 3mm	40gms	1103659I
20mm	40 x 3mm	40gms	1104059I
20mm	40 x 4mm	40gms	1114059I

25 Quick Lock Nut for Wheel Balancing Machine

36 x 3mm	800gms	1133659
40 x 3mm	800gms	1134059
40 x 4mm	800gms	1144059

Use : Used for clamping wheels on the shaft of the Wheel Balancing Machine.



26 1104049



27 1104049R



26 1104050



27 1104050R



26 1104051



27 1104051R



26 1104052



27 1104052R



26 1104054



27 1104054R



28 1104060



28 1104060R



29 1104053



30 113040 KIT

26 Standard Pressure Cup (with Rubber Ring)

Dia:	Height:	Weight:	Code No.
130mm (5")	60mm	203gms	1104049
130mm (5")	60mm	179gms	1104050
115mm (4.5")	64mm	Suitable for 1103659	
150mm (6")	76mm	284gms	1104051
126mm (5")	58mm	Suitable for 1103559	1104052
		350gms	1104052
		163gms	1104054
		Suitable for 1144059	

Material : PA6 glass filled.
Use : Used with Quick Release Nut of Wheel Balancing Machine.

27 Rubber Ring for Pressure Cup

Used with:	Weight:	Code No.
Pressure cup 1104049	30gms	1104049R
Pressure cup 1104050	28gms	1104050R
Pressure cup 1104051	50gms	1104051R
Pressure cup 1104052	65gms	1104052R
Pressure cup 1104054	28gms	1104054R

Material : Special Blended Rubber.
Use : Protects finished wheel surfaces when using a cup to clamp.

28 Wheel Clamping Cup

Dia:	Height:	Weight:	Code No.
217mm	36mm	388gms	1104060

Material : PA6 glass filled

Rubber Ring for Clamping Cup

Dia:	Height:	Weight:	Code No.
225mm	8.4mm	121gms	1104060R

29 Pressure Ring

Dia:	Height:	Weight:	Code No.
82mm	25mm	70gms	1104053

Material : PA6 glass filled.

Use : Prevents metal to metal contact between the wheel balancer wing nut and wheel rim significantly increasing clamping force.
 Fits Aluminum Wing Nut. Aids in centering the wheel assembly on the balancer shaft.

30 Motorcycle External Clamping Kit

Weight:	Code No.
5.4 Kg	113040KIT

The Kit contains the following items:

	Qty.		Qty.
Balancer shaft	1 No.	Cone Small	2 Nos.
Shaft Nut	1 No.	Spacer Big	2 Nos.
Cone Big	2 Nos.	Spacer Small	2 Nos.


Balancer Shaft: 3 Types

A. Shaft Ø18 mm Mounting thread M10x1.5 B. Shaft Ø14 mm Mounting thread M10x1.5

C. Shaft Ø10 mm Mounting thread M10x1.5

Use : Mounts motorcycle wheels for balancing without removing the bearings on balancing machines. Suitable for 36 & 40 mm Shaft Dia.



31 110040UA



32 CRING58



32 CRING60



32 CRING65



33 1100518 - 1112018



34 1100528 - 1106028



35 1105038 - 1120038



36 1105048 - 1150048



37 1100050



37 1110060

31 Universal Wheel Balancing Adaptor

Weight: 5.700kg **Code No.** 110040UA

Material : Special Steel.

Use : Standard centering device to balance rims without central hole.
Suitable for 36 / 38 / 40 mm shaft dia. Valid for rims with 3, 4, 5 & 6 screws.

32 Centering rings for Universal Wheel Balancing Adaptor

Dia:	Weight:	Code No.
58mm	192gms	CERING58
60mm	215gms	CERING60
65mm	271gms	CERING65

Use : These rings are used for balancing the rims of French brands because just tightening the centering bolts is not enough.
Dia 58mm ring is used for Citroen & Peugeot.
Dia 60mm ring is used for Renault.
Dia 65mm ring is used for Citroen, Peugeot and Renault.

33 Balancing Weights for Steel Rims

Weight:	Code No.	Weight:	Code No.
5gms	1100518	65gms	1106518
10gms	1101018	70gms	1107018
15gms	1101518	75gms	1107518
20gms	1102018	80gms	1108018
25gms	1102518	85gms	1108515
30gms	1103018	90gms	1109018
35gms	1103518	95gms	1109518
40gms	1104018	100gms	1110018
45gms	1104518	105gms	1110518
50gms	1105018	110gms	1111018
55gms	1105518	115gms	1111518
60gms	1106018	120gms	1112018

Use : To accurately balance the wheels for proper run on the roads.

34 Wheel Balancing Clip Weights for Alloy Rims

Weight:	Code No.	Weight:	Code No.
5gms	1100528	35gms	1103528
10gms	1101028	40gms	1104028
15gms	1101528	45gms	1104528
20gms	1102028	50gms	1105028
25gms	1102528	55gms	1105528
30gms	1103028	60gms	1106028

35 Wheel Balancing Weights for LCV Steel Rims

Weight:	Code No.	Weight:	Code No.
50gms	1105038	125gms	1112538
75gms	1107538	150gms	1115038
100gms	1110038	200gms	1120038

36 Wheel Balancing Weights for Truck/Bus Steel Rims

Weight:	Code No.	Weight:	Code No.
50gms	1105048	250gms	1125048
75gms	1107548	300gms	1130048
100gms	1110048	400gms	1140048
150gms	1115048	500gms	1150048
200gms	1120048		

37 Wheel Balancing Sticker Weights for Alloy Rims

Material:	Weight:	Code No.
Steel	Per Strip 50gms	1100050
Steel	Per Strip 60gms	1110060



1 551024




2 5561024



3 5551024



4 5541024



5 550127

5 550147

5 550197

5 550227

5 550218



5 550828

5 550428

5 550628

5 550728

1 Clamp for Measuring Head of Wheel Alignment M/c Four Point with PUSH TYPE Fingers (Claws) - Passenger Car/Truck / Buses

Rim Size: 12" to 25" **Bore Size:** 15mm, 16mm, 20mm **Weight:** 3.850kg **Code No.:** 551024

Use : For holding sensors of Wheel Alignment Machine.

Packing : Two pieces packed in thermocol box and cardboard box to prevent damage in transit.

2 Clamp for Measuring Head of Wheel Alignment M/c Four Point with PUSH TYPE Fingers (Claws) - Passenger Car / Truck / Buses

Rim Size: 10" to 26" **Bore Size:** 14mm, 15mm, 16mm, 20mm **Weight:** 3.500kg **Code No.:** 5561024

Use : For holding sensors of Wheel Alignment Machine.

Packing : Two pieces packed in thermocol box and cardboard box to prevent damage in transit.

3 Clamp for Measuring Head of wheel Alignment M/c Three Point

Tyre Size: 10" to 26" **Bore Size:** 14mm, 16mm, 20mm & 24mm **Weight:** 3.500kg **Code No.:** 5551024

Use : For holding sensors of Wheel Alignment Machine.

Packing : One piece packed in corrugated box to prevent damage in transit.

4 Wheel Alignment Clamp (5 PIN)

Bore Size: 15mm **Weight:** 4.800kg **Code No.:** 5541024

Material : Aluminum Casting with Orange Powder Coating.

Use : Used especially for alignment of Mercedes / BMW / Audi.

5 Finger Tool (Claws) for Wheel Clamps

Length:	Dia:	Weight:	Code No.
48mm	12mm	30gms	550127
58mm	12mm	40gms	550147
89mm	12mm	70gms	550197
48mm	14mm	30gms	550227
44mm	10mm	35gms	550218
120mm	14mm	110gms	550828
79mm	12mm	42gms	550428
86mm	14mm	60gms	550628
85mm	14mm	70gms	550728

Material : Made from Stainless Steel & Carbon Steel.

Use : Set of 4 fingers (claws) suitable for Steel & Alloy rims.



6 1100017

**6 Mechanical Turn Table**

Dia (Top Plate): 275mm **Weight:** 9.150 kg **Code No.** 1100017

Size : L-320mm, W- 400mm, H-50mm \pm 1mm
Capacity: 1000kg each.

Material : Made from heavy duty Steel Sheet. Black Powder Coated to prevent rusting. 24 Steel Balls (\varnothing 15mm) used in Plastic cage.
Use : Used for easy turning of tyre left / right during alignment of the Passenger Car.



7 1100117

**7 Mechanical Turn Table with Scale**

Dia (Top Plate): 310mm **Weight:** 9.750 kg **Code No.** 1100117

Size : L-380mm, W-350mm, H-45mm
Capacity: 1000kg each having scale of \pm 0°- 60°
Material : Made from heavy duty Steel Sheet. 24 Steel Balls (\varnothing 15mm) used in Plastic cage.
Use : Used for easy turning of tyre left / right during alignment of the Passenger Car.



8 1100817

**8 Mechanical Turn Table with Scale**

Dia (Top Plate): 350mm **Weight:** 13.00kg **Code No.** 1100817

Size : L-370mm, W-370mm, H-50mm
Capacity: 1500kg each having scale of \pm 0°- 60°
Material : Made from heavy duty Steel Sheet. Electro Less Nickel Plating to prevent rusting. 36 Steel Balls (\varnothing 12mm) used in Plastic cage.
Use : Used for easy turning of tyre left / right during alignment of the Passenger Car.



9 1101017

**9 Mechanical Turn Table for Passenger Car with Scale, Ramp & Centre Line**

Dia (Top Plate): 350mm **Weight:** 26.00kg **Code No.** 1101017

Size : L-370mm, W- 670mm, H-55mm
Capacity: 1500kg each having scale of \pm 0°- 60°
Material : Special Steel. Electro Less Nickel Plating. 36 Steel Balls (\varnothing 12mm) used in Plastic cage.
Use : Used for easy turning of tyre left / right during alignment of the Passenger Car. Ramp is made on Turn Table 1100817 and makes it easy for vehicle movement.



10 1101317

**10 Aluminium Turn Table with Scale & Rubber Stoppers (Light Weight)**






Dia (Top Plate): 350mm **Weight:** 7.900kg **Code No.** 1101317

Size : L-395mm, W-395mm, H-50mm
Capacity: 1500kg each having scale of \pm 0°- 60°
Material : Made from special grade of Aluminum. 88 Delrin Balls (\varnothing 10mm) used in Plastic cage.
Use : Used for easy turning of tyre left / right during alignment of the Passenger Car.

Rubber Stoppers Only (For Turn Table 1101317)

Qty:	Weight:	Code No.
Set of 2pcs	400gms per set	1101317RS

Size : L-322mm, W-55mm, H-16mm



11 Mechanical Turn Table with Rubber Stoppers

Dia (Top Plate): 360mm **Weight:** 17.450kg **Code No.** 1100917

Size : L-400mm, W-470mm, H-50mm

Capacity: 1500kg each.

Material : Special Steel. Zinc Plating. 48 Steel Balls (Ø12mm) used in Plastic cage.

Use : Used with 3D Wheel Alignment Machines for easy turning of tyre left / right.

Rubber Stoppers Only (For Turn Table 1100917)

Qty: Set of 2pcs **Weight:** 2.100kg per set **Code No.** 1100917RS

Size : L-540mm, W-90mm, H-50mm

12 Mechanical Turn Table

Dia (Top Plate): 350mm **Weight:** 251.00kg **Code No.** 1100517

Size : L-450mm, W-450mm, H- 50mm

Capacity: 2000kg each.

Material : Made from Cold Roll (CRC) Steel Sheet. 54 Delrin Balls. (Ø12mm) used in Plastic cage.

Use : Used for easy turning of tyre left / right during alignment of the Passenger Car.

13 Mechanical Turn Table with Rubber Stoppers

Dia (Top Plate): 360mm **Weight:** 17.00kg **Code No.** 1110917

Size : L-470mm, W-500mm, H-45mm

Capacity: 2500kg each.

Material : Special Steel. EN Coating. 48 Delrin Balls (Ø12mm) used in Plastic cage.

Use : Used for easy turning of tyre left / right during alignment of the Passenger Car. Can also fit in the scissor lift.

14 Mechanical Turn Table (Low Height)

Dia (Top Plate): 360mm **Weight:** 13.00kg **Code No.** 1103517

Size : L-430mm, W-430mm, H-20mm

Capacity: 5500kg

Material : Made from Cold Roll (CRC) Steel Sheet. 48 Delrin Balls. (Ø12mm) used in Plastic cage.

Use : Used for easy turning of tyre left / right during alignment of the Passenger Car.

15 Mechanical Turn Table (Heavy Duty)

Dia (Top Plate): 350mm **Weight:** 27.200kg **Code No.** 1100217

Size : L-350mm, W-400mm, H- 50mm

Capacity: 2500kg each.

Material : Special Steel. Zinc Plating. 48 Steel Balls (Ø12mm) used in Steel cage.

Use : Used for easy turning of tyre left / right during alignment of Light Commercial Vehicles.

16 Mechanical Turn Table (LCV)

Dia (Top Plate): 415mm **Weight:** 28.00kg **Code No.** 1104517

Size : L-480mm, W-480mm, H-50mm

Capacity: 4500kg each

Material : Made from Cold Roll (CRC) Steel Sheet. 68 Delrin Balls. (Ø14.3mm) used in Plastic cage.

Use : Used for easy turning of tyre left / right during alignment of Light Commercial Vehicles.



17 1100317



H : 74mm




18 1100417

Digital Display




19 1101117

H : 79mm



20 1101517

H : 50mm



21 1101417

Dia

H : 20mm

17 Mechanical Turn Table for Truck / Buses with Scale

Dia (Top Plate):	Weight:	Code No.
480mm	43.350kg	1100317

Size : L-480mm, W-480mm, H-74mm**Capacity**: 7000kg each having scale of $\pm 0^\circ - 60^\circ$ **Material** : Made from Cold Roll (CRC) Steel Sheet. 120 Delrin Balls. ($\varnothing 18mm$) used in Plastic cage.**Use** : Used for easy turning of tyre left / right during alignment of Truck / Buses.**18 Electronic Turn Table for Truck/ Buses with Digital Display.**

Dia (Top Plate):	Weight:	Code No.
480mm	45.000kg	1100417

Size : L-480mm, W-480mm, H-74mm**Capacity**: 7000kg each.**Material** : Made from Cold Roll (CRC) Steel Sheet. 120 Delrin Balls. ($\varnothing 18mm$) used in Plastic cage.**Use** : Used for easy turning of tyre left / right during alignment of Truck / Buses.**Rotary Encoder Degree Resolution**: 0.1 Degree.**Measuring Range**: $0^\circ - 360^\circ$ with Digital Display .**Powered**: 3v CR2032 Lithium cell.**19 Mechanical Turn Table for Truck / Buses with Scale, Ramp & Centre Line**

Dia (Top Plate):	Weight:	Code No.
480mm	64.350kg	1101117

Size : L-480mm, W-880mm, H-79mm**Capacity**: 7000kg each having scale of $\pm 0^\circ - 60^\circ$ **Material** : Special Steel. Delrin Balls ($\varnothing 18mm$) used in Plastic cage.**Use** : Used for easy turning of tyre left / right during alignment of Truck / Buses. Ramp is made on Turn Table 1100317 and makes it easy for vehicle movement.**20 Mechanical Turn Table for Truck/ Buses**

Dia (Top Plate):	Weight:	Code No.
650mm	49.00kg	1101517

Size : L-650mm, W-650mm, H-50mm**Capacity**: 5000kg each having scale of $\pm 0^\circ - 20^\circ$ **Material** : Made from Cold Roll (CRC) Steel Sheet. 204 Delrin Balls. ($\varnothing 12mm$) used in Steel cage.**Use** : Used for easy turning of tyre left / right during alignment of Truck / Buses.**21 Mechanical Turn Table for Truck / Buses (Light Weight)**


Dia:	Weight:	Code No.
400mm	6.750kg	1101417

Height/ Thickness: 19mm**Capacity**: 6000kg each.**Material** : Made from special grade of Aluminum. Powder Coating 220 Steel Balls. ($\varnothing 10mm$).**Use** : Used for easy turning of tyre left / right during alignment of Light Commercial Vehicles.**22 Mechanical Turn Table for Army / Big Vehicles / Special Trucks**

Dia (Top Plate):	Weight:	Code No.
650mm	100kgs	1105517

Size : L-750mm, W-750mm, H-88mm**Capacity**: 10000kg each having scale of $\pm 0^\circ - 90^\circ$ **Material** : Made from Cold Roll (CRC) Steel Sheet. 204 Delrin Balls. ($\varnothing 18mm$) used in Steel cage.**Use** : Used for easy turning of tyre left / right during alignment of Truck / Buses.

22 1105517





23 1105417 WHEEL ALIGNMENT TURN TABLE REBUILD KIT (STANDARD)



24 11300RAMP



25 1130017



26 1168017



27 11680172M



28 111184

28 111384



29 112184

29 112284

30 112384

23 Wheel Alignment Turn Table Rebuild Kit (Standard)

Weight:
460gmsCode No.
1105417

The Kit contains the following items :

- 14.28mm Derlin Balls Qty 54 No.
- Stainless Steel Lock Pins 4 No.
- Retainer Rings with Spring assemblies 2 No.
- Steel Set Screws 2 No.
- Steel Top Screws 2 No.

Material : The Retainer Rings are made from Nylon Plastic.

Note : Retainer Ring Inner Dia : 5 7/8", Outer Dia : 7 3/4".

24 Rubber Ramp For Turn Table

Length: 300mm Width: 200mm Height: 50mm Weight: 1.200kg Code No. 11300RAMP

Use : Useful for easy vehicle movement for turn table with height 50mm.

25 Rear Wheel Alignment Slip Plate

Top Plate Length: 300mm Weight: 10.00kg Code No. 1130017

Size : L-350mm, W-340mm, H- 50mm

Capacity: 1000kg each.

Material : Sheet Metal.

Use : Used for aligning the rear wheel of Passenger Car.

26 Rear Wheel Alignment Slip Plate

Top Plate Length: 1520mm Weight: 98.00kg Code No. 1168017

Size : L-1640mm, W-670mm, H- 50mm

Capacity: 2500kg each.

Material : Sheet Metal.

Use : Used for aligning the rear wheel of Passenger Car.

27 Rear Wheel Alignment Slip Plate

Top Plate Length: 1410mm Weight: 64.00kg Code No. 11680172M

Size : L-1500mm, W-500mm, H- 20mm

Capacity: 2500kg each.

Material : Sheet Metal.

Use : Used for aligning the rear wheel of Passenger Car.

28 Brake Pedal Depressor

Length: 750mm Weight: 1.300kg Code No. 111184
730mm 950gms 111384

Use : Depresses brake while doing alignment. All metal parts are electroplated.

29 Steering Wheel Holder

Length: 430mm Weight: 1.200kg Code No. 112184
340mm 600gms 112284

Use : It securely holds the steering wheel in position when setting toe angle. Covered with soft Plastic to prevent damage to the steering wheel.

30 Steering Wheel Holder with Thumb Lock Release

Length: 330mm Weight: 800gms Code No. 112384

Use : It securely holds the steering wheel in position when setting toe angle. Works with a trigger controlled mechanism. Ergonomically designed with a thumb lock release.

Note : The Steering Wheel Holder 112384 is suitable for Car/Truck/Buses.



1 220047



2 220057



3 220067



4 2224276



4 2227336



4 2230336



5 2200226



6 2200014

7 220025



7 220035

7 220045

1 Wheel Nut Cap / Cover Removal Tool

Weight: 13gms **Code No.** 220047

Material : Special Plastic.

Use : It just slides over the cap. Snaps into position and when pulled, it extracts and retains the plastic cap in the tool. Fits all Peugeot Citroen models with removable nut cover.

2 Lug Nut Cap Puller

Size: 260mm long **Weight:** 359gms **Code No.** 220057

Material : Special Steel.

Finish : Electro Plating.

Use : A specialized tool to remove 32mm & 33mm Lug Nut Covers / Caps from Truck wheels.

3 Chrome Lug Nut Cover Puller (Heavy Duty)

Size: 285mm long **Weight:** 470gms **Code No.** 220067

Material : Special Steel.

Finish : Black colour.

Use : A specialized tool to remove 30mm- 41mm Lug Nut Covers / Caps from Truck wheels.

4 Double Ended Wheel Wrench for Trucks

Length:	Size:	Weight:	Code No.
400mm	27 X 33	2.100kg	2224276
400mm	27 X 32	2.100kg	2227326
400mm	30 X 32	2.310kg	2230326
400mm	24 X 33	2.320kg	2224336
400mm	27 X 30	2.100kg	2227306
400mm	27 X 33	2.250kg	2227336
400mm	30 X 33	2.250kg	2230336
400mm	21 X 41	2.550kg	2221416

Material : Chrome Vanadium / Carbon Steel.

Finish : Bright Nickel Chrome Plating / Black Powder Coating.

Use : Loosening & tightening of Truck wheel nuts.

5 Tommy Bar

Dia: 20mm **Size:** 500mm long **Weight:** 1.250 kg **Code No.** 2200226

Material : Forged Chrome Vanadium Steel.

Finish : Black colour.

Use : Truck wrench handle heat-treated for strength and durability. Suitable for all **Sarv** Truck Wrenches.

6 Four Way Wheel Nut Wrench for Trucks

Length: 570mm **Size:** 24X27X32X3/4" square **Weight:** 3.000kg **Code No.** 2200014

Material : Forged Chrome Vanadium / Carbon Steel.

Finish : Bright Nickel Chrome Plating.

7 Four Way Wheel Nut Wrench for Passenger Cars

Length:	Size:	Weight:	Code No.
400mm	17X19X21X22	1.415kg	220025
400mm	17X19X22X1/2" square	1.420kg	220035
400mm	17X19X21X1/2" square	1.355kg	220045

Material : Forged Chrome Vanadium Steel / Carbon Steel with welded centers to achieve the desired strength.

Finish : Bright Nickel Chrome Plating / Black Powder Coating.

Use : Loosening & tightening of Passenger Car wheel nuts.



8 220714



8 220724



9 222001



9 222151



9 223001



9 224001



9 220404



10 220001



10 220002



10 220002S



10 225001



10 225101



10 225201



11 225301



12 225401



13 220008

8 Lever for Bicycles

Size:	Weight:	Code No.
110mm (4")	25gms	220714
155mm (4.5")	15gms	220724

Material : Nylon Plastic.

9 Tyre Lever

Type:	Size:	Weight:	Code No.
Run Flat	200mm (8")	340gms	222001
—	215mm (8.5")	290gms	222151
—	300mm (12")	525gms	223001
—	400mm (16")	630gms	224001
—	400mm (16")	455gms	220404

Material : Forged Chrome Vanadium Steel, hardened & tempered.

Finish : Sand Blasted surface with Nickel Chrome Plating.

Use : Used for Motorcycle / Scooter tyre service.

10 Tyre Lever

Type:	Size:	Weight:	Code No.
With Boot	500mm (20")	800gms	220001
---	500mm (20")	785gms	220002
---	500mm (20")	900gms	220002S
Thin Cross Sectional thickness of 7mm	500mm (20")	700gms	225001
---	500mm (20")	800gms	225101
Run Flat	500mm (20")	850gms	225201

Material : Forged Chrome Vanadium Steel, hardened & tempered.

Finish : Sand Blasted surface with Nickel Chrome Plating.

Use : Used for Passenger Car tyre service.

11 Silk Lever

Size:	Weight:	Code No.
500mm (20")	800gms	225301

Material : Forged Chrome Vanadium Steel, hardened & tempered.

Finish : Sand Blasted surface with Nickel Chrome Plating.

Use : Smooth, heavy duty & sturdy. One side is screwed with two strong protective Nylon 6 plastic inserts and one insert on other side of the lever.

No separate boot is required for shifting position to avoid direct contact between rim and lever.

Good for both steel and Aluminum rims.

12 Tyre Lever with Complete Back Plastic Protection.

Size:	Weight:	Code No.
500mm (20")	800gms	225401

Material : Forged Chrome Vanadium Steel, hardened & tempered.

Finish : Sand Blasted surface with Nickel Chrome Plating.

Use : Smooth, heavy duty & sturdy. One side is completely screwed with strong Nylon 6 plastic protection.

Good for both steel and Aluminum rims.

No separate boot is required for shifting position to avoid direct contact between rim and lever.

13 Tyre Lever

Size:	Weight:	Code No.
600mm (24")	930gms	220008

Material : Forged Chrome Vanadium Steel, hardened & tempered.

Finish : Sand Blasted surface with Nickel Chrome Plating.



14 226001



15 220003



16 2200012



17 220274



18 220284



19 221077



19 221044



19 221055



20 221066



21 220204



22 2202045



22 220255

14 Run Flat Lever

Size: 600mm (24") **Weight:** 910gms **Code No.** 226001

Material : Forged Chrome Vanadium Steel, hardened & tempered.
Finish : Sand Blasted surface with Nickel Chrome Plating.

15 Tyre Lever with Crank End

Size: 610mm (24") **Weight:** 1.450kg **Code No.** 220003

Material : Forged Chrome Vanadium Steel, hardened & tempered.
Finish : Sand Blasted surface with Nickel Chrome Plating.
Use : Suitable for LCV, Trucks and large wheels, this tyre lever is extra heavy duty with crank end.

16 Lever for Removal of Locking Rings

Size: 470mm (18") **Weight:** 720gms **Code No.** 2200012

Material : Forged Chrome Vanadium Steel, hardened & tempered.
Finish : Sand Blasted surface with Nickel Chrome Plating.
Use : To remove locking rings of tube type tyres.

17 Rim Straightener Lever

Size: 390mm (15") **Weight:** 650gms **Code No.** 220274

Material : Special Steel.
Finish : Sand Blasted surface with Nickel Chrome Plating.
Use : Used for repairing of deformation on the rim flange.
Suitable for Steel rims.

18 Tubeless Truck Tyre Lever with Hook

Size: 600mm (24") **Weight:** 1.570kg **Code No.** 220284

Material : Forged Chrome Vanadium Steel.
Finish : Sand Blasted surface with Nickel Chrome Plating.
Use : Used for mounting on wide base rims.

19 Tyre Lever

Size:	Weight:	Code No.
600mm (23.6")	1.350kg	221077
800mm (31.5")	1.540kg	221044
800mm (31.5")	1.830kg	221055

Material : Forged Chrome Vanadium Steel for 221044 & Steel Pipe for 221055
Use : Used with truck tyre changing machine.

20 Truck Bead Lever

Size: 1150mm long **Weight:** 3.450kg **Code No.** 221066

Material : Steel Pipe
Use : Used with truck tyre changing machine.

21 Wheel Flange Loosener

Dia:	Size:	Weight:	Code No.
32mm	300mm long	1.800kg	220204

Material : Forged CV Steel, hardened & tempered. Black colour.
Use : Used for loosening rusted Truck and Bus Beads. Speeds up Truck tyre repair work and saves labour and time.

22 Wheel Flange Loosener with Plastic Hand Protection

Dia:	Colour:	Size:	Weight:	Code No.
32mm	Red	330mmx93mm	1.850kg	2202045
32mm	Blue	330mmx93mm	1.850kg	2202045S
25mm	Blue	370gmmx52mm	1.540kg	220255

Material : Forged CV Steel, hardened & tempered.
Finish : Sand Blasted surface with Nickel Chrome Plating.
Use : Used to loosen rusted Truck and Bus Beads. Speeds up Truck tyre repair work. Easy to handle.



23	Swan Neck Leverage Bar	Size: 760mm long	Weight: 2.400kg	Code No. 220094
Material : Forged CV Steel, hardened & tempered. Black colour.				
Use	Used to remove frozen or rusted beads from all types of Truck / Farm / OTR rims.			
24	Lever for Truck Lock Rings	Size: 900mm long	Weight: 1.900kg	Code No. 220264
Use : Used for multi-piece wheels especially hub type.				
25	Impact Bead Breaker	Size: 1270mm-2030mm long	Weight: 10.500kg	Code No. 220134
Material : Steel Pipe. Black colour.				
Use	Used to easily loosen beads of the tyre with bead-breaking foot and ram bar but never cuts the bead of the tyre.			
26	Trilex Lever for Tubeless Truck/ Bus Tyre	Size: 1045mm long	Weight: 3.200kg	Code No. 221314
Material : CV Steel and Steel Pipe.				
Use	A double mounting lever for 3 piece rims.			
27	Special Lever for Motorcycle Tyres with Stopper	Size: 390mm long	Weight: 600gms	Code No. 220154
Material : Forged CV Steel, hardened & tempered. Black colour.				
28	Lever for Tubeless Tyres for Passenger Cars	Size: 380mm long	Weight: 565gms	Code No. 220164
Material : Forged CV Steel, hardened & tempered. Black colour.				
29	Lever for Tube and Tubeless Truck Tyres Mounted on Flat Rims	Size: 420mm long	Weight: 900gms	Code No. 220214
Material : Forged CV Steel, hardened & tempered. Black colour.				
30	Lever for Tube and Tubeless Truck Tyres - mounted on Flat Rims	Size: 460mm long	Weight: 1.050kg	Code No. 220194
Material : Forged CV Steel, hardened & tempered. Black colour.				
31	Lever for small size Tubeless Truck & Tractor Tyres - mounted on Drop-Centre Rims	Size: 530mm long	Weight: 1.050kg	Code No. 220174
Material : Forged CV Steel, hardened & tempered. Black colour.				
32	Lever for big size Tubeless Truck & Tractor Tyres - mounted on Drop-Centre Rims	Size: 760mm long	Weight: 1.630kg	Code No. 220184
Material : Forged CV Steel, hardened & tempered. Black colour.				
33	Lever for Tubeless Truck Tyre - mounted on 15° drop-centre rims	Size: 800mm long	Weight: 1.950kg	Code No. 220004
Material : Forged CV Steel, hardened & tempered. Black colour.				
34	Lever for Lug Base and Earthmover Tyres - mounted on Drop-Centre Rims	Size: 940mm long	Weight: 2.900kg	Code No. 220244
Material : Forged CV Steel, hardened & tempered. Black colour.				
35	Lever for Earthmover Tyres	Size: 965mm long	Weight: 2.780kg	Code No. 220234
Material : Forged CV Steel, hardened & tempered. Black colour.				
36	Lever for Truck, Tractor / OTR Tyres	Size: 1400mm long	Weight: 10.700kg	Code No. 220224
Material : Forged CV Steel, hardened & tempered. Black colour.				



37	Demounting Lever for Tubeless Truck/ Bus Tyre	Size: 1800mm long	Weight: 6.600kg	Code No. 220314
	Material : Casting and Steel Pipe.			
38	Mounting Lever for Tubeless Truck/ Bus Tyre	Size: 1040mm long	Weight: 2.600kg	Code No. 220414
	Material : Casting and Steel Pipe.			
39	Mounting Lever for Tubeless Truck/ Bus Tyre	Size: 1070mm long	Weight: 3.100kg	Code No. 220514
	Material : Casting and Steel Pipe. Black Powder Coating.			
	Use : This mounting lever is ideal for Aluminum rims.			
40	Demounting Lever for Tubeless Truck/ Bus Tyre	Size: 1830mm long	Weight: 8.800kg	Code No. 220614
	Material : Casting and Steel Pipe. Black Powder Coating.			
	Use : This demounting lever is ideal for Aluminum rims.			
41	Demounting Lever for 17.5" Tubeless Truck/ Bus Tyre	Size: 1500mm long	Weight: 6.950kg	Code No. 221414
	Material : Special Steel Casting. Powder Coating.			
	Use : Specialized lever for demounting 17.5" Truck / Bus tyre.			
42	Heavy Duty Mounting Lever for Tubeless Truck/Bus Tyre	Size: 1160mm long	Weight: 2.450kg	Code No. 220814
43	Rim Lock Ring Removal Tool	Size: 1070mm long	Weight: 5.100kg	Code No. 220914
	Material : Casting and Steel Pipe. Powder Coating.			
	Use : Specialized wrench to remove single lock rings of Truck / Bus tyre rims after bead breaking.			
44	Rim Lock Ring Fitting Tool	Size: 1210mm long	Weight: 3.850kg	Code No. 221014
	Material : Forged CV Steel, hardened & tempered.			
	Use : Specialized wrench to fit rings of Truck / Bus tyre rims. Used in pair.			
45	Wheel Cover Puller/Replacer	Size: 330mm long 439mm long	Weight: 625gms 853gms	Code No. 220011 220211
	Material : Steel Rod.			
	Use : Removes wheel covers quickly and easily without any damage. Replaceable rubber head prevents damage to the hub cap.			
46	Rubber Mallet	Size: 420mm long 305mm long	Weight: 480gms 1.800kg	Code No. 220420 220430
	Use : Rubber Head Mallet prevents damage to the rim surface.			



47 224117



47 224226



47 2224117R



47 224226R



48 224215



48 224217



48 224224



49 2201017



49 2200117



50 2200217



50 2200517



51 2200317



52 2200417



53 2200717



54 550005

47 Pump Ring Rigid for Tubeless Truck Tyre

Size:	Weight:	Code No.
17.5"	8.650kg	224117
18.5"	8.500kg	224218
19.5"	9.000kg	224119
20.5"	10.150kg	224220
22.5"	12.000kg	224222
26.5	10.500kg	224226

Rubber Ring for Pump Ring Rigid

Weight:	Code No.
2.100kg	224117R
2.300kg	224218R
-	224119R
-	224220R
3.300kg	224222R
4.500kg	224226R

48 Pump Ring Flexible for LCV and HCV Tubeless Tyre

Sectional Dia:	Size:	Weight:	Code No.
25mm	15.5"	790gms	224215
25mm	17.5"	860gms	224217
25mm	22.5" to 24.5"	1.060kg	224224

Material : Silicon Rubber

Use : Used for sealing the tyre beads of the rims.

49 Tyre Tread Depth Gauge (Plastic)

Size:	Weight:	Code No.
0 - 30mm	10gms	2201017
0 - 30mm	30gms	2200117

50 Tyre Tread Depth Gauge (Stainless Steel)

Size:	Weight:	Code No.
For Passenger Car tyre 0 - 50mm	30gms	2200217
For Truck tyre 0 - 90mm	60gms	2200517

51 OTR Tread Depth Gauge (Aluminum)

Size:	Weight:	Code No.
0 - 150mm / 0 - 192 (32 NDS)	170gms	2200317

Use : For measurement of Earthmover tyre tread depth. Supplied with case. Easy readability due to Glass lens.

52 OTR Tread Depth Gauge (Acrylic Plastic)

Size:	Weight:	Code No.
0-150mm / 0-192 (32 NDS)	100gms	2200417

Use : For measurement of Earthmover tyre tread depth. Supplied with case.

53 Dial Type Tread Depth Gauge

Size:	Weight:	Code No.
0-110mm	80gms	2200717

54 D.O.T. Removal Tool

Weight:	Code No.
120gms	550005

Material : Blades are made from Special Steel.


Use: The tool helps to remove the D.O.T number on tires being retreaded.



55 224430



55 224432



56 224232


56 224233

56 224332

56 224333



57 224232CH



57 224332CH



58 2200817

55 WHEEL PROTECT Loose Wheel Nut Indicator

Size:	Weight:	Code No.	Size:	Weight:	Code No.
17mm	3gms	224417	30mm	2gms	224430
19mm	2gms	224419	32mm	3gms	224432
21mm	2gms	224421	33mm	3gms	224433
24mm	3gms	224424	36mm	4gms	224436
26mm	3gms	224426	38mm	4gms	224438
27mm	4gms	224427	40mm	5gms	224440
			41mm	5gms	224441

Material : Special Durable Plastic.

Colour : Fluorescent Yellow, Red, Pink, Green, Orange.

Note : Customized colour can be provided for large orders.

56 Dust Cap & Loose Wheel Nut Indicator

Type:	Size:	Weight:	Code No.
Upper arrow	32mm	19gms	224232
Upper arrow	33mm	18gms	224233
Bottom arrow	32mm	16gms	224332
Bottom arrow	33mm	17gms	224333

Material : Special Durable Plastic.

Colour : Green, Red, Yellow, Pink.

Note : Customized colour can be provided for large orders.

57 CHROME PROTECT Dust Cap Loose Wheel Nut Indicator
(Fitted with Soft plastic insert)

Type:	Size:	Weight:	Code No.
Upper arrow	19mm	19gms	224219CH
Upper arrow	21mm	14gms	224221CH
Upper arrow	32mm	53gms	224232CH
Upper arrow	33mm	57gms	224233CH
Bottom arrow	32mm	38gms	224332CH
Bottom arrow	33mm	34gms	224333CH

Material : Made from heavy duty & high quality special durable plastic.

Finish : Chrome Plated.

Use : Soft plastic insert fitted inside provides better grip with lug nut and makes them easy to put on and take off. Prolongs the service life of studs & nuts through protection from corrosion, weathering & damage. Complements the look of vehicles with chrome wheels.

58 Aluminum Tyre Stand

Length	Width	Height	Weight	Code No.
515mm	260mm	280mm	9.00Kg	2200817

Load Capacity : 10 Ton (Per Pair)

Use : Allows an operator to safely crawl under a vehicle to secure frame forks or for raising the ground clearance for a spectacle lift.





59 220303 Rim Lock Ring Fitting/ Removal Tool Kit (For Tube-Type Tyres)

59 Rim Lock Ring Fitting/ Removal Tool Kit (For Tube-Type Tyres)

	Weight:	Code No.
(With Bag)	15.200kg	220303
	17.700kg	220303B

The Kit contains the following items:

Tool:	Qty:	Weight:	Code No.
• Bag with Wheels (optional)	1 No.	2.500kg	220302
• Ring Removal Tool	1 No.	5.100kg	220914
• Ring Fitting Tool	2 No.	3.850kg	221014
• Tyre Lever 600mm	1 No.	930gms	220008
• Tyre Lever with Crank End	1 No.	1.450kg	220003
• Valve Core Screw Driver	1 No.	20gms	330002

Use : Mounting/demounting tube-type tyres (single and double lock ring) in less than 2 mins. Complete demo on "Sarv" Youtube channel.



60 220403 STANDARD TOOL KIT


60 Tubeless Tyre Mount/Demount Standard Tool Kit

	Weight:	Code No.
(With Bag)	17.850kg	220403
	20.350kg	220403B

The Kit contains the following items:

Tool:	Qty:	Weight:	Code No.
• Bag with Wheels (optional)	1 No.	2.500kg	220302
• Tyre Lever	2 No.	1.950kg	220004
• Tyre Lever	1 No.	1.630kg	220184
• Impact Bead Breaker	1 No.	10.500kg	220134
• Bead Holding Tool	1 No.	330gms	220400
• Valve Core Screw Driver	1 No.	20gms	330002
• Sarv Paste (Economy)	1 No.	1.000kg	2200130
• Brush for Truck Tyre	1 No.	140gms	220415
• Duster	1 No.	15gms	D0015

Use : Mounts / Demounts all types of tubeless tyres 17.5" to 24.5".



61 220503 REGULAR TOOL KIT

61 Tubeless Tyre Mount/Demount Regular Tool Kit


	Weight:	Code No.
	21.685kg	220503

The Kit contains the following items:

Tool:	Qty:	Weight:	Code No.
• Mounting lever	1 No.	2.600kg	220414
• Demounting Lever	1 No.	6.600kg	220314
• Impact Bead Breaker	1 No.	10.500kg	220134
• Bead Holding Tool	1 No.	810gms	220500
• Valve Core Screw Driver	1 No.	20gms	330002
• Sarv Paste (Economy)	1 No.	1.000kg	2200130
• Brush for Truck Tyre	1 No.	140gms	220415
• Duster	1 No.	15gms	D0015

Use : Mounts all type of tubeless tyres 20" to 24.5". Demounts tyre in 8 seconds and remounts in 20 seconds. Works on standard and super single duplex tyres.





62 221503 REGULAR TOOL KIT

62 Tubeless Tyre Mount/Demount Regular Tool Kit

Weight: 10.00kg Code No. 221503

The Kit contains the following items:

Tool:	Qty:	Weight:	Code No.
• Mounting Lever	1 No.	2.600kg	220414
• Demounting Lever	1 No.	6.600kg	220314
• Bead Holding Tool	1 No.	810gms	220500



63 220603 SMART TOOL KIT

63 Tubeless Tyre Mount/Demount Smart Tool Kit

Weight: 24.385kg Code No. 220603
(With Bag) 29.185kg 220603B

The Kit contains the following items:

Tool:	Qty:	Weight:	Code No.
• Bag with Wheels (optional)	1 No.	4.800kg	220412
• Mounting Lever	1 No.	3.100kg	220514
• Demounting Lever	1 No.	8.800kg	220614
• Impact Bead Breaker	1 No.	10.500kg	220134
• Bead Holding Tool	1 No.	810gms	220500
• Valve Core Screw Driver	1 No.	20gms	330002
• Sarv Paste (Economy)	1 No.	1.000kg	2200130
• Brush for Truck Tyre	1 No.	140gms	220415
• Duster	1 No.	15gms	D0015

Use : Mounts all type of tubeless tyres 20" to 24.5". Demounts tyre in 8 seconds and remounts in 20 seconds.



64 220703 MOUNT/DEMOUNT TOOLS KIT FOR TRACTOR TYRES

64 Mount/Demount Tools Kit for Tractor Tyres

Weight: 32.810kg Code No. 220703
(With Bag) 35.310kg 220703B

Tool:	Qty:	Weight:	Code No.
Mechanical Screw Jack 50ton	1 No.	17.150gms	ST-MSJ50T
Combination Plier	1 No.	300gms	110184
Valve Core Screw Driver	1 No.	200gms	330002
Sledge Hammer	1 No.	4.450kg	221077
Tyre Lever 1145mm	1 No.	3.450kg	221066
Tyre Lever 800mm	1 No.	1.540kg	221055
Tyre Lever 800mm	1 No.	1.830kg	221044
Wheel Flange Loosener	1 No.	1.540kg	220255
Pressure Gauge With Deflator	1 No.	200gms	551108
Chisel	1 No.	550gms	221088
Tyre Tread Depth Gauge 0-90mm	1 No.	60gms	2200517
Bag	1 No.	2.500kg	220302
Paste 1kg	1 No..	1.00kg	2200130

Use: Used for Mounting / Demounting while wheel flitted on the tractor.



65 220905 TUBELESS TYRE MOUNT DEMOUNT TOOL KIT FOR 17.5" TYRES

65 Tubeless Tyre Mount/Demount Tool Kit for 17.5" Tyre

Weight: 21.325kg Code No. 220905
(With Bag) 26.125kg 220905B

The Kit contains the following items:

Tool:	Qty:	Weight:	Code No.
• Bag with Wheels (optional)	1 No.	4.800kg	220412
• Mounting Lever	1 No.	2.450kg	220814
• Demounting Lever	1 No.	6.950kg	221414
• Impact Bead Breaker	1 No.	10.500kg	220134
• Bead Holding Tool	1 No.	250gms	220513
• Valve Core Screw Driver	1 No.	20gms	330002
• Sarv Paste (Economy)	1 No.	1.000kg	2200130
• Brush for Truck Tyre	1 No.	140gms	220415
• Duster	1 No.	15gms	D0015

Use : Specifically designed to mount/demount 17.5" tyres without damaging the tyre bead and rim.



1 220118



1 220118F



1 226018



1 224518



2 220218



2 220218TB



2 222418



2 220518



2 220518P



2 220618



2 220618N



2 220718



2 226518



2 226518H



2 220918



3 220918R



3 225018R



3 225118R



3 RUBRING

1 Tyre Mount/Demount Tool (Steel) for Automatic Tyre Changers for Motorcycles

	Bore Dia:	Weight:	Code No.
28mm	430gms	220118	
28mm	450gms	220118F	
28mm	360gms	226018	
28mm	450gms	224518	

Material : Made out of Special Spring Steel. Nickel Plating.

Use : For removing tyres on all types of steel rims.

2 Tyre Mount/Demount Tool (Steel) for Automatic Tyre Changers for Passenger Cars

Tapered Bore Dia:	Bore Dia:	Weight:	Code No.
-----	28mm	660gms	220218
24mm	31mm	690gms	220218TB
-----	28mm	560gms	222418
-----	29mm	570gms	220518
-----	29mm	580gms	220518P
29mm	33mm	580gms	220618
29mm	33mm	620gms	220618N
-----	28mm	600gms	220718
-----	28mm	550gms	226518
-----	28mm	550gms	226518H
-----	28mm	550gms	222518
-----	28mm	550gms	222518J
-----	28mm	550gms	220818
-----	30mm	550gms	226318
-----	28mm	670gms	220918

Material : Made out of Special Spring Steel. Nickel Plating.

3 Tyre Mount/Demount Tool (Steel) with Rubber Ring for Automatic Tyre Changers for Passenger Cars

Tapered Bore Dia:	Bore Dia:	Weight:	Code No.
-----	28mm	670gms	220918R
28mm	30mm	617gms	225018R
28mm	30mm	617gms	225118R

Material : Made out of Special Spring Steel. Nickel Plating.

Rubber Ring for Tyre Mount/Demount Tool (Steel) with Collar

Size:	Weight:	Code No.
35mm	15gms	RUBRING

Note : RUBRING fits on Mount / Demount tools 220918, 220918R, 225018R, 225118R.



2 222518



2 222518J



2 220818



2 226318



4 220318



4 221618



4 221618Y



4 226418



4 222218



4 220418


4 Tyre Mount/Demount Tool (Plastic) for Automatic Tyre Changers

Bore Dia:	Weight:	Code No.
28mm	170gms	220318
-----	150gms	221618
-----	150gms	221618Y
28mm	230gms	226418
28mm	190gms	222218
28mm	220gms	220418
-----	190gms	221418
Consumable Plastic part	11gms	221418RS
28mm	180gms	222118
-----	195gms	221818
28mm	240gms	221918

Material : Made from Special Blended Nylon Plastic (Nylon 66).

Use : Wearing Mount/Demount Tool Head protects tyre & rim from metal to metal contact damage. Using Plastic Mount/Demount Tool Head is much safer for delicate and expensive wheels yet durable enough to withstand the stress of larger tyres and wheels.

Note : The Consumable Plastic part 221418RS can be used on the Plastic Mount/Demount tools 221418 and 222118.

5 Wide Tool Head for Lever less Tyre Changers

Size:	Weight:	Code No.
L-138mm	153gms	222318


Material : Made from Special Blended Nylon Plastic (Nylon 66).

6 Tool Head for Lever less Tyre Changers

Size:	Weight:	Code No.
L-170mm	170gms	222818

Material : Made from Special Blended Nylon Plastic (Nylon 66).

Use : Useful in low profile application.



5 222318



6 222818



4 221418RS



4 221418RS



4 221418RS



4 221418



4 221418



4 222118



4 221818



4 221818



4 221918



7 225918



7 221718



7 221718Y



7 221518



8 226718



8 228818


7 Tyre Mount/Demount Tool (Plastic) for Automatic Tyre Changers

Bore Dia:	Weight:	Code No.
28mm	210gms	225918
-----	175gms	221718
-----	175gms	221718Y
29mm	205gms	221518
29/30mm	190gms	222018

Material : Made from Special Blended Nylon Plastic (Nylon 66).

Use : Wearing Mount/Demount Tool Head protects tyre & rim from metal to metal contact damage. Using Plastic Mount/Demount Tool Head is much safer for delicate and expensive wheels yet durable enough to withstand the stress of larger tyres and wheels.

8 Tyre Mount/Demount Tool (Plastic) for Automatic Tyre Changers

Tapered Bore Dia:	Bore Dia:	Weight:	Code No.
25mm	30mm	156gms	226718
25mm	30mm	177gms	228818

Material : Made from Special Blended Nylon Plastic (Nylon 66).

Use : Wearing Mount/Demount Tool Head protects tyre & rim from metal to metal contact damage. Using Plastic Mount/Demount Tool Head is much safer for delicate and expensive wheels yet durable enough to withstand the stress of larger tyres and wheels.

9 Tyre Mount/Demount Tool (Plastic) with Hardware

Tapered Bore Dia:	Bore Dia:	Weight:	Code No.
25mm	30mm	195gms	226718KIT
25mm	30mm	258gms	228818KIT

Material : Made from Special Blended Nylon Plastic (Nylon 66).

Use : Wearing Mount/Demount Tool Head protects tyre & rim from metal to metal contact damage. Using Plastic Mount/Demount Tool Head is much safer for delicate and expensive wheels yet durable enough to withstand the stress of larger tyres and wheels.


7 222018



9 226718KIT



9 228818KIT




14 Tyre Mount/Demount Tool (Plastic) with Tool Holder

Tapered Bore Dia:	Bore Dia:	Weight:	Code No.
-----	33mm	354gms	223618
-----	28mm	712gms	223418
-----	29/30mm	668gms	223018
-----	29mm	678gms	223118
-----	28mm	955gms	222918
-----	28mm	741gms	223218
-----	28mm	465gms	223718
-----	28mm	522gms	223718FR
25mm	28mm	504gms	226218
-----	28mm	772gms	225618

Material : Made from Special Blended Nylon Plastic (Nylon 66).

15 Tool Holder for Plastic Mount/Demount Tools

Tapered Bore Dia:	Bore Dia:	Weight:	Code No.
-----	28mm	500gms	221318
-----	28mm	550gms	221318H
29mm	33mm	150gms	222618
-----	28mm	250gms	224718
-----	28mm	300gms	224718F
-----	29/30mm	450gms	225518
-----	28mm	492gms	223918
25mm	28mm	294gms	225818
-----	28mm	705gms	224818

Material : Made out of Special Steel.

Use : Tool Holders are fitted on various Plastic Mount / Demount Tools as per following code nos. :

Tool Holder:	Mount/Demount Tool:
221318	- Fits on 220318, 220418, 222118
221318H	- Fits on 220318, 220418, 222118
222618	- Fits on 221618, 221618Y
224718	- Fits on 221718, 221718Y
224718F	- Fits on 221718, 221718Y, 225218
224818	- Fits on 221918
225518	- Fits on 221518, 222018
223918	- Fits on 222218, 226418
225818	- Fits on 228818





16 220028



16 220828



16 221138



16 221038



16 223738



16 221338



16 221039



16 221649



16 224238SCR



16 220739



16 220538



16 220628



16 224138



16 224238



16 220328



16 221738



16 220228



16 220728



16 220728Y



16 220838



16 222938



16 222938Y



16 223138



16 224038



16 220639



16 220438



16 220338



16 223238

16 Plastic Inserts of Tyre Mount/Demount Tools

Colour:	Weight:	Code No.
Black	75gms	220028
Black	2gms	220828
White	4gms	221138
Black	4gms	221038
Black	3gms	223738
White	3gms	221338
Black	3gms	221039
Black	12gms	221649
Black	4.5gms	224238SCR
Black	29gms	220739
Black	5gms	220538
Black	6gms	220628
Yellow	6gms	224138
Black	4gms	224238
Black	5gms	220328
Yellow	5gms	221738
Black	4gms	220228
Black	5gms	220728
Yellow	5gms	220728Y
Black	6gms	220838
Black	5gms	222938
Yellow	5gms	222938Y
Black	2gms	223138
Red	2gms	224038
Yellow	6gms	220639
Black	7gms	220438
Black	15gms	220638
Yellow	14gms	222339
Yellow	13gms	220839
Black	2gms	220338
White	2gms	223238
Black	7gms	222638
Black	2gms	222738
Black	1gms	222838
Red	5gms	223938
Red	1gms	223439
Red	15gms	226238
White	3gms	221838WH
Yellow	3gms	221838
Yellow	4gms	221938

Material : Made from Special Durable Plastic (Nylon 6).


16 222638



16 222738



16 222838



16 223938



16 223439



16 226238



16 220638



16 222339



16 220839



16 221838WH



16 221838



16 221938



17 221028



17 222038



17 222138



17 220528



17 221238



17 220938



17 221438



17 220928



17 220928Y



17 222438



17 SCRM4X6



17 222538



17 223338



18 223838



18 223838R



18 225038



18 225138



18 222338



17 223438



17 223538



17 223638



17 222238



18 221538



18 221638



18 220738

17 Plastic Inserts of Tyre Mount/Demount Tools

Colour:	Weight:	Code No.
Black	4gms	221028
White	2gms	222038
White	2gms	222138
Black	4gms	220528
Yellow	5gms	221238
Black	5gms	220938
Yellow	3gms	221438
Black	3gms	220928
Yellow	3gms	220928Y
Yellow	4gms	222438
Silver	7gms	SCRM4X6
Yellow	8gms	222538
Grey	9gms	223338
Yellow	5gms	223838
Red	2gms	223838R
Grey	5gms	225038
Grey	2gms	225138
Yellow	9gms	222338
White	1gm	223438
White	6gms	223538
White	2gms	223638
White	7gms	222238

Material : Made from Special Durable Plastic (Nylon 6).

18 Mounting Head Protector

Colour:	Weight:	Code No.
Yellow	20gms	221538
Black	20gms	221638
Black	15gms	220738

Material : Special Plastic.

19 Jaw Protection Insert

Colour:	Weight:	Code No.
Black	3gms	223038
Yellow	3gms	223038Y
Black	4gms	224738
Black	1gms	220428

Material : Special Plastic.

Use : These inserts snap into place on the sloped surface of the metal tyre changing Jaw assembly. Helps to reduce metal to metal contact between the wheel rim and tyre changing Jaw.

20 Max Plus Grip Jaw Protection Insert

Colour:	Weight:	Code No.
Black	12gms	225238

Material : Special Plastic.

Use : Grip max jaw insert works in conjunction with the grip max plus clamps.



19 223038



19 223038Y



19 224738



19 220428



20 225238



21 2200121



21 2200221



21 2202421



21 2203321



21 2200321



21 2200321F



21 2200921



21 2201321



21 2202321



21 2200721



21 2200721Y



21 2200821



21 224938



21 2200621



21 2201921



21 2201821

21 Plastic Jaw Covers for Clamping Aluminum Alloy Rims

Colour:	Weight:	Code No.
Black	35gms	2200121
Black	35gms	2200221
Black	40gms	2202421
Black	36gms	2203321
Black	35gms	2200321
Black	35gms	2200321F
Black	50gms	2200921
Black	40gms	2201321
Black	27gms	2202321
Black	25gms	2200721
Yellow	25gms	2200721Y
Black	45gms	2200821
Black	43gms	224938
Black	80gms	2200621
Black	45gms	2201921
Black	35gms	2201821
Black	20gms	2202021
Black	12gms	2202521
Black	15gms	2202221
Black	17gms	2201021
Yellow	17gms	2201021Y
Black	22gms	2202121
Black	17gms	2201521
Black	12gms	2201721
Yellow	22gms	2201221

Use : Used as the Jaw cover of Jaws of T/C Machines.

22 Slide Jaw Protector

Colour:	Size:	Weight:	Code No.
Yellow	L-278mm	60gms	2201421
Black	L-146mm	12gms	222548

Material : Engineering Plastic.



21 2202021



21 2202521



21 2202221



21 2201021



21 2201021Y



21 2202121



21 2201521



21 2201721



21 2201221



22 2201421



22 222548



23 220448



23 220448GR



23 220448WH



23 222248



23 220648



23 220848



23 220948



23 222348



23 220348



23 220348Y



23 221148



23 220548



24 2200021



24 2201621



24 2200421



25 221548



26 221648



27 221848

23 Bead Breaker Blade Protection

Weight:	Code No.	Weight:	Code No.
90gms	220448	85gms	220948
90gms	220448GR	100gms	222348
90gms	220448WH	100gms	220348
70gms	222248	100gms	220348Y
90gms	220648	170gms	221148
96gms	220848	230gms	220548

Material : Engineering Plastic.

Use : Prevents metal to metal contact when bead loosening low profile tyres on expensive alloy wheels thereby preventing damage to the wheel.

24 Clamping Jaws for Passenger Car Tyre Changers

Weight:	Code No.	Weight:	Code No.
125gms	2200021	230gms	2200521
170gms	2201621	390gms	2202621
230gms	2200421	140gms	2202721

Material : Special Steel, hardened and tempered for longer life and durability.

Use : Four Jaws are required per machine for keeping the Jaw alignment even.

25 Rubber Tulip Pad

Colour:	Weight:	Code No.
Black	155gms	221548

Use : Mounted at the end of the arms that clamps the rim and prevent damage to the rim while providing grip to rotate the rim.

26 External Rubber Clamping Jaw

Colour:	Weight:	Code No.
Black	525gms	221648

Use : They work with machine which have hollow center of the tulip arms. If there is no hole on the top of the arms then these are not right parts to use.

27 Feeler Pin

Colour:	Length:	Weight:	Code No.
Grey	150mm	20gms	221848

Material : Special Plastic.

28 Bead Removal Tool for Lever Less Tyre Changing Machines

Colour:	Length:	Weight:	Code No.
Yellow	277mm	65gms	221048
Red	277mm	65gms	221048R

Material : Engineering Plastic. Glass filled for good strength and durability.

29 Bead Pressing Clamp

Colour:	Length:	Width:	Thickness:	Weight:	Code No.
Black	296mm	148mm	45mm	600gms	221049

Use : Allows for quick compression of the tyre bead, significantly enhancing the efficiency of tyre mounting and demounting while reducing operation time.



24 2200521



24 2202621



24 2202721



28 221048



28 221048R



29 221049



30 224338

30 225338

30 225718



31 22SPRM



32 221748



32 222048



33 222448



33 224638



34 221448



34 221348



34 222148



35 224639



36 2201121



37 220039



37 220039P



38 220040

30 Bead Breaker Roller

Thickness	Dia:	Weight:	Code No.
30mm	125mm/25mm	345gms	224338
48mm	150 mm /25mm	589gms	225338
81mm	250mm/30mm	1.600kg	225718

Material : PA6 Glass Filled for 224338/ Nylon 6 for 225338/ Nylon for 225718.**Use :** Used for breaking the bead.**31 Support Plate**

Thickness	Dia:	Weight:	Code No.
7mm	130mm	264gms	22SPRM

Material : Rubber and Steel.**32 Support Plate Cover**

Colour:	Dia:	Weight:	Code No.
Black	240mm	150gms	221748
Black	230mm	280gms	222048

Material : Rubber For 221748.

PU For 222048.

Use : It protects the rim while servicing the reverse wheels. Should be removed if not servicing the reverse wheels.**33 In-Between Cone**

Height:	Dia:	Weight:	Code No.
64mm	95mm	165gms	222448
90mm	140mm	380gms	224638

Material : PA6 Glass Filled.**Use :** The Cone slides on the removable spindle shaft assembly and is used to hold the wheel down while removing/replacing the tyre.**Note :** 224638 Cone is for bigger rims.**34 Cone Cover**

Colour:	Dia:	Weight:	Code No.
Black	45-130mm	170gms	221448
Yellow	40-125mm	55gms	221348
Yellow	28-120mm	60gms	222148

Material : Nylon.**Use :** Protective Plastic cover that snaps securely over the wheel hold down cone to prevent damage to the wheel.**35 CONESET (Set of 3 Cones)**

Cones	Dia	Height	Weight:	Code No.
Cone 1	119mm-40mm	44mm	815gms	224639
Cone 2	149mm-55mm	45mm	3.000kg	
Cone 3	195mm-100mm	45mm	3.800kg	

Material : Special Steel.**36 Jaw Guide Kit**

Material :	Weight:	Code No.
CRC Sheet.	720gms	2201121

Use : Used in a set of four pieces to increase or decrease the rim clamping size.**37 Motor Cycle Adaptor Kit**

Size:	Weight:	Code No.
L-111mm, W-41mm, H-107mm	900gms	220039

Material : Special Steel.**Finish :** White Zinc Plating.**Use :** The kit of 4 Clamps and protectors fits most rim clamp tire changers. Allows standard Tire Changing Machine to grip Motorcycle wheels. Lifts spoked wheels away from Turn Table. Easy to set up and remove.**Plastic Protection Kit for 220039**

Weight:	Code No.
165gms	220039P

38 Universal Motor cycle Adaptor Kit

Size:	Weight:	Code No.
L-170mm, W-70mm, H-153mm	8.000kg	220040

Material : Special Steel.**Finish :** White Zinc Plating.**Use :** Due to it's higher height it can also be used for changing tyres of electric vehicles having motor fitted.**Note:** Plastic Protection Kit 220039P Works also for 220040.



39 220009



Ribs

40 220019



Ribs

40 220019Y



Plain

40 220119



41 220010



41 2200110



41 2200210



41 2200310




41 2200410



42 2200410PU



43 2200510



44 2200411 Bead Pressing Tool Kit

39 Tyre Lever Boot Short
Weight:
11gms

Code No.
220009
Material : Nylon-6.**Use :** Plastic protection for light metal rims used with tyre levers 220001 and 220002.
40 Tyre Lever Boot Long

Colour:	Weight:	Code No.
Black (Ribbed end)	60gms	220019
Yellow (Ribbed end)	60gms	220019Y
Black (Plain end)	58gms	220119

Material : Nylon-6.**Use :** Plastic protection for light metal rims used with tyre levers.
41 Rim Protector for Passenger Car

Colour:	Size:	Weight:	Code No.
White	150mm long	35gms	2200010
Black	150mm long	35gms	2200110
Red	150mm long	35gms	2200210
Blue	150mm long	35gms	2200310
Yellow	150mm long	35gms	2200410

Material : Nylon-6.**Use :** Used to clip over an alloy wheel to reduce scratching along wheel.
42 Rim Protector PU for Passenger Car

Colour:	Size:	Weight:	Code No.
Yellow	150mm long	40gms	2200410PU

Material : Made from Poly Urethane (PU).**Use :** Used to clip over an alloy wheel to reduce scratching along wheel.
43 Rim Protector for LM Rims

Colour:	Size:	Weight:	Code No.
Yellow	230mm long	46gms	2200510

Material : Nylon-6.**Use :** Used to clip over an alloy wheel to reduce scratching along wheel. Suitable for car & motorcycle rims. Can also be used as protector against cutting while mounting run flat tyres on steel rims.
44 Bead Pressing Tool Kit
Weight:
1.475kg

Code No.
2200411
The Kit contains the following items:

Tool:	Qty:	Weight:	Code No.
• Bead Presser with Plastic Roller	1 No.	890gms	BPPR
• Bead Presser Holder	1 No.	365gms	BPH
• Bead Presser Bracket	1 No	220gms	BPB

Material : MS Pipe.**Use :** Used to clip over an alloy wheel to reduce scratching along wheel.
45 Bead Holding Rope

Size:	Weight:	Code No.
1080mm long	400gms	2200511
1130mm long	700gms	2200611

Material : SS wire and Nylon Blocks with Steel Bush.**Use :** Keeps Passenger Car tyre bead from slipping during mounting of top. Holds the Bead in 6 positions in the drop center.

45 2200511

45 2200611



47 2200011

48 2200311



49 2200211

49 2200211A

19 2200211B



50 2200013

50 2200113



53 220400

53 220500

53 220513

46 Swab

Weight:	Code No.
100gms	2200215
80gms	2200216
110gms	2200315
85gms	2200316

Use : Used to lubricate tyre beads while removing or mounting tyres on rims.

47 Tyre Mounting Aid

Weight:	Code No.
320gms	2200011

Material : Nylon-6

Use : Holds tyre bead below the rim flange for fast and damage free tyre mounting. Fits on all Passenger Car rims. Will not scratch decorative/Aluminum rims.

48 Tyre Mounting Aid (Supplied with Base 3)

Weight:	Code No.
400gms	2200311

Material : Nylon-6

Use : Holds tyre bead below the rim flange for fast and damage free tyre mounting. Fits on all Passenger Car rims. Will not scratch decorative/Aluminum rims.

Note : 2200311 is supplied with base 3 (Size: 20mm)

49 Tyre Mounting Aid

Weight:	Code No.
300gms	2200211

Material : Nylon-6

Use : Holds tyre bead below the rim flange for fast and damage free tyre mounting. Fits on all Passenger Car rims. Will not scratch decorative/Aluminum rims.

Base : For Tyre Mounting Aid 2200211 (optional)

Size:	Weight:	Code No.
Base 1 : 44mm	165gms	2200211A
Base 2 : 20mm	80gms	2200211B

Use : Base 1 and Base 2 are used for increasing the base height and are optional to use.

50 Rim Clamp for Tubeless Truck Tyres

Weight:	Code No.
1.600kg	2200013
1.700kg	2200113

Material : Special Steel Chrome plated to prevent corrosion.

Use : Clamps on wheel to prevent tyres from slipping by holding tyre bead.

51 Rim Clamp for Tubeless Truck Tyres (Alloy Rims)

Weight:	Code No.
1.750kg	2200313

Material : Special Steel Chrome Plated to prevent corrosion.

Use : Clamps on wheel to prevent tyres from slipping by holding tyre bead.

Plastic Protective Jaw Kit for Rim Clamp 2200313

Weight:	Code No.
24gms	2200313P

52 Truck Tyre Bead Holder

Weight:	Code No.
95gms	220213

Material : Made from indestructible Polymers Nylon-66.

Use : Keeps Truck tyre bead from slipping during mounting of top bead. Two bead holders are used simultaneously. No need to stand on tyre to mount.

53 Truck Tyre Bead Holder

Material:	Weight:	Code No.
CRC Sheet	330gms	220400
MS Casting	810gms	220500
MS Casting	250gms	220513

Use : The bead holder locks onto the flange of the wheel and holds tyre bead in place to eliminate standing on the tyre or changing the bead around the wheel.



54 220515



55 220415



55 220615



56 220715



57 220815



58 220915



58 221215



59 220015



59 2200115



60 221015



60 221115



61 221315

54 Special Brush for Tyres with Wooden Handle for Passenger Cars & Trucks

Size (Handle):	Dia.	Handle:	Weight:	Code No.
290mm long	25mm	Wooden	80gms	220515
290mm long	25mm	Plastic	75gms	220515P

Use : Used to lubricate tire beads when mounting or removing tires.

55 Special Brush for Tyres with Wooden Handle for Trucks & Earthmovers

Size (Handle):	Dia.	Handle:	Weight:	Code No.
300mm long	50mm	Wooden	140gms	220415
230mm long	50mm	Plastic	140gms	220415P
230mm long	50mm	Wooden	180gms	220615

Use : Used to lubricate tire beads when mounting or removing tires.

56 Brush for Tyres with Plastic Handle

Size (Handle):	Handle:	Weight:	Code No.
170mm long	Plastic	75gms	220715

Use : Used to lubricate tire beads when mounting or removing tires.

57 Brush for Tyres with Lid and Wooden Handle

Size (Handle):	Handle:	Weight:	Code No.
160mm long	Wooden	65gms	220815

Use : Used to lubricate tire beads when mounting or removing tires.

58 Angled Applicator Brush for Tyres with Wooden/Plastic Handle

Size (Handle):	Handle:	Weight:	Code No.
210mm long	Wooden	95gms	220915
300mm long	Plastic	125gms	221215

Use : Used to lubricate tire beads when mounting or removing tires.

59 Special Brush for Tyres

Size (Handle):	Handle:	Weight:	Code No.
160mm long	Wooden	100gms	2200015
160mm long	Plastic	80gms	2200115

Use : Used to lubricate tire beads when mounting or removing tires.

60 Special Brush for Tyres with Wooden Handle

Size (Handle):	Dia:	Handle:	Weight:	Code No.
340mm long	25mm	Wooden	47gms	221015
340mm long	50mm	Wooden	68gms	221115

Use : Used to lubricate tire beads when mounting or removing tires.

61 Brass Wire Brush

Width	Length:	Height:	Weight:	Code No.
29mm	83mm	28mm	40gms	221315

Use : Used for Cleaning Rims.

62 Sarv Paste (Economy)

Colour:	Weight:	Code No.
White	1kg	2200130
White	4kg	2200430
White	5kg	2200530

Use : Quick drying, non greasy tyre paste. Used for lubricating tyre beads in mounting & demounting operations.

63 Lube Bucket

Colour:	Weight:	Code No.
Red	188gms	2200630

Material : Special Plastic





1 330001



2 330002



2 330002BLU



3 3300012



3 3300012BLU



4 3300014



4 3300014BK



1"

4 3300614



5 3300114



6 3300214



7 3300314



8 3300414



9 3300015



9 3300035



10 3300215

1 Valve Core Screw Driver double ended 1" stem length (VG5/Caps)

Weight: 35gms Code No. 330001

Material : Carbon Steel and Plastic handle.

Use : Removing & fixing valve cores in Passenger Cars and Trucks. Large and standard bore.

2 Valve Core Screw Driver standard single ended 1" stem length

Colour: Red 20gms Code No. 330002
Blue 20gms 330002BLU

Material : Carbon Steel and Plastic handle.

Use : Removing & fixing valve cores.

3 Valve Core Screw Driver double ended 1" stem length (VG5/VG8)

Colour: Red 35gms Code No. 3300012
Blue 35gms 3300012BLU

Material : Carbon Steel and Plastic handle.

Use : Removing & fixing valve cores, VG5 from one end and VG8 from the other end.

4 Valve Core Screw Driver standard single ended 1" stem length

Colour: Red 20gms Code No. 3300014
Black 20gms 3300014BK
Red 45gms 3300614

Material : Carbon Steel and Plastic handle.

Use : Removing & fixing valve core VG5.

Note : 3300614 is used for large bore valves VG8.

5 Valve Core Screw Driver standard single ended 1.5" stem length

Weight: 20gms Code No. 3300114

Material : Carbon Steel and Plastic handle.

Use : Removing & fixing Valve Core VG5.

6 Valve Core Screw Driver standard single ended 4" stem length

Weight: 30gms Code No. 3300214

Material : Carbon Steel and Plastic handle.

Use : Removing & fixing Valve Cores VG5 from remote distance.

7 Valve Core Screw Driver (VG5/VG8)

Weight: 35gms Code No. 3300314

Material : Carbon Steel & Plastic handle. Metal part is Nickel Chrome Plated.

8 Valve Core Screw Driver 2" Stem Length with Torque

Weight: 40gms Code No. 3300414

Torque : Pre-set tightening torque 0.4 Nm.

Material : Carbon Steel & Plastic handle. Metal part is Nickel Chrome Plated.

Use : Prevents over screwing of the core while removing & fixing.

9 Cable Type Valve Fishing Tool

Length:	215mm	Weight:	35gms	Code No. 3300015
	300mm		40gms	3300035
	600mm		60gms	3300065


Material : Carbon Steel.

Use : Tool for easy valve installation in tubeless tyres.

10 Rigid Plastic Extensions

Total Length:	115mm	Weight:	7gms	Code No. 3300215
	125mm		9gms	3300125

Use : Mainly used to lengthen the valves on Trucks.


11 Ventifix Plastic with Revolving Nozzle

Colour: Red **Weight:** 85gms **Code No.** 330043

Material : Polyamide-6 for imparting super bending strength to the lever.
Use : For removing tubeless Motorcycle valves.

12 Ventifix Plastic

Colour: Blue **Weight:** 75gms **Code No.** 330003BLU
 Green **Weight:** 75gms **Code No.** 330003

Material : Polyamide-6 for imparting super bending strength to the lever.
Finish : All metal parts are Nickel Chrome Plated.
Use : For mounting Rubber snap-in valves on Passenger Car. Protects light metal alloy rims from scratch.

13 Ventifix Plastic with Valve Core Screw Driver at End

Colour: Green **Weight:** 75gms **Code No.** 330073

Material : Polyamide-6 for imparting super bending strength to the lever.
Use : For mounting Rubber snap-in valves on Passenger Car & to open valve core screw.

14 Ventifix Plastic Reinforced with Metal Rod

Colour: Yellow **Weight:** 120gms **Code No.** 330003YS
 Red **Weight:** 120gms **Code No.** 330003RS

Material : Polyamide-6 for imparting super bending strength to the lever.
Finish : All metal parts are Nickel Chrome Plated.
Use : Reinforced with inner metal rod for increase durability and stability. Ideal for quick removal of valve stems and for sealing newly installed valve stems.

15 Ventifix Plastic Reinforced with Metal Rod & Valve Core Remover at End

Colour: Red **Weight:** 126gms **Code No.** 330003SCR

16 Ventifix Steel

Colour:	Material:	Weight:	Code No.
Silver	Carbon Steel	300gms	330004
Silver	Steel Sheet	150gms	330024

Use : Ruggedly constructed Steel tool is designed to provide sure grip and leverage necessary for positioning seating or removal of snap-in type valves. Deep thread head assures ease of valve stem attachment.

17 Ventifix Aluminum with Rubber & Nylon Block

Colour: Golden **Weight:** 242gms **Code No.** 330083

Use : Specially designed tool for insertion / removal of all kind of valves. Suitable for TPMS valves. The Rubber and Nylon pad prevents scratching of the wheel rim.

18 Ventifix Plastic (Heavy Duty)

Colour:	Weight:	Code No.
Red	95gms	330023
Black	95gms	3300123
Yellow	95gms	3300223

Material : Polyamide-6 for imparting super bending strength to the lever.
Use : For mounting Rubber snap-in valves on Passenger Car & to open valve core screw. Multiple ridges help keep the tool in place on wheels with different sizes.


19 Valve Core Screw Driver

Size:	Weight:	Code No.
1"	15gms	3300021
2"	40gms	3300061
4"	42gms	3300041
5"	45gms	3300051

Material : Carbon Steel with Aluminum handle.

20 Valve Core Screw Driver Flexible

Size:	Weight:	Code No.
6"	46gms	3300611
8"	60gms	3300011

Material : Carbon Steel and flexible Steel Wire rope with Aluminum handle.

Use : This Valve Core Screw Driver holds the valve core with a clip. Also the fitting / removing of valve cores is much easier.

21 Valve Core Screw Driver with Magnet

Size:	Weight:	Code No.
4"	45gms	3300541

Material : Carbon Steel. Magnet on the top of handle provides easy picking of valve core.

22 Valve Core Screw Driver For OTR Tyres

Size:	Weight:	Code No.
4"	100gms	3300441

Material : Carbon Steel with Aluminum handle.

23 Valve Cap Screw Driver For OTR Tyres

Weight:	Code No.
120gms	3300641

Material : Special Steel.

24 Tubeless Valve Stem Puller

Colour:	Handle Material:	Weight:	Code No.
Red	Aluminum	150gms	330006
Black	Steel	265gms	330026
Blue	Steel	310gms	330036
Black	Steel	275gms	330046
Green	Steel	275gms	330056

Use : Installs and removes tubeless valves in seconds and protects the expensive alloy rim from scratch. Metal tip helps push out old snap in valve. All handles are PVC coated for hand protection.

25 Tubeless Valve Stem Puller (Heavy Duty)

Weight:	Code No.
400gms	3300018

Material : Made out of Carbon Steel Strip.

Finish : Nickel/Zinc plated to prevent rusting.

Use : Heavy duty Pull a Stem Tool to pull old or insert new tubeless Rubber valve of all sizes.



25 3300018



26 330007



26 330008



26 330009



26 330029



27 3300115



27 3300116



28 3300118



29 3300119

26 Valve Extension Holder

Colour:	Type:	Size:	Weight:	Code No.
Golden	Double Strip	8mm	35gms	330007
Golden	Double Clip	16mm	60gms	330008
Golden	Single Clip	16mm	55gms	330009
Golden	Single Clip	26mm	60gms	330029

Material : Carbon Steel and Spring Steel Wire.

Finish : Zinc Plated.

Use : To secure position of flexible valve extensions.

27 Heavy Duty 4 Way Valve Core Repair Tool

Finish:	Material:	Weight:	Code No.
Auto black	Carbon Steel	25gms	3300115
Zinc plated	Special Steel	20gms	3300116

Use : Repairs and reconditions inside and outside Valve threads and removes broken cores.

28 Tyre Valve Tool Kit

Weight: 285gms **Code No.:** 3300118

The Kit Contains the following items:

Tool:	Qty.
• Screw Tool	1 No. 185gms
• Tapered Tube	1 No. 25gms
• Valve Hook Tool	1 No. 75gms

Use : Hook is used to remove the old valve body. The screw tool and tapered tube are used for fitting lubricant with tyre tube or similar. Suitable for passenger car, ATV, UTV, Truck & Motorbike.

Note : Suitable for tyres with TPMS

29 Tyre Valve Milling and Cleaning Kit

Weight: 430gms **Code No.:** 3300119

The Kit contains the following items:

Tool:	Qty:	Weight:
• Holder for Grinding Pin, Short 65mm	1 No.	28gms
• Holder for Grinding Pin, long 197mm	1 No.	109gms
• Grinding Pin 17mm	1 No.	22gms
• Grinding Pin 20mm	1 No.	25gms
• Magnetic	1 No.	85gms
• 1/4" Bit extension. 140mm	1 No.	64gms
• Valve Seat Scraper with guide pin 100mm	1 No.	72gms

Use : Effectively removes corrosion residues and flaking clear coat that can cause air leakage due to uneven valve seating in alloy rims. Compatible with rubber valves, threaded steel valves & TPMS valves.

30 Valve Hole Cleaning Brush

Dia: 18mm **Length:** 165mm **Weight:** 60gms **Code No.:** 3300120



30 3300120



1 440728



2 442071



3 440727



4 440009



4 443831



4 443861



4 442521



4 445041



4 440008



5 440004



5 85008



5 85009



5 85010



6 440005BK



7 4400041



8 4400021



8 4400031



8 4400061



9 85017



10 4400051

1 Sticher Serrated Plastic

Thickness: 4mm **Dia:** 28mm **Weight:** 30gms **Code No.:** 440728

Material : Nylon Plastic.

Use : The Sticher is used to remove air from underneath tyre patch repairs and to ensure proper adhesion.

2 Sticher Serrated Plastic Handle

Thickness: 7mm **Dia:** 20mm **Weight:** 75gms **Code No.:** 442071

Use : The Sticher is used to remove air from underneath tyre patch repairs and to ensure proper adhesion.

3 Special Sticher for Mushroom Kit

Thickness: 9mm **Dia:** 35mm **Weight:** 85gms **Code No.:** 440727

Use : The Sticher is used to remove air from underneath tyre patch repairs and to ensure proper adhesion.

4 Sticher Wooden Handle

Type:	Thickness:	Dia:	Weight:	Code No.:
Economy Serrated	3mm	35mm	110gms	440009
Serrated	3mm	38mm	135gms	443831
Serrated	6mm	38mm	160gms	443861
Serrated	2mm	25mm	105gms	442521
Serrated	4mm	50mm	200gms	445041
Smooth	10mm	40mm	195gms	440008

Use : The Sticher is used to remove air from underneath tyre patch repairs and to ensure proper adhesion.

5 Flexible Skiving Knife

Model:	Size:	Weight:	Code No.:
Extra Sharp	100mm long	50gms	440004
Taper Point	100mm long	50gms	85008
Extra Curve	120mm long	52gms	85009
Round Point	90mm long	55gms	85010

Use : Used to cut and remove excess tyre repair plug ropes from the exterior of the type tread.

6 Hoe Style Inner Liner Scraper

Colour:	Weight:	Code No.:
Blue	120gms	440005
Black	120gms	440005BK

Use : For cleaning the inner liners for both puncture and section repair prior to buffing.

7 Tyre Injury Measuring Tool

Weight:	Code No.:
95gms	4400041

Use : A special tool used for measuring tyre injury varying from 3mm to 10mm.

8 Tyre Probe

Handle:	Size:	Weight:	Code No.:
Wooden	100mm long	110gms	4400021
Plastic	100mm long	65gms	4400031
Wooden	100mm long	64gms	4400061

Use : For verifying damages, course of injuries and removing small foreign objects from the tyre tread.

9 Tyre Puncture Nail Puller

Model:	Size:	Weight:	Code No.:
	185mm long	72gms	85017

Use : Used it for removing nails from the tyre during puncture repairs.

10 Hooked Awl

Handle:	Size:	Weight:	Code No.:
Wooden	300mm long	175gms	4400051

Use : For conveyor belt splicing & repairing.



11 85007-30



11 85007-50



12 85021



14 4403617



14 4404617



15 4400320



15 4400420



16 4400020



16 440120



17 4400220



18 4400620

11 Rotary Gouges

Dia:	Speed:	Weight:	Code No.
30mm	Maximum 4500 rpm	43gms	85007-30
50mm	Maximum 4500 rpm	103gms	85007-50

Use : Rotary Gouges quickly remove rubber from the hole easily.

12 Wire Puller

Length:	Weight:	Code No.
190mm	12gms	85021

Use : Used to pull plugs through the repair hole while repairing a tire.

13 Angular Milling Cutter (High Speed Steel)

Blade Length :	Total Length:	Dia:	Weight:	Code No.
30mm	60mm	3mm	3gms	4400317
50mm	110mm	4mm	5gms	4400417
50mm	80mm	4.5mm	13gms	4400457
30mm	90mm	6mm	16gms	4400017
45mm	80mm	6mm	18gms	4400617
45mm	75mm	6mm	16gms	4401617
50mm	110mm	6mm	20gms	4402617
50mm	110mm	8mm	40gms	4400817
60mm	110mm	8mm	40gms	4401817
40mm	110mm	9mm	45gms	4400917
50mm	110mm	9mm	45gms	4401917
64mm	115mm	10mm	55gms	4401017
72mm	120mm	13mm	95gms	4401317

Use : For the precise injury preparation on radial and cross-ply tires.

14 Angular Milling Cutter in Screw Driver Handle

Blade Length:	Dia:	Weight:	Code No.
50mm	6mm	30gms	4403617
45mm	6mm	30gms	4404617

Material : High Speed Steel.

Use : The screw driver handle encloses the Angular Milling Cutter to be used manually.

Note : Angular Milling Cutter 4402617 is used in code No. 4403617. Angular Milling Cutter 4400617 is used in code No. 4404617.

15 Car Tyre Spreader

Length:	Weight:	Code No.
235mm	55gms	4400320
330mm	90gms	4400420

Material : Plastic.

Use : Used in pair to open the beads of tyre.

16 Tyre Bench Spreader for Passenger Car

Size:	Weight:	Code No.
L-431mm, W-101mm, H-101mm	3.600kg	4400020
L-457mm, W-127mm, H-254mm	5.600kg	440120

Material : CRC Steel.

Use : Tyre spreader is used for preparing the inspection and repair of Car and Truck tyres.

17 Tyre Bench Spreader for Passenger Car / Motorcycle

Size:	Weight:	Code No.
L-600mm, W-290mm, H-250mm	6.500kg	4400220

Material : CRC Steel.

Use : Holds the tube & provides a smooth base for processing. Spreads Car & Motorcycle tyres. Can be mounted on work bench. Suitable for very long stiff beads. High stability and strength.

18 Tyre Bench Spreader for Truck

Size:	Weight:	Code No.
L-640mm, W-315mm, H-270mm	14kg	4400620

Material : CRC Steel.



19 610008



20 440627



21 TMCHALKW




21 TMCHALKY



NSTAND

PG-6
PG-1
PG-7

22 4400010KIT



NSTAND



23 4400011KIT




24 4400110H



24 440010H



24 4400011H



25 Needles

19 Air Gun

Size: 220mmx170mmxSuction Port Ø 28mm **Weight:** 300gms **Code No.** 610008

Use : High Performance Vacuum Tube provides excellent function of vacuum & even tiny dust as fine powder can be cleaned efficiently.

20 Spherical Rasp

Stem Length: 40mm **Dia:** 38mm **Weight:** 48gms **Code No.** 440627

Use : Used to remove & grind away ribs inside the tyre prior to puncture repair.

21 Tyre Marking Chalk

Colour:	Dia:	Length:	Packing:	Box Weight:	Code No.
White	17mm	88mm	12pcs/Box	330gms	TMCHALKW17
Yellow	17mm	88mm	12pcs/Box	330gms	TMCHALKY17
White	13.5mm	97mm	10Pcs/Box	165gms	TMCHALKW13
Yellow	13.5mm	97mm	10Pcs/Box	165gms	TMCHALKY13

Note : 12 pieces of TMCHALKW17 / TMCHALKY17 are packed in one box.
10 pieces of TMCHALKW13 / TMCHALKY13 are packed in one box.

22 Chrome T-Handle Kit

Weight: 382.5gms **Code No.** 4400010KIT

The Kit contains the following items:

Tool:	Size:	Qty:	Code No.
• Chrome T-handle	-----	1 No.	4400010H
• Spiral Probe	5"	1 No.	PG-6
• Open Eye Needle	4"	1 No.	PG-1
• Allen Key	-----	1 No.	PG-7
• Needle Stand	-----	1 No.	NSTAND

Note: Needle Stand is used for keeping the other needle handy when not in use.

23 Pistol Grip Handle Kit

Weight: 137.5gms **Code No.** 4400011KIT

The Kit contains the following items:

Tool:	Size:	Qty:	Code No.
• Pistol Grip Handle	-----	1 No.	4400011H
• Spiral Probe	5"	1 No.	PG-6
• Open Eye Needle	4"	1 No.	PG-1
• Allen Key	-----	1 No.	PG-7
• Needle Stand	-----	1 No.	NSTAND

Note: Needle Stand is used for keeping the other needle handy when not in use.

24 Handle only for insertion with socket key and screw

Tool:	Weight:	Code No.
Aluminum T-Handle	105gms	4400110H
Chrome T-Handle	338gms	4400010H
Pistol Grip Handle	85gms	4400011H

Note: The Handles are supplied with Allen key.

25 Needles Only

Tool:	Size:	Weight:	Code No.
Open Eye Needle	3" (76mm)	10gms	PG-0
Open Eye Needle	4" (101mm)	15gms	PG-1
Open Eye Needle	6" (152mm)	15gms	PG-2
Open Eye Needle	8" (203mm)	20gms	PG-3
Side Split Needle	5" (127mm)	13gms	PG-11
Side Split Needle	8" (203mm)	20gms	PG-4
Close Eye Needle	4" (101mm)	10gms	PG-5
Close Eye Needle	8" (203mm)	22gms	PG-8
Close Eye Needle	9" (228mm)	25gms	PG-9
Spiral Probe	5" (127mm)	20gms	PG-6
Allen Key	-----	5gms	PG-7
Truck Rasp Needle	8" (203mm)	25gms	PG-10



26	Open Eye Needle in Plastic T-Handle	Colour: Black	Size: 3"	Weight: 60gms	Code No. 4400015
			5"	70gms	4400415
27	Close Eye Needle in Plastic T-Handle	Colour: Black	Size: 3"	Weight: 65gms	Code No. 4400215
28	Tyre Probe with Knurling in Plastic T-Handle	Colour: Black	Size: 3"	Weight: 60gms	Code No. 4400315
29	Spiral Probe Needle In Plastic T-Handle	Colour: Black	Size: 4"	Weight: 65gms	Code No. 4400115
30	Rasp Passenger Car In Plastic T-Handle	Colour: Black	Size: 4"	Weight: 55gms	Code No. 4400515
31	Spiral Probe in Screw Driver PCV Handle	Colour: Black	Size: 4"	Weight: 55gms	Code No. 4400123
32	Rasp Passenger Car in Screw Driver PVC Handle	Colour: Red	Size: 4"	Weight: 45gms	Code No. 4400012
		Black	4"	45gms	440012BK
33	Close Eye Passenger Car Needle in Screw Driver PVC Handle	Colour: Red	Size: 4"	Weight: 45gms	Code No. 4400112
		Black	4"	45gms	4400112BK
34	Side Split Needle in Screw Driver PVC Handle	Colour: Red	Size: 4"	Weight: 40gms	Code No. 4400122
35	Side Split Needle with Knurling in Screw Driver PVC Handle	Colour: Black	Size: 3"	Weight: 35gms	Code No. 4400156
		Black	4"	45gms	4400146
36	Passenger Car Reamer in Screw Driver PVC Handle	Colour: Black	Size: 3"	Weight: 25gms	Code No. 4400614
37	Truck Rasp in Screw Driver PVC Handle	Thickness: 6mm	Size: 6"	Weight: 80gms	Code No. 4400414
		6mm	8"	100gms	4400214
		8mm	8"	120gms	4400514
38	Truck Close Eye Needle in Screw Driver Handle	Colour: Black	Size: 8"	Weight: 85gms	Code No. 4400314
		Black	7"	75gms	4400714BK
39	Side Split Needle Heavy Duty with Knurling in Screw Driver PVC Handle	Colour: Red	Size: 8"	Weight: 105gms	Code No. 4400116
40	Side Split Needle with Knurling in Triangular Handle	Size: 4"	Weight: 30gms	Code No. 4400126	


41 Open Eye Needle in Pistol Grip Handle

Colour:	Size:	Weight:	Code No.
Red & Black	3"	70gms	4401318
Red	3"	80gms	4400118
Black	3"	80gms	4400118BK
Red	4"	82gms	4400818
Red	5"	85gms	4400218
Black	5"	85gms	4400218BK
Red	6"	90gms	4400718
Red	8"	100gms	4400518

42 Spiral Probe in Pistol Grip Handle

Colour:	Size:	Weight:	Code No.
Red	4"	85gms	4400018

43 Close Eye Needle in Pistol Grip Handle

Colour:	Size:	Weight:	Code No.
Black	3"	85gms	4401218BK
Red	4"	85gms	4400318
Black	7"	87gms	4401118BK
Red	8"	87gms	4401018

44 Passenger Car Rasp in Pistol Grip Handle

Colour:	Size:	Weight:	Code No.
Red	4"	90gms	4400114
Black	4"	90gms	4400114BK

45 Truck Rasp in Pistol Grip Handle

Colour:	Size:	Weight:	Code No.
Red	8"	100gms	4400014
Black	8"	100gms	4400014BK

46 Side Split Needle Heavy Duty with Knurling in Pistol Grip Handle

Colour:	Size:	Weight:	Code No.
Red	8"	107gms	4400918

47 Side Split Needle in Pistol Grip Handle

Colour:	Size:	Weight:	Code No.
Black	6"	85gms	4400016
Red	8"	110gms	4400418

48 Open eye needle (For Bicycle)

Colour:	Size:	Weight:	Code No.
Red	40.5mm	11gms	44IT47

49 Reamer (For Bicycle)

Colour:	Size:	Weight:	Code No.
Red	40.5mm	11gms	44RT47



48 44IT47



49 44RT47



1 440037



2 440098


1 Sarv Premium Kit (Tubeless Tyre Repair Kit in Plastic Box)

	Weight:	Code No.	
	1.600 kg	440037	
Tool:	Size:	Qty:	Code No.
• Spiral Probe in Chrome T- Handle	4"	1 No.	44SP37
• Open Eye Needle in Chrome T-Handle	5"	1 No.	44OE37
• Allen Key	----	1 No.	CT-3
• Cutting Knife	----	1 No.	44SK47
• Paste	----	1 No.	44PA37
• Flap of 5 Repair Strings	4"	4 No.	44RS07

2 Sarv Premium Kit (tubeless Tyre Repair Kit In Plastic Box)

	Weight:	Code No.
	350gms	440098
Tool:	Qty:	Code No.
• Spiral Probe In Aluminium / Zinc Die Casting T-handle 4"	1 No.	44SP98
• Open Eye Needle In Aluminium / Zinc Die Casting T-handle With Slider Protection 5"	1 No.	44OE98
• Allen Key	1 No.	CT-3
• Cutting Knife 1 No.	1 No.	44SK47
• Paste	1 No.	44PA37

3 Sarv Super Seal Kit (Mushroom Type Tubeless Tyre Repair Kit)

	Weight:	Code No.	
	350gms	440027	
Tool:	Size:	Qty:	Code No.
• Mushroom Patch	3mm	10 No.	440127
• Mushroom Patch	6mm	5 No.	440227
• Tube of Solution	20ml	5 No.	440827
• Angular Milling Cutter	6mm	1 No.	4401617
• Angular Milling Cutter	3mm	1 No.	4400317
• Spherical Rasp	38mmØ	1 No.	440627
• Special Sticher for Mushroom Kit		1 No.	440727

Use : Rapid, reliable and permanent repair. Specially designed for puncture made by nails, scarves, bolts in tyres. Total compatibility with all makes of tyres.



3 440027



4 440007



5 440057



6 440067



7 44RS07

4 Sarv - Seal Kit (Tubeless Tyre Repair Kit)

Weight: 185gms Code No. 440007

The Kit contains the following items:

Tool:	Size:	Qty:	Code No.
• Spiral Probe in PG Handle	4"	1 No.	44SP07
• Open Eye Needle in PG Handle	3"	1 No.	44OE07
• Cutting Knife	----	1 No.	44CK07
• Flap of 5 Repair Strings	4"	1 No.	44RS07
• Instruction Sheet		1 No.	

5 Sarv - Chrome Seal Kit (Tubeless Tyre Repair Kit)

Weight: 445gms Code No. 440057

The Kit contains the following items:

Tool:	Size:	Qty:	Code No.
• Chrome T-Handle	----	1 No.	4400010H
• Spiral Probe	4"	1 No.	44SP57
• Open Eye Needle	3"	1 No.	44OE57
• Allen Key	----	1 No.	CT-3
• Cutting Knife	----	1 No.	44CK07
• Flap of 5 Repair Strings	4"	1 No.	44RS07
• Instruction Sheet		1 No.	

6 Sarv - Blister Seal Kit (Tubeless Tyre Repair Kit)

Weight: 165gms Code No. 440067

The Kit contains the following items:

Tool:	Size:	Qty:	Code No.
• Spiral Probe in PG Handle	4"	1 No.	44SP07
• Open Eye Needle in PG Handle	3"	1 No.	44OE07
• Small Cutting Knife	----	1 No.	44SK47
• Flap of 5 Repair Strings	4"	1 No.	44RS07

7 Repair Strings

Colour:	Size (Flap):	Weight:	Code No.
Brown	4" long	15gms	44RS07
Brown	4" long	15gms	44RS07BK
Black	8" long	25gms	44RS08
Brown	8" long	25gms	44RS08BK


Packaging: 1 flap consists of 5 repair Strings.



7 44RS07BK



7 44RS08



1 610001



2 610002



3 610003



4 612204

4 612204-0-9

4 612204-A-Z



5 612205-A-Z



5 612205



6 610006

6 610007

1 Universal Plus Brake Lathe Silencer and Chip Deflector with Velcro

Length: 210mm **Pad Thickness:** 9.53mm **Weight:** 85gms **Code No.** 610001

Note : Do not use on Pro-cut Brake Lathe.

Use : Eliminates vibration while cutting. Also ensures safety by deflecting chips towards the floor away from operators face. The strap keeps the silencer in place throughout the cut.

2 Extra Thick Clip on Silencer and Chip Deflector for On-Car Brake Lathe

Length: 210mm **Pad Thickness:** 19mm **Weight:** 85gms **Code No.** 610002

Note : Use with the on Pro-cut on-car Brake Lathe only.

Use : Used on car lathes, the silencer rides behind the tool bit to meet the vibration and noise where it starts. Long lasting pad.

3 Battery Terminal Plier

Open Size 1/2" **Length:** 180mm **Weight:** 300gms **Code No.** 610003

Material : Alloy Steel

Use : Used to Clean & Spread Battery Cable Clamp Terminals.

4 Tyre Branding Tool Rectangular

Power use:	Size:	Weight:	Code No.
300W / 110volts	70x35mm	1.00kg	611104
300W / 220volts	70x35mm	1.00kg	612204

Description : Single Slot Holds Seven (Max), 12mm Replaceable Numbers & Letters.

Letters	Size:	Code No.
(A-Z)	12mm	611104-A-Z
(A-Z)	12mm	612204-A-Z

Numbers	Size:	Code No.
(0-9)	12mm	611104-0-9
(0-9)	12mm	612204-0-9

Description : Number 0-9 & Letters A-Z (Sold Separately).

5 Tyre Branding Tool Round (with Protection Bag)

Power use:	Weight:	Code No.
450W / 110volts	3.25kg	611105
(With bag)	4.000kg	
450W / 220volts	3.25kg	612205
(With bag)	4.000kg	

Description : Single Slot Holds Four (Max), 25mm Replaceable Letters. The Brander is supplied in Heavy duty Canvas Bag.

Letters	Size:	Code No.
(A-Z)	25mm	611105-A-Z
(A-Z)	25mm	612205-A-Z

Description : Letters A-Z (Sold Separately).

6 Heavy Duty Wheel Puller

Hook:	Weight:	Code No.
Single Hook	6.00kg	610006
Double Hook	6.70kg	610007

Use : Used to remove Stuck hub heavy duty wheels. Eliminate need to crawling under vehicle.



1 SCR-202T, 203T



2 HRJS-4Y

2 HRJS-12Y



3 ST-HTJ01

1 JIB Crane (For Truck & Bus Tyres)

 Code No.
SCR-202,203T

Lifting Height:	Min 280mm/Max 1840mm	Closed Height:	1550mm
Boom Length:	1180mm	Chain Length:	410mm
Boom Extension:	780mm	Load Carrying Cap.:	2/3 Ton
Length:	Min 1450mm/Max 2000mm	Overall Weight:	140 kg

2 High Rise Jack Stand (For Truck & Bus Tyres)

Capacity: Min. Ht. Max. Ht. Base Dia. Weight: Code No.

4 Ton	990mm	1210mm	575mm	50kg	HRJS-4Y
12 Ton	1295mm	1905mm	711mm	78kg	HRJS-12Y

- Used to support raised heavy duty vehicles, to facilitate maintenance and inspection procedures.
- The support stand is designed to be used in sets of 4, 6 or 8 and must be placed under a level, raised vehicle, at the support points designated by the vehicle manufacturer.
- Jack Stand features a double locking pawl and tooth design for extra protection.
- The one piece multi position ductile ratchet bar provides super strength & durability.
- The quick adjustment mechanism securely locks it into the desired location hence providing superior safety.

3 Hydraulic Gear Box Trolley

 Code No.
ST-HTJ01

Capacity:	Width:	Length:	Weight:
1Ton	810mm	1580mm	140kg

 Platform Length (PL) & Width (PW) Lifting Height (H)
Min 710mm/Max 1045mm & Max 410mm Min 200mm/Max 800mm

4 Pneumatic Hydraulic Axle Alignment Jack

 Code No.
STLWAAJ-02

Length:	Width:	Height Min:	Height Max:
700mm	350mm	517mm	651mm
Closed Position	Open Position	Total Weight	Operating Pressure
297mm	603mm	36kg	8 Bar
Working Pressure	Load Capacity	Oil Capacity	
250 Bar	4 Ton	4Ltr	



4 STLWAAJ-02



5 STLPWT02



6 ST-440GT



7 Hydraulic Jack

5 Pneumatic Impact Wrench Holding Trolley (For Truck & Bus Tyres)

Code No.
STLPWT02

Length: 670mm **Width:** 440mm **Height :** Min500mm
Max 1000mm **Weight:** 14 kg

Use : It is used for holding 1" & 3/4" Impact Wrench which is approximately 12-15kg of weight for easily assembling & disassembling of wheel nuts of Passenger Car/Bus/Trucks without much effort.

6 Tyre and Tube Vulcanizer (For Truck & Bus Tyres)

Code No.
ST-440GT

Tyre Size: 24" **Throat Depth/ Height:** 30"/ 34"
Max. Repairing: 6 1/2"x 4 1/2" **Repair Areas of the tyre** Sidewall Shoulder Crown/Tread
Operating Temp: 135°C ~ 150°C **Dimensions (LXBXH):** 730x510x1850
Supply Voltage: AC: 220V ± 10% (50 Hz) **Weight:** 55kg
Current Rating: 5A

- Used for passenger Car, Truck Tyre. Thermostatically controlled heat unit reaches operating temperature quickly for fast cure rates including tread.
- Repair different areas of passenger tyres
- Three different size of plates for curing different sizes patch (upto 5.5")
- Dual controllable heating system.

7 Hydraulic Jack

Capacity


Ton: **Min. Length:** **Max. Length:** **Stroke Length:** **Code No.**

3	270mm	390mm	120mm	STL-RJ3T
6	330mm	510mm	180mm	STL-RJ6T
9	280mm	450mm	170mm	STL-RJ9T
12	330mm	481mm	150mm	STL-RJ12T
16	332mm	483mm	150mm	STL-RJ16T
22	313mm	493mm	180mm	STL-RJ22T









8 Magnetic Nail Lifter Trolley (For Truck & Bus Tyres)

Code No.
SMNL150

Magnetic Size: 18" x 11" x 3"
Total Length : 22 "
Frame Size : 19.2" x 13" x 3.6"
Total Height : 6"
Handle Total Height From Floor : 34"
Handle Total Height Without Floor : 28"

Use : Used for quick Clearing of dangerous ferrous scrap metals which include iron chips, shavings, nails, nuts, screws, tacks, barbed wire and staples etc.


8 SMNL150



1 Rubber Pad for Passenger Car Lift

Size:	Weight:	Code No.
L-160mm, B-120mm, H-20mm	550gms	550204
L-160mm, B-120mm, H-40mm	1.300kg	550004
L-160mm, B-120mm, H-60mm	1.500kg	550604
L-160mm, B-120mm, H-80mm	2.260kg	550804
L-150mm, B-100mm, H-50mm	800gms	553104
L-150mm, B-100mm, H-100mm	1.970kg	553204

Use : Used at the time of lift of vehicle for Wheel Alignment and repairs.
Durable & long lasting.

2 Rubber Wheel Chock

Size:	Weight:	Code No.
L-230mm, B-99mm, H-94mm	1.436kg	553004
L-275mm, B-120mm, H-178mm	2.900kg	554504
L-233mm, B-180mm, H-140mm	3.700kg	551904
L-245mm, B-260mm, H-140mm	7.700kg	558304

Material : Rubber.
Use : Prevents vehicles from rolling down during maintenance or storage.

3 Metal Wheel Chock

Size:	Weight:	Code No.
L-238mm, B-120mm, H-150mm	1.800kg	557804
L-392mm, B-220mm, H-230mm	5.100kg	557904
L-318mm, B-160mm, H-190mm	3.500kg	558104
L-515mm, B-260mm, H-280mm	9.000kg	

Material : Metal.
Use : Prevents vehicles from rolling down during maintenance or storage.

4 Plastic Wheel Chock





Size:	Weight:	Code No.
L-205mm, B-120m, H-108mm	265gms	558305




Material : Plastic.
Use: Prevents vehicles from rolling down during maintenance or storage.

5 Rubber Door Guard

Size:	Weight:	Code No.
L-360mm, B-35mm, H-35mm	550gms	558404

Use: Door Guard is used for the safety of passenger car door during lifting.





6 554404

6 555904



7 554204



7 554004



7 555004



7 556004



7 552104MET



7 557004



7 557004TH



7 552204



7 552304

6 Rubber Pad for Passenger Car Lifts

Size:	Weight:	Code No.
L-124mm, B-99mm, H-24mm	330gms	554404
L-145mm, B-50mm, H-75mm	315gms	555904
L-105mm, B-82mm, H-08mm	85gms	554304
L-98.6mm, B-96mm, H-22mm	100gms	557504PU

7 Round Rubber Pad for Passenger Car Lifts

Dia:	Thickness:	Weight:	Code No.
123 mm	21mm	155gms	554204
127mm	25mm	250gms	554004
127mm	28mm	250gms	555004
140mm	16mm	300gms	556004
120mm(with steel plate)	16mm	450gms	552104MET
138mm	28mm	300gms	557004
138mm	28mm	300gms	557004TH
139mm	28mm	340gms	552204
144mm	20mm	270gms	552304

Use : Used at the time of lifting of vehicle for Wheel Alignment and repairs.
Durable and long lasting.



8 552404



8 552504



8 552604



8 552604MET



8 552704



8 552704MET



8 552804



8 552904



8 554104MET



8 554105MET



8 554604W



8 554704



8 554904MET



8 555104

8 Round Rubber Pad for Passenger Car Lifts

Dia:	Thickness:	Weight:	Code No.
149mm	28mm	300gms	552404
121mm	28mm	250gms	552504
125.5mm	25mm	150gms	552604
127mm (with Steel plate)	25mm	460gms	552604MET
102mm	21mm	100gms	552704
103mm (with Steel plate)	21mm	300gms	552704MET
148mm	25mm	260gms	552804
123mm	23mm	162gms	552904
127mm (with Steel plate)	25mm	390gms	554104MET
117mm (with Steel plate)	25mm	253gms	554105MET
120mm	34mm	286gms	554604W
134mm	25mm	181gms	554704
125mm (with Steel plate)	28mm	350gms	554904MET
120mm	19mm	178gms	555104
100mm	22mm	130gms	555204
145mm	25mm	293gms	555304
120mm	22mm	133gms	555404
123mm	26mm	181gms	555504
140mm	27mm	285gms	555604
160mm	30mm	345gms	555704
120mm	19mm	132gms	555804
120mm	19mm	250gms	557604
122mm	27mm	380gms	557265W
140mm	20mm	266gms	557605

Use : Used at the time of lifting of vehicle for Wheel Alignment and repairs.
Durable and long lasting.



8 555204



8 555304



8 555404



8 555504



8 555604



8 555704



8 555804




8 557604




8 557265W



8 557605




1 552004





1 557266





1 557266




2 556504



2 556604




2 556704




2 556804



53mm



2 556904


1 Rubber Pad for Passenger Car Jack (Square)
Size:
 L-118mm, B-118mm, H-23mm


Weight:
 155gms

Code No.
 552004


USE: Rubber Pads Protect the Lifting Point.

2 Rubber Pad for Passenger Car Jack (Round)



Dia:	Thickness:	Weight:	Code No.
110mm	20mm	210gms	557266
101mm	47mm	391gms	556504
83mm	46mm	276gms	556604
66mm	39mm	146gms	556704
50mm (with Steel plate)	38mm	318gms	556804
100mm	53mm	309gms	556904
66mm	45mm	130gms	557104
62mm	23mm	65gms	557204
52mm	14mm	29gms	557304
39mm	15mm	21gms	557404
77mm	47mm	120gms	558204
		770gms	558204KIT

Note: Floor jack pad 558204 is suitable for Tesla models 3,S,X,Y



2 557104



2 557204



2 557304




2 557404




2 558204




2 558204KIT




1 551004




1 551104



1 556304



1 556404




1 551804


1 Bead Breaking Rubber Pad

Weight:	Code No.	Weight:	Code No.
910gms	551004	3.250kg	551804
480gms	551104	1.300kg	559004
355gms	556304	890gms	558004
455gms	556404	1.500kg	551404


Use : Used with Tyre Changing Machines to prevent scratches on rims during bead breaking.






1 559004



1 558004



1 551404



2 Bead Breaking Rubber Pad

Weight:
1.7kg

Code No.
551204

Protection Cover for Bead Breaking Rubber Pad 551204

265gms

551204WPC

Material : Special Plastic.

Use : It protects the wheel when using the shovel to loosen the bead of the wheel

Note : 551204WPC protection cover fits on the bead breaking pad 551204.

3 Bead Breaking Rubber Pad

Weight:
1.350kg
1.070kg

Code No.
551304
556204

4 Large Bead Loosener Front Pad (Nylon)

Weight:
250gms

Code No.
551504

5 Small Bead Loosener Front Pad (Nylon)

Weight:
130gms

Code No.
551704

6 Large Centre Rubber Pad



Weight:
1.200kg

Code No.
551604

7 Centre Rubber Pad

Weight:
923gms

Code No.
556104





Sarveshwari Engineers has now been assessed with the
EUROPEAN CERTIFICATION COUNCIL INC.

Sarveshwari Engineers has now been assessed with the
ICM CERTIFICATION PRIVATE LIMITED



Sarveshwari Engineers has now been assessed with the Quality Management System which conforms to ISO 14001: 2015



Sarveshwari Engineers has also been assessed with Environmental Management System which conforms to ISO 26000: 2010

AWARDS WON BY *Sarveshwari Group*



MSME GLOBAL GOLDEN BUSINESS EXCELLENCE AWARD 2024

Award :

Small Medium Enterprise of the Year 2024

Mr. MAHENDRA N. GOEL
Owner

Sarveshwari Technologies Ltd



GLOBAL GOLDEN BUSINESS EXCELLENCE AWARD 2023

Award :

The Emerging Entrepreneur of the Year

Mr. MAHENDRA N. GOEL
Owner
Sarveshwari Engineers



TRILA COMPANY OF THE YEAR TYRE SERVICES EQUIPMENT 2018

Award:

Tyre & Rubber Industry Leadership
Acknowledgment Awards 2018



BUSINESS SPHERE GROUP 2012-2013

Award:

Top Company in Manufacturing Quality
Wheel Balancing Accessories & Tyre Changing Products.

One of the trailblazers:
Mr. MAHENDRA N. GOEL
President
Sarveshwari Engineers



STAR PERFORMER IN 2012-13 BASIC IRON & STEEL SMALL ENTERPRISES

Awarded by :
EEPC INDIA to
Sarveshwari Engineers

WORLDWIDE PRESENCE



MANUFACTURING & EXPORTS TO
70+ COUNTRIES SINCE 1988



Professional Tyre & Garage Tools since 1988

Sarveshwari Engineers

355 Deepali, Pitampura, Delhi - 110 034 (INDIA)
Tel.: 91-11-2702 3750, 91-11-2702 1499
Web: www.sarveshwari.com
E-mail : info@sarveshwari.com



or Log on to
www.sarveshwari.com

or Like our
Facebook Page
Sarveshwari Engineers

or Subscribe to our
YouTube Channel
Sarveshwari Engineers

