





Sarveshwari Engineers

Complete Tyre Care, Made Easy







Garage Equipment Manufacturers



Premium Quality

GARAGE TOOLS & ACCESSORIES FOR AUTOMOTIVE & TYRE SERVICE INDUSTRY

www.sarveshwari.com



Professional Tyre & Garage Tools since 1988



Mr. Mahendra N. Goel President

Sarveshwari Engineers stands at the forefront of technology & innovation delivering superior products in tandem with maximized cost effectiveness. Quality remains at the core of our commitment.

Our philosophy to nurture long term associations with our esteemed customers and partners stimulates us towards a systematic approach for rapid implementation. Our credo has been to identify and cater to ever changing needs of our clients adding value through monitoring and management processes, utilities and environment.

Our endeavour to strengthen partnerships and successfully execute projects to various markets in all major markets and companies across India and the international markets has enabled achieve highest standard of excellence.

PRESENCE IN INTERNATIONAL EXHIBITIONS:











Reifen, Essen Germany



Automechanika, Frankfurt Germany



Autopromotec, Bologna Italy



Tyre Expo, Joburg South Africa



Sema Show, Las Vegas USA



The Tire Cologne, Cologne Germany



Sarveshwari Group

Sarveshwari Engineers


Manufacturers and Exporters of Garage Tools and Accessories

www.sarveshwari.com

Sarveshwari Technologies Ltd.

Workshop Tools & Equipments

www.garageequipments.com







ENGINEERING INNOVATION DESIGN

Sarveshwari Engineers popularly known by its brand name with its success story going over more than 38 years in the automotive industry has gained international reputation with its high quality products and premium services.

Today sis synonymous with garage tools and equipment in terms of reliability, competency, outstanding service and pioneering innovation. We believe in constantly evolving with the needs of the customer in order to provide greater flexibility in national and international markets. With the skill of manufacturing tools and accessories for garage equipment through continuous R&D and an undaunted urge to achieve perfection, stands as the most preferred brand for solutions for garage equipment manufacturers, professional tyre shops and garages.

At we offer customized system solutions fulfilling needs of our customers with world-class products and excellent service of highest standards at any place and any time. Quality is the guiding light at place and any time. Quality is the guiding light at products manufactured undergo stringent quality control as per the international standards at our three manufacturing units at Kundli (Haryana) that have in-house facilities like steel forging, plastic moulding, sheet metal jobs, surface finishing and despatch logistics. Our focus to achieve and deliver the best has earned us global reputation and international presence.

Today caters to more than 70 countries around the world including Germany, Italy, France, UK, U.S.A, Poland, Australia, Middle East, Africa, Japan, Malaysia, Singapore.

With our Engineering, Innovation and Design, we aspire to become the ultimate solution provider for the entire tyre market and let the world seek no further!

Facility-1



Facility-2



Facility-3





































ENGINEERING • INNOVATION • DESIGN



TABLE OF CONTENTS

		A)
Wheel Balancing Machine Accessories01 - 05		A CONTRACTOR OF THE PARTY OF TH
		Conflict.
Wheel Alignment Machine Accessories06 - 10		

Tyre Service Tools11 - 19		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Tyre Changing Machine Accessories20 - 32		A CONTRACTOR OF THE PARTY OF TH
Tyre Valve Tools33 - 36		
Tyre Repair Tools		
Tubeless Tyre Repair Kits42 - 43		
Tuberess Tyle Reput Russianianianianianianianianianianianianiani	_/	
Miscellaneous Tools44 - 44		
		To the second se
Workshop Equipments45 - 46		
Wheel Chocks & Rubber Pads for Vehicle Lifts47 - 49		
Rubber Pads for Jack50 - 50		
Rubber & Nylon Pads For Tyre Changers51 - 52		



















4 111001







7 110009





9 110003

1 Wheel Balancing Weight Plier (Premium)

Colour: Size: Weight: Code No. 255mm long 395gms 110001 Red Black 255mm long 395gms 110011 395gms Blue 255mm long 110031 395gms Green 255mm long 110051

Material: Drop Forged Chrome Vanadium Steel, hardened & tempered for longer life.

Finish : Sand Blasted, Nickel Chrome plated polished hammer head with PVC coated handle for hand protection.

: Loosening, cutting to size & securing wheel weights.

2 Wheel Balancing Weight Plier with Soft Head

Size: Weight: Code No. 390gms 110101 255mm long

Use : Loosening, cutting to size & securing wheel weights on the

Aluminum Alloy rims.

Special Plastic Hammer Head

Use

Size: Code No. Weight: 27mm Dia (OD) 1100019 7gms

: This Hammer head fits only on the Plier 110101. Note

Wheel Balancing Weight Plier

Weight: Code No. Size: 255mm long 341gms 115011

Material: Drop Forged Chrome Vanadium Steel, hardened & tempered. : Sand Blasted, Nickel Chrome Plated polished Hammer head with PVC coated handle for hand protection.

Wheel Balancing Weight Plier

Size: Weight: Code No. 260mm long 380gms 111001

Material: Drop Forged Chrome Vanadium Steel, hardened & tempered. Finish: Black Powder Coating with red PVC handle.

Plier with Longer Hammer (Heavy & Strong)

Size: Weight: Code No. 110021 260mm long 535gms

Material: Drop Forged Chrome Vanadium Steel, hardened & tempered. Finish : Heavy & extra strong. Black Powder Coating with red PVC handle.

6 Deluxe Soft Head Wheel Weight Plier

Size: Weight: Code No. 500gms 110184 260mm long

Material: Heat Strengthened Steel. Comfortable Vinyl handle grip. Replaceable special Plastic durable Hammer cap.

Wheel Balancing Weight Plier for Truck

Size: Weight: Code No. 620gms 110009 265mm long

Material: Drop Forged Chrome Vanadium Steel, hardened & tempered.

: Removing and fixing of Truck wheel weights.

Wheel Balancing Weight Plier (Sheet Metal)

Size: Weight: Code No. 110002 250mm Iona 315gms

Material: Sheet Metal of EN9 Steel, hardened and tempered. Finish : Sand Blasted Auto Black, with red PVC handle.

Wheel Balancing Weight Plier with Soft Head (Sheet Metal)

Size: Weight: Code No. 240mm long 400gms 110003

Material: Sheet metal of EN9 Steel, hardened and tempered.


Finish : Sand Blasted Auto Black, PVC coated handles for hand protection. Use

: For removing and fixing of wheel weights having replaceable Nylon soft head with Nylon coated remover to prevent scratching.

www.sarveshwari.com

WHEEL BALANCING MACHINE ACCESSORIES





10 Adhesive Weight Removing Plier

Size: Weight: Code No. 260mm long 425gms 110204

Material: Chrome Vanadium Steel / Special Alloy.

: Removes adhesive weights easily without damaging the soft metal rim. Light weight yet heavy duty. Comfortable angled design makes it go deeply inside.

 Size:
 Weight:
 Code No.

 190mm long
 245gms
 110174

Material: Carbon Steel.

11 Adhesive Weight Cutter

Use: Used for cutting easily the segments of adhesive weight strip.

12 Adhesive Balance Weight Remover

Colour:	Size:	Weight:	Code No.
Red	225mm long	80gms	110046
Red	265mm long	130gms	110056
Red	274mm long	80gms	110006
Blue	272mm long	85gms	110006BLU
Red	276mm long	66gms	110026
Blue	276mm long	66gms	110036
	•	•	

Material: PA6

Jse : For removing emblems, body moulding or adhesive wheel weights without damaging alloy rims. Can be re-sharpened. Easily scrapes off wheel weights, sticker or gasket.

13 Wheel Weight Fixer

Size:Weight:Code No.284mm long412gms110229

Material: Wooden handle, special Plastic Hammer head & middle part

made from Casting.

Use : Used for securing/fixing wheel balancing weights by hammering clip weights and adhesive strips. Having special Plastic Hammer head to protect the wheel weights and light metal alloy rims.

14 Wheel Weight Remover/Fixer

 Size:
 Weight:
 Code No.

 300mm long
 470gms
 110029

Material: Replaceable Pin made from Special Spring Steel.

Use : For fixing & removing wheel balance weights while balancing wheels. Having special Plastic Hammer head to protect the coated wheel weights & alloy rims.

5 Rim Width Caliper (Standard)

Size: Weight: Code No.

Measures wheel rim 450gms 110007

width from 3" to 14"

Material: ABS (Acrylonitrile Butadiene Styrene) for greater impact, strength

& longer durability.

Finish: High surface finish. Measuring scales have been designed by in mould and hot stamped for longer life and best readability.

Use : Measures wheel rim width while balancing in 1/2" or 1" increment.

16 Rim Width Caliper (with Ears)

Size: Weight: Code No.

Measures wheel rim 500gms 110008
width from 4" to 13"

Inner dia 10" to 17"

Material: PA6 glass filled or ABS.

Finish : Black colour dull finish. The scales are screen printed for easy and

quick readability.

Use: For measuring inner and outer width of the wheels.

17 Rim Width Caliper (for Trucks)

Size: Weight: Code No.

Measure wheel rim 1.350kg 1100010

width from 4" to 16"

Material: PA6 glass filled for super impact resistance. Measuring jaws made

out of Steel pipe.

Finish : Black colour and dull finish.

Use : Measuring rim width of Truck wheels.









21 117314KIT





23 1103559



24 1103659

25 1133659

18 PCD Measuring Tool Weight: Code No. 109gms 112gms 110005 110025

Material: PA6 glass filled.

: To measure pitch circle diameter of wheels having mounting holes 3, 4 and 5.

19 PCD Measuring Tool

Weight: Code No. 110015 127gms

Material: PA6 glass filled.

: To measure pitch circle diameter of wheels having mounting holes 3, 4, 5 and 6.

20 Self Centering Cone (Available in Two Bore Sizes)

	For 36mm di	a shaft	For 40mm d	lia shaft
Rim Hole Size:	Weight	Code No.	Weight:	Code No.
Dia 43.0-69mm	400gms	1143693	340gms	1143694
Dia 54.0-80mm	900gms	1160813	790gms	1160814
Dia 70.0-104mm	1.760kg	11791103	1.650kg	11791104
Dia 88.5-137mm	1.725kg	11881373	1.625kg	11881374
Dia 96.0-180mm			4.400kg	11951854

Material: Special Steel.

: Cone 11951854 is used for Heavy Commercial Vehicles.

CONESET (Set of 3 Cones for 36mm & 40mm shaft)

Cones for 36mm dia shaft	Weight:	Code No.
1143693, 1160813, 11791103	3.160kg	CONESET36
Cones for 40mm dia shaft		

1143694, 1160814, 11791104 2.780kg CONESET40

21 Dual Side Truck Cone Kit (For 40mm dia shaft) Weight: Code No 7.400 kg **117314KIT**

The Kit contains the following items: Dia

	Dia	Qty.	Rim Hole Size	
Dual Side Cone Spacer	40mm	1 No. 1 No.	Dia 175-118mm	11731484 11731485

Material: Special Steel.

22 Threaded Shaft

Size:	Weight:	Code No.
36 x 3mm	1.100kg	110363
40 x 3mm	1.165kg	110403
40 x 4mm	1.450kg	110404

Material: Special Steel.

: Threaded shaft for Wheel Balancing Machine needed for the mounting of wheels for balancing.

Quick Lock Nut for Wheel Balancing Machine

Bore Size:	Weight:	Code No.
36mm	1 500kg	1103550

Material: Special Steel.

: Standard Pressure Cup 1104051 is used with Quick Lock Nut.

Quick Lock Nut for Wheel Balancing Machine

	Size:	Weight:	Code No.
	36 x 3mm	650gms	1103659
	40 x 3mm	575gms	1104059
	40 x 4mm	575gms	1114059
Inserts for ab	ove Quick Lock Nut		
Dia:	Size:	Weight:	Code No.
20mm	36 x 3mm	40gms	1103659 I
20mm	40 x 3mm	40gms	1104059 I
20mm	40 x 4mm	40gms	1114059 I

Quick Lock Nut for Wheel Balancing Machine

t for writer Dalation	ig macinic	
36 x 3mm	800gms	1133659
40 x 3mm	800gms	1134059
40 x 4mm	800gms	1144059

: Used for clamping wheels on the shaft of the Wheel Balancing Use Machine.

www.sarveshwari.com





26 1104049



27 1104049R



26 1104050



27 1104050R



26 1104051



27 1104051R



26 1104052



27 1104052R



26 1104054



27 1104054R



28 1104060



28 1104060R



29 1104053



30 113040 KIT

26 Standard Pressure Cup (with Rubber Ring)

Dia:	Height:	Weight:	Code No.
130mm (5")	60mm	203gms	1104049
		Suitable for 1103659	
130mm (5")	60mm	179gms	1104050
		Suitable for 1104059	
115mm (4.5")	64mm	284gms	
150mm (6")	76mm	Suitable for 1103559	1104051
126mm (5")	58mm	350gms	1104052
		163gms	1104054
Material: PA6 glas	ss filled.	Suitable for 1144059	

27 Rubber Ring for Pressure Cup

Used with:	Weight:	Code No.
Pressure cup 1104049	30gms	1104049R
Pressure cup 1104050	28gms	1104050R
Pressure cup 1104051	50gms	1104051R
Pressure cup 1104052	65gms	1104052R
Pressure cup 1104054	28gms	1104054R

: Used with Quick Release Nut of Wheel Balancing Machine.

Material: Special Blended Rubber.

Use: Protects finished wheel surfaces when using a cup to clamp.

28 Wheel Clamping Cup

Dia:	Height:	Weight:	Code No.
217mm	36mm	388gms	1104060
Material: PA6	glass filled		

Rubber Ring for Clamping Cup

 Dia:
 Height:
 Weight:
 Code No.

 225mm
 8.4mm
 121gms
 1104060R

29 Pressure Ring

 Dia:
 Height:
 Weight:
 Code No.

 82mm
 25mm
 70gms
 1104053

Material: PA6 glass filled.

: Prevents metal to metal contact between the wheel balancer wing nut and wheel rim significantly increasing clamping force. Fits Aluminum Wing Nut. Aids in centering the wheel assembly on the balancer shaft.

30 Motorcycle External Clamping Kit

	Weight:	Code No.
. Vit contains the fallendar items.	5.4 Kg	113040KIT

The Kit contains the following items:

	Qty.		Qty.
Balancer shaft	1 No.	Cone Small	2 Nos.
Shaft Nut	1 No.	Spacer Big	2 Nos.
Cone Big	2 Nos.		2 Nos.

Balancer Shaft: 3 Types

A. Shaft Ø18 mm Mounting thread M10x1.5 B. Shaft Ø14 mm Mounting thread M10x1.5 C. Shaft Ø10 mm Mounting thread M10x1.5

Use : Mounts motorcycle wheels for balancing without removing the bearings on balancing machines. Suitable for 36 & 40 mm Shaft Dia.







31 110040UA







32 CRING58

32 CRING60

32 CRING65





33 1100518 **-** 1112018

34 1100528 - 1106028





35 1105038 - 1120038

36 1105048 - 1150048



37 1100050



37 1110060

31 Universal Wheel Balancing Adaptor

Weight: Code No. 5.700kg 110040UA

Material: Special Steel.

: Standard centering device to balance rims without central hole. Suitable for 36 / 38 / 40 mm shaft dia. Valid for rims with 3, 4, 5 & 6 screws.

32 Centering rings for Universal Wheel Balancing Adaptor

Dia:	Weight:	Code No.
58mm	192gms	CERING58
60mm	215gms	CERING60
65mm	271gms	CERING65

Use : These rings are used for balancing the rims of French brands because just tightening the centering bolts is not enough.

Dia 58mm ring is used for Citroen & Peugeot. Dia 60mm ring is used for Renault.

Dia 65mm ring is used for Citroen, Peugeot and Renault.

33 Balancing Weights for Steel Rims

Weight:	Code No.	Weight:	Code No
5gms	1100518	65gms	1106518
10gms	1101018	70gms	1107018
15gms	1101518	75gms	1107518
20gms	1102018	80gms	1108018
25gms	1102518	85gms	1108515
30gms	1103018	90gms	1109018
35gms	1103518	95gms	1109518
40gms	1104018	100gms	1110018
45gms	1104518	105gms	1110518
50gms	1105018	110gms	1111018
55gms	1105518	115gms	1111518
60gms	1106018	120gms	1112018

Use: To accurately balance the wheels for proper run on the roads.

34 Wheel Balancing Clip Weights for Alloy Rims

Code No.	Weight:	Code No.
1100528	35gms	1103528
1101028	40gms	1104028
1101528	45gms	1104528
1102028	50gms	1105028
1102528	55gms	1105528
1103028	60gms	1106028
	1100528 1101028 1101528 1102028 1102528	1100528 35gms 1101028 40gms 1101528 45gms 1102028 50gms 1102528 55gms

35 Wheel Balancing Weights for LCV Steel Rims

Weight:	Code No.	Weight:	Code No.
50gms	1105038	125gms	1112538
75gms	1107538	150gms	1115038
100gms	1110038	200gms	1120038

36 Wheel Balancing Weights for Truck/Bus Steel Rims


Weight:	Code No.	Weight:	Code No.
50gms	1105048	250gms	1125048
75gms	1107548	300gms	1130048
100gms	1110048	400gms	1140048
150gms	1115048	500gms	1150048
200gms	1120048		

37 Wheel Balancing Sticker Weights for Alloy Rims

Material:	Weight:	Code No.
Steel	Per Strip 50gms	1100050
Steel	Per Strip 60gms	1110060

www.sarveshwari.com —











4 5541024







5 550197









5 550828







1 Clamp for Measuring Head of Wheel Alignment M/c Four Point with PUSH TYPE Fingers (Claws) - Passenger Car/Truck / Buses

 Rim Size:
 Bore Size:
 Weight:
 Code No.

 12" to 25"
 15mm, 16mm, 20mm
 3.850kg
 551024

Use: For holding sensors of Wheel Alignment Machine.

Packing: Two pieces packed in thermocol box and cardboard box to

prevent damage in transit.

2 Clamp for Measuring Head of Wheel Alignment M/c Four Point with PUSH TYPE Fingers (Claws) - Passenger Car /Truck / Buses

 Rim Size:
 Bore Size:
 Weight:
 Code No.

 10" to 26"
 14mm, 15mm, 16mm, 20mm
 3.500kg
 5561024

Use: For holding sensors of Wheel Alignment Machine.

Packing: Two pieces packed in thermocol box and cardboard box to

prevent damage in transit.

3 Clamp for Measuring Head of wheel Alignment M/c Three Point

 Tyre Size:
 Bore Size:
 Weight:
 Code No.

 10" to 26"
 14mm, 16mm, 20mm
 3.500kg
 5551024

& 24mm

Use: For holding sensors of Wheel Alignment Machine.

Packing: One piece packed in corrugated box to prevent damage in transit.

4 Wheel Alignment Clamp (5 PIN)

 Bore Size:
 Weight:
 Code No.

 15mm
 4.800kg
 5541024

Material: Aluminum Casting with Orange Powder Coating.
Use: Used especially for alignment of Mercedes / BMW / Audi.

5 Finger Tool (Claws) for Wheel Clamps

Length:	Dia:	Weight:	Code No.
48mm	12mm	30gms	550127
58mm	12mm	40gms	550147
89mm	12mm	70gms	550197
48mm	14mm	30gms	550227
44mm	10mm	35gms	550218
120mm	14mm	110gms	550828
79mm	12mm	42gms	550428
86mm	14mm	60gms	550628
85mm	14mm	70gms	550728

Material: Made from Stainless Steel & Carbon Steel.

Use : Set of 4 fingers (claws) suitable for Steel & Alloy rims.







6 1100017





7 1100117





8 1100817



H: 55mm

9 1101017





10 1101317

6 Mechanical Turn Table

 Dia (Top Plate):
 Weight:
 Code No.

 275mm
 9.150 kg
 1100017

Size : L -320mm, W- 400mm, H-50mm ± 1mm

Capacity: 1000kg each.

Material: Made from heavy duty Steel Sheet. Black Powder Coated to prevent rusting. 24 Steel Balls (Ø15mm) used in Plastic cage.

Use: Used for easy turning of tyre left / right during alignment of the

Passenger Car.

Mechanical Turn Table with Scale

 Dia (Top Plate):
 Weight:
 Code No.

 310mm
 9.750 kg
 1100117

Size: L-380mm, W-350mm, H-45mm Capacity: 1000kg each having scale of ± 0°-60°

Material: Made from heavy duty Steel Sheet. 24 Steel Balls (Ø15mm) used

in Plastic cage.

Used for easy turning of tyre left / right during alignment of the

Passenger Car.

8 Mechanical Turn Table with Scale

Use

 Dia (Top Plate):
 Weight:
 Code No.

 350mm
 13.00kg
 1100817

Size : L-370mm, W-370mm, H-50mm Capacity: 1500kg each having scale of ± 0°-60°

Material: Made from heavy duty Steel Sheet. Electro Less Nickel Plating to

prevent rusting. 36 Steel Balls (Ø12mm) used in Plastic cage. : Used for easy turning of tyre left / right during alignment of the

Passenger Car.

9 Mechanical Turn Table for Passenger Car with Scale, Ramp & Centre Line

 Dia (Top Plate):
 Weight:
 Code No.

 350mm
 26.00kg
 1101017

Size : L-370mm, W- 670mm, H-55mm Capacity: 1500kg each having scale of ± 0°-60°

Material: Special Steel. Electro Less Nickel Plating. 36 Steel Balls (Ø12mm)

used in Plastic cage.

Use: Used for easy turning of tyre left / right during alignment of the

Passenger Car. Ramp is made on Turn Table 1100817 and makes

it easy for vehicle movement.

10 Aluminium Turn Table with Scale & Rubber Stoppers (Light Weight)

 Dia (Top Plate):
 Weight:
 Code No.

 350mm
 7.900kg
 1101317

Size : L-395mm, W-395mm, H-50mm Capacity: 1500kg each having scale of \pm 0°-60°

Material: Made from special grade of Aluminum. 88 Delrin Balls (Ø10mm)

used in Plastic cage.

Use: Used for easy turning of tyre left / right during alignment of the

Passenger Car.

Rubber Stoppers Only (For Turn Table 1101317)

Qty:Weight:Code No.Set of 2pcs400gms per set1101317RS

Size : L-322mm, W-55mm, H-16mm




























11 Mechanical Turn Table with Rubber Stoppers

 Dia (Top Plate):
 Weight:
 Code No.

 360mm
 17.450kg
 1100917

Size : L-400mm, W-470mm, H-50mm

Capacity: 1500kg each.

 $\textbf{Material:} \ \textbf{Special Steel.} \ \textbf{Zinc Plating.} \ \textbf{48 Steel Balls} \ (\textbf{\emptyset12mm}) \ \textbf{used in Plastic}$

cage.

Use: Used with 3D Wheel Alignment Machines for easy turning of tyre

left / right.

Rubber Stoppers Only (For Turn Table 1100917)

Qty:Weight:Code No.Set of 2pcs2.100kg per set1100917RS

Size: L-540mm, W-90mm, H-50mm

12 Mechanical Turn Table

 Dia (Top Plate):
 Weight:
 Code No.

 350mm
 251.00kg
 1100517

Size : L-450mm, W-450mm, H- 50mm

Capacity: 2000kg each.

 $\textbf{Material:} \ \, \text{Made from Cold Roll (CRC) Steel Sheet. 54 Delrin Balls. (\emptyset12mm) used in Plastic cage.}$

Use: Used for easy turning of tyre left / right during alignment of the

Passenger Car.

13 Mechanical Turn Table with Rubber Stoppers

 Dia (Top Plate):
 Weight:
 Code No.

 360mm
 17.00kg
 1110917

Size : L-470mm, W-500mm, H-45mm

Capacity: 2500kg each.

Material: Special Steel. EN Coating. 48 Delrin Balls (Ø12mm) used in Plastic

cage.

Use: Used for easy turning of tyre left / right during alignment of the

Passenger Car. Can also fit in the scissor lift.

4 Mechanical Turn Table (Low Height)

 Dia (Top Plate):
 Weight:
 Code No.

 360mm
 13.00kg
 1103517

Size: L-430mm, W-430mm, H-20mm

Capacity: 5500kg

Material: Made from Cold Roll (CRC) Steel Sheet. 48 Delrin Balls. (Ø12mm)

used in Plastic cage.

Use: Used for easy turning of tyre left / right during alignment of the

Passenger Car.

15 Mechanical Turn Table (Heavy Duty)

 Dia (Top Plate):
 Weight:
 Code No.

 350mm
 27.200kg
 1100217

Size: L-350mm, W-400mm, H-50mm

Capacity: 2500kg each.

Material: Special Steel. Zinc Plating. 48 Steel Balls (Ø12mm) used in Steel cage.

Use : Used for easy turning of tyre left / right during alignment of Light

Commercial Vehicles.

16 Mechanical Turn Table (LCV)

 Dia (Top Plate):
 Weight:
 Code No.

 415mm
 28.00kg
 1104517

Size : L-480mm, W-480mm, H-50mm

Capacity: 4500kg each

Material: Made from Cold Roll (CRC) Steel Sheet. 68 Delrin Balls. (Ø14.3mm)

used in Plastic cage.

Use : Used for easy turning of tyre left / right during alignment of Light

Commercial Vehicles.





17 1100317



18 1100417



20 1101517



Material: Made from special grade of Aluminum. Powder Coating

220 Steel Balls. (Ø10mm).

Use : Used for easy turning of tyre left / right during alignment of Light


Mechanical Turn Table for Army / Big Vehicles / Special Trucks

Dia (Top Plate): Weight: Code No. 650mm 1105517 100kgs

: L-750mm, W-750mm, H-88mm

used in Steel cage.

Use : Used for easy turning of tyre left / right during alignment of Truck /



Dia (Top Plate): Weight: Code No. 1100317 480mm 43.350ka

Size : L-480mm, W-480mm, H-74mm Capacity: 7000kg each having scale of ± 0°-60°

Material: Made from Cold Roll (CRC) Steel Sheet. 120 Delrin Balls. (Ø18mm)

used in Plastic cage.

Use : Used for easy turning of tyre left / right during alignment of Truck /

18 Electronic Turn Table for Truck/ Buses with Digital Display.

Dia (Top Plate): Weight: Code No. 45.000kg 1100417

: L-480mm, W-480mm, H-74mm

Capacity: 7000kg each.

Material: Made from Cold Roll (CRC) Steel Sheet. 120 Delrin Balls. (Ø18mm)

used in Plastic cage.

: Used for easy turning of tyre left / right during alignment of Truck /

Buses.

Rotary Encoder Degree Resolution: 0.1 Degree. **Measuring Range:** 0°-360° with Digital Display.

Powered: 3v CR2032 Lithium cell.

Mechanical Turn Table for Truck / Buses with Scale, Ramp & Centre Line

Dia (Top Plate): Weight: Code No. 1101117 480mm 64.350kg

: L-480mm, W-880mm, H-79mm Capacity: 7000kg each having scale of ± 0°-60°

Material: Special Steel. Delrin Balls (Ø18mm) used in Plastic cage.

: Used for easy turning of tyre left / right during alignment of Truck / Buses. Ramp is made on Turn Table 1100317 and makes it easy

for vehicle movement.

Mechanical Turn Table for Truck/ Buses

Dia (Top Plate): Weight: Code No. 650mm 1101517 49.00kg

: L-650mm, W-650mm, H-50mm Capacity: 5000kg each having scale of ± 0°- 20°

Material: Made from Cold Roll (CRC) Steel Sheet. 204 Delrin Balls. (Ø12mm)

used in Steel cage.

Use : Used for easy turning of tyre left / right during alignment of Truck /


Buses.

Mechanical Turn Table for Truck / Buses (Light Weight)


Dia: Weight: Code No. 400mm 1101417 6.750kg

Height/ Thickness: 19mm Capacity: 6000kg each.

Commercial Vehicles.



Buses.











23 1105417 WHEEL ALIGNMENT TURN TABLE REBUILD KIT (STANDARD)



24 11300RAMP



25 1130017



26 1168017





29 112284

23 Wheel Alignment Turn Table Rebuild Kit (Standard)

 Weight:
 Code No.

 460gms
 1105417

The Kit contains the following items:

14.28mm Derlin Balls

54 No.

Stainless Steel Lock Pins

Retainer Rings with Spring assemblies

Steel Set Screws

Steel Top Screws

2 No.

Steel Top Screws

2 No.

Material: The Retainer Rings are made from Nylon Plastic.

Note: Retainer Ring Inner Dia: 5 7/8", Outer Dia: 7 3/4".

24 Rubber Ramp For Turn Table

Length: Width: Height: Weight: Code No. 300mm 200mm 50mm 1.200kg 11300RAMP

Use: Useful for easy vehicle movement for turn table with height 50mm.

25 Rear Wheel Alignment Slip Plate

 Top Plate Length:
 Weight:
 Code No.

 300mm
 10.00kg
 1130017

Size : L-350mm, W-340mm, H- 50mm

Capacity: 1000kg each.

Material: Sheet Metal.

Use: Used for aligning the rear wheel of Passenger Car.

26 Rear Wheel Alignment Slip Plate

 Top Plate Length:
 Weight:
 Code No.

 1520mm
 98.00kg
 1168017

Size : L-1640mm, W-670mm, H- 50mm

Capacity: 2500kg each. Material: Sheet Metal.

Use: Used for aligning the rear wheel of Passenger Car.

27 Rear Wheel Alignment Slip Plate

Top Plate Length:Weight:Code No.1410mm64.00kg11680172M

Size : L-1500mm, W-500mm, H- 20mm

Capacity: 2500kg each.

Material: Sheet Metal.

Use: Used for aligning the rear wheel of Passenger Car.

28 Brake Pedal Depressor

 Length:
 Weight:
 Code No.

 750mm
 1.300kg
 111184

 730mm
 950gms
 111384

Use : Depresses brake while doing alignment. All metal parts are electroplated.

29 Steering Wheel Holder

Use

30 112384

 Length:
 Weight:
 Code No.

 430mm
 1.200kg
 112184

 340mm
 600gms
 112284

: It securely holds the steering wheel in position when setting toe angle. Covered with soft Plastic to prevent damage to the steering wheel.

30 Steering Wheel Holder with Thumb Lock Release

 Length:
 Weight:
 Code No.

 330mm
 800gms
 112384

Use : It securely holds the steering wheel in position when setting toe angle. Works with a trigger controlled mechanism. Ergonomically designed with a thumb lock release.

Note : The Steering Wheel Holder 112384 is suitable for Car/Truck/Buses.















5 2200226





1 Wheel Nut Cap / Cover Removal Tool

Weight: Code No. 13gms 220047

Material: Special Plastic.

: It just slides over the cap. Snaps into position and when pulled, it extracts and retains the plastic cap in the tool. Fits all Peugeot

Citroen models with removable nut cover.

2 Lug Nut Cap Puller

 Size:
 Weight:
 Code No.

 260mm long
 359gms
 220057

Material: Special Steel.

Finish: Electro Plating.

: A specialized tool to remove 32mm & 33mm Lug Nut Covers /

Caps from Truck wheels.

3 Chrome Lug Nut Cover Puller (Heavy Duty)

 Size:
 Weight:
 Code No.

 285mm long
 470gms
 220067

Material: Special Steel. Finish: Black colour.

Use : A specialized tool to remove 30mm- 41mm Lug Nut Covers /

Caps from Truck wheels.

4 Double Ended Wheel Wrench for Trucks

Length:	Size:	Weight:	Code No.
400mm	27 X 33	2.100kg	2224276
400mm	27 X 32	2.100kg	2227326
400mm	30 X 32	2.310kg	2230326
400mm	24 X 33	2.320kg	2224336
400mm	27 X 30	2.100kg	2227306
400mm	27 X 33	2.250kg	2227336
400mm	30 X 33	2.250kg	2230336
400mm	21 X 41	2.550ka	2221416

Material: Chrome Vanadium / Carbon Steel.

Finish: Bright Nickel Chrome Plating / Black Powder Coating.

Use: Loosening & tightening of Truck wheel nuts.

5 Tommy Bar

 Dia:
 Size:
 Weight:
 Code No.

 20mm
 500mm long
 1.250 kg
 2200226

Material: Forged Chrome Vanadium Steel.

Finish : Black colour.

Use : Truck wrench handle heat-treated for strength and durability.

Suitable for all Sally Truck Wrenches.

6 Four Way Wheel Nut Wrench for Trucks

 Length:
 Size:
 Weight:
 Code No.

 570mm
 24X27X32X3/4" square
 3.000kg
 2200014

Material : Forged Chrome Vanadium / Carbon Steel.

Finish: Bright Nickel Chrome Plating.

7 Four Way Wheel Nut Wrench for Passenger Cars

 Length:
 Size:
 Weight:
 Code No.

 400mm
 17X19X21X22
 1.415kg
 220025

 400mm
 17X19X22X1/2" square 1.420kg
 220035

 400mm
 17X19X21X1/2" square 1.355kg
 220045

Material: Forged Chrome Vanadium Steel / Carbon Steel with welded

centers to achieve the desired strength.

Finish : Bright Nickel Chrome Plating / Black Powder Coating.

Use : Loosening & tightening of Passenger Car wheel nuts.





8 Lever for Bicycles

 Size:
 Weight:
 Code No.

 110mm (4")
 25gms
 220714

 155mm (4.5")
 15gms
 220724

Material: Nylon Plastic.

9 Tyre Lever

Type:	Size:	Weight:	Code No.
	200mm (8")	340gms	222001
Run Flat	215mm (8.5")	290gms	222151
_	300mm (12")	525gms	223001
_	400mm (16")	630gms	224001
_	400mm (16")	455gms	220404

Material: Forged Chrome Vanadium Steel, hardened & tempered.

Finish: Sand Blasted surface with Nickel Chrome Plating.

Use: Used for Motorcycle / Scooter tyre service.

10 Tyre Lever

Code No. Type: Size: Weight: With Boot 500mm (20") 800gms 220001 500mm (20") 785gms 220002 900gms 500mm (20") 220002S Thin Cross Sectional 500mm (20") 700gms 225001 thickness of 7mm 500mm (20") 800gms 225101 500mm (20") **Run Flat** 850gms 225201

Material: Forged Chrome Vanadium Steel, hardened & tempered. **Finish**: Sand Blasted surface with Nickel Chrome Plating.

Use: Used for Passenger Car tyre service.

11 Silk Lever

 Size:
 Weight:
 Code No.

 500mm (20")
 800gms
 225301

 $\textbf{Material:} Forged\ Chrome\ Vanadium\ Steel,\ hardened\ \&\ tempered.$

Finish : Sand Blasted surface with Nickel Chrome Plating.

Use : Smooth, heavy duty & sturdy. One side is screwed with two strong protective Nylon 6 plastic inserts and one insert on other side of

the lever.

No separate boot is required for shifting position to avoid direct

contact between rim and lever.

Good for both steel and Aluminum rims.

12 Tyre Lever with Complete Back Plastic Protection.

 Size:
 Weight:
 Code No.

 500mm (20")
 800gms
 225401

Material: Forged Chrome Vanadium Steel, hardened & tempered.

Finish: Sand Blasted surface with Nickel Chrome Plating.

: Smooth, heavy duty & sturdy. One side is completely screwed with

strong Nylon 6 plastic protection.

Good for both steel and Aluminum rims.

No separate boot is required for shifting position to avoid direct

contact between rim and lever.

Tyre Lever Size: Weight: Code No.

600mm (24") 930gms **220008**

Material: Forged Chrome Vanadium Steel, hardened & tempered.

Finish: Sand Blasted surface with Nickel Chrome Plating.





14 Run Flat Lever

Size: Weight: Code No. 226001 600mm (24") 910gms

Material: Forged Chrome Vanadium Steel, hardened & tempered. Finish : Sand Blasted surface with Nickel Chrome Plating.

15 Tyre Lever with Crank End

Size: Weight: Code No. 1.450kg 610mm (24") 220003

Material: Forged Chrome Vanadium Steel, hardened & tempered. Finish: Sand Blasted surface with Nickel Chrome Plating.

: Suitable for LCV, Trucks and large wheels, this tyre lever is extra

heavy duty with crank end.

Lever for Removal of Locking Rings

Size: Weight: Code No. 2200012 470mm (18") 720gms

Material: Forged Chrome Vanadium Steel, hardened & tempered. Finish: Sand Blasted surface with Nickel Chrome Plating. : To remove locking rings of tube type tyres.

17 Rim Straightener Lever

Size: Weight: Code No. 220274

390mm (15") 650gms

Material: Special Steel.

Finish : Sand Blasted surface with Nickel Chrome Plating. : Used for repairing of deformation on the rim flange.

Suitable for Steel rims.

Tubeless Truck Tyre Lever with Hook

Weight: Code No. 600mm (24") 220284 1.570kg

Material: Forged Chrome Vanadium Steel.

Finish : Sand Blasted surface with Nickel Chrome Plating.

: Used for mounting on wide base rims. Use

19 Tyre Lever

Size:	Weight:	Code No
600mm (23.6")	1.350kg	221077
800mm (31.5")	1.540kg	221044
800mm (31.5")	1.830kg	221055

Material: Forged Chrome Vanadium Steel for 221044 & Steel Pipe for 221055

: Used with truck tyre changing machine.

20 Truck Bead Lever

Size: Weight: Code No. 1150mm long 221066 3.450kg

Material: Steel Pipe

: Used with truck tyre changing machine. Use

21 Wheel Flange Loosener

Dia: Size: Weight: Code No. 220204 32mm 300mm long 1.800kg

Material: Forged CV Steel, hardened & tempered. Black colour.

: Used for loosening rusted Truck and Bus Beads. Speeds up Truck tyre repair work and saves labour and time.

22 Wheel Flange Loosener with Plastic Hand Protection Dia: Colour: Size: Weight: Code No. 1.850kg 32mm Red 330mmx93mm 2202045 32mm Blue 330mmx93mm 1.850kg 2202045S Blue 370gmmx52mm 25mm 1.540kg 220255

Material: Forged CV Steel, hardened & tempered.

Finish : Sand Blasted surface with Nickel Chrome Plating.

: Used to loosen rusted Truck and Bus Beads. Speeds up Truck Use

tyre repair work. Easy to handle.





23 Swan Neck Leverage Bar

Weight: Code No. 220094 760mm long 2.400kg

Material: Forged CV Steel, hardened & tempered. Black colour.

: Used to remove frozen or rusted beads from all types of Truck /

Farm / OTR rims.

24 Lever for Truck Lock Rings

Size: Weight: Code No. 900mm long 220264 1.900kg

: Used for multi-piece wheels especially hub type. Use

25 Impact Bead Breaker

Weight: Code No. 220134

1270mm-2030mm long 10.500kg

Material: Steel Pipe. Black colour.

: Used to easily loosen beads of the tyre with bead-breaking foot

and ram bar but never cuts the bead of the tyre.

26 Trilex Lever for Tubeless Truck/ Bus Tyre

Size: Weight: Code No. 1045mm long 221314 3.200kg

Material: CV Steel and Steel Pipe.

: A double mounting lever for 3 piece rims.

27 Special Lever for Motorcycle Tyres with Stopper

Size: Weight: Code No. 220154

390mm long 600gms Material: Forged CV Steel, hardened & tempered. Black colour.

28 Lever for Tubeless Tyres for Passenger Cars

Size: Weight: Code No.

380mm Iona 220164 565gms

Material: Forged CV Steel, hardened & tempered. Black colour.

29 Lever for Tube and Tubeless Truck Tyres Mounted on Flat Rims

Size: Weight: Code No.

420mm long 900gms 220214

Material: Forged CV Steel, hardened & tempered. Black colour.

30 Lever for Tube and Tubeless Truck Tyres - mounted on Flat Rims

Size: Weight: Code No. 460mm long 1.050kg 220194

Material: Forged CV Steel, hardened & tempered. Black colour.

Lever for small size Tubeless Truck & Tractor Tyres - mounted on

Drop-Centre Rims Size: Weight: Code No.

530mm long 1.050kg 220174

Material: Forged CV Steel, hardened & tempered. Black colour.

Lever for big size Tubeless Truck & Tractor Tyres - mounted on

Drop-Centre Rims Size: Weight: Code No.

220184 760mm long 1.630kg

Material: Forged CV Steel, hardened & tempered. Black colour.

33 Lever for Tubeless Truck Tyre - mounted on 15° drop-centre rims

Size: Weight: Code No.

800mm long 220004 1.950kg

Material: Forged CV Steel, hardened & tempered. Black colour.

34 Lever for Lug Base and Earthmover Tyres - mounted on Drop-Centre Rims

Weight: Code No.

940mm long 220244 2.900kg

Material: Forged CV Steel, hardened & tempered. Black colour.

35 Lever for Earthmover Tyres

Weight: Code No. 965mm long 2.780kg 220234

Material: Forged CV Steel, hardened & tempered. Black colour.

36 Lever for Truck, Tractor / OTR Tyres

Size: Weight: Code No. 1400mm long 220224 10.700kg

Material: Forged CV Steel, hardened & tempered. Black colour.





Demounting Lever for Tubeless Truck/ Bus Tyre
Size: Weight: Code No.
1800mm long 6.600kg 220314

Material: Casting and Steel Pipe.

Mounting Lever for Tubeless Truck/ Bus Tyre
Size: Weight:

 Size:
 Weight:
 Code No.

 1040mm long
 2.600kg
 220414

Material: Casting and Steel Pipe.

39 Mounting Lever for Tubeless Truck/ Bus Tyre

 Size:
 Weight:
 Code No.

 1070mm long
 3.100kg
 220514

Material: Casting and Steel Pipe. Black Powder Coating.Use: This mounting lever is ideal for Aluminum rims.

40 Demounting Lever for Tubeless Truck/ Bus Tyre

 Size:
 Weight:
 Code No.

 1830mm long
 8.800kg
 220614

Material: Casting and Steel Pipe. Black Powder Coating.
Use: This demounting lever is ideal for Aluminum rims.

41 Demounting Lever for 17.5" Tubeless Truck/ Bus Tyre

 Size:
 Weight:
 Code No.

 1500mm long
 6.950kg
 221414

Material: Special Steel Casting. Powder Coating.

Use : Specialized lever for demounting 17.5" Truck / Bus tyre.

42 Heavy Duty Mounting Lever for Tubeless Truck/Bus Tyre

 Size:
 Weight:
 Code No.

 1160mm long
 2.450kg
 220814

43 Rim Lock Ring Removal Tool

 Size:
 Weight:
 Code No.

 1070mm long
 5.100kg
 220914

Material: Casting and Steel Pipe. Powder Coating.

Jse : Specialized wrench to remove single lock rings of Truck / Bus tyre

rims after bead breaking.

44 Rim Lock Ring Fitting Tool

 Size:
 Weight:
 Code No.

 1210mm long
 3.850kg
 221014

Material: Forged CV Steel, hardened & tempered.

Use : Specialized wrench to fit rings of Truck / Bus tyre rims. Used in pair.

45 Wheel Cover Puller/Replacer

 Size:
 Weight:
 Code No.

 330mm long
 625gms
 220011

 439mm long
 853gms
 220211

Material: Steel Rod.


Removes wheel covers quickly and easily without any damage.
 Replaceable rubber head prevents damage to the hub cap.

46 Rubber Mallet Size: Weight: Code No.

420mm long 480gms **220420** 305mm long 1.800kg **220430**

Use: Rubber Head Mallet prevents damage to the rim surface.





17	Dumn	Dina	Diaid	for	Tubolocc	Truck Tyre
41	rullib	NIIIU	Niulu	101	Tubeless	HUCK IVIE

Size:	Weight:	Code No.
17.5"	8.650kg	224117
18.5"	8.500kg	224218
19.5"	9.000kg	224119
20.5"	10.150kg	224220
22.5"	12.000kg	224222
26.5	10.500kg	224226

Rubber Ring for Pump Ring Rigid

Weight:	Code No.
2.100kg	224117R
2.300kg	224218R
-	224119R
-	224220R
3.300kg	224222R
4.500kg	224226R

48 Pump Ring Flexible for LCV and HCV Tubeless Tyre

Sectional Dia:	Size:	Weight:	Code No.
25mm	15.5"	790gms	224215
25mm	17.5"	860gms	224217
25mm	22.5" to 24.5"	1.060kg	224224

Material: Silicon Rubber

Use: Used for sealing the tyre beads of the rims.

49 Tyre Tread Depth Gauge (Plastic)

Size:	Weight:	Code No.
0 - 30mm	10gms	2201017
0 - 30mm	30gms	2200117

50 Tyre Tread Depth Gauge (Stainless Steel)

	Size:	Weight:	Code No.
For Passenger Car tyre	0 - 50mm	30gms	2200217
For Truck tyre	0 - 90mm	60gms	2200517

51 OTR Tread Depth Gauge (Aluminum)

Size:	Weight:	Code No.
0 -150mm /	170gms	2200317
0-192 (32 NDS)		

Use : For measurement of Earthmover tyre tread depth. Supplied with case. Easy readability due to Glass lens.

52 OTR Tread Depth Gauge (Acrylic Plastic)

Size:	Weight:	Code No.
0-150mm /	100gms	2200417
0 400 (22 NDC)		

0-192 (32 NDS)

Use: For measurement of Earthmover tyre tread depth. Supplied with case.

53 Dial Type Tread Depth Gauge

Size:	Weight:	Code No.
0-110mm	80gms	2200717

54 D.O. T. Removal Tool


Weight:	Code No.
120ams	550005

Material: Blades are made from Special Steel.

Use: The tool helps to remove the D.O.T number on tires being retreaded.











58 2200817

55 WHEEL PROTECT Loose Wheel Nut Indicator

Size:	Weight:	Code No.	Size:	Weight:	Code No.
17mm	3gms	224417	30mm	2gms	224430
19mm	2gms	224419	32mm	3gms	224432
21mm	2gms	224421	33mm	3gms	224433
24mm	3gms	224424	36mm	4gms	224436
26mm	3gms	224426	38mm	4gms	224438
27mm	4gms	224427	40mm	5gms	224440
			41mm	5ams	224441

Material: Special Durable Plastic.

Colour : Fluorescent Yellow, Red, Pink, Green, Orange.Note : Customized colour can be provided for large orders.

56 Dust Cap & Loose Wheel Nut Indicator

Type:	Size:	Weight:	Code No.
Upper arrow	32mm	19gms	224232
Upper arrow	33mm	18gms	224233
Bottom arrow	32mm	16gms	224332
Bottom arrow	33mm	17gms	224333

Material : Special Durable Plastic.
Colour : Green, Red, Yellow, Pink.

Note : Customized colour can be provided for large orders.

7 CHROME PROTECT Dust Cap Loose Wheel Nut Indicator (Fitted with Soft plastic insert)

Type:	Size:	Weight:	Code No.
Upper arrow	19mm	19gms	224219CH
Upper arrow	21mm	14gms	224221CH
Upper arrow	32mm	53gms	224232CH
Upper arrow	33mm	57gms	224233CH
Bottom arrow	32mm	38gms	224332CH
Bottom arrow	33mm	34gms	224333CH

Material: Made from heavy duty & high quality special durable plastic.

Finish : Chrome Plated.

Use : Soft plastic i

: Soft plastic insert fitted inside provides better grip with lug nut and makes them easy to put on and take off. Prolongs the service life of studs & nuts through protection from corrosion, weathering & damage. Complements the look of vehicles with

chrome wheels.

58 Aluminum Tyre Stand

Length	Width	Height	Weight	Code No.
515mm	260mm	280mm	9.00Kg	2200817

Load Capacity: 10 Ton (Per Pair)

 se : Allows an operator to safely crawl under a vehicle to secure frame forks or for raising the ground clearance

for a spectacle lift.



57 224332CH





59 220303 Rim Lock Ring Fitting/ Removal Tool Kit (For Tube-Type Tyres)

59 Rim Lock Ring Fitting/ Removal Tool Kit (For Tube-Type Tyres)

	(With Bag)	Weight: 15.200kg 17.700kg	220303 220303B
The Kit contains the follow	ing items:		
Tool:	Qty:	Weight:	Code No.
Bag with Wheels (optional)	1 No.	2.500kg	220302
 Ring Removal Tool 	1 No.	5.100kg	220914
 Ring Fitting Tool 	2 No.	3.850kg	221014
 Tyre Lever 600mm 	1 No.	930gms	220008
 Tyre Lever with Crank End 	1 No.	1.450kg	220003
Valve Core Screw Driver	1 No.	20gms	330002

Use : Mounting/demounting tube-type tyres (single and double lock ring) in less than 2 mins. Complete demo on "Sarv" Youtube channel.




60 Tubeless Tyre Mount/Demount Standard Tool Kit



Weight: Code No. 220403 17.850kg (With Bag) 20.350kg 220403B The Kit contains the following items: Weight: Code No. 220302 Bag with Wheels (optional) 2.500kg 1 No. 1.950kg Tyre Lever 2 No. 220004 1.630kg Tyre Lever 1 No. 220184 10.500kg Impact Bead Breaker 1 No. 220134 Bead Holding Tool 1 No. 330gms 220400 Valve Core Screw Driver 1 No. 20gms 330002 Sarv Paste (Economy) 1 No. 1.000kg 2200130 140gms Brush for Truck Tyre 1 No. 220415 Duster 1 No. 15gms D0015





61 220503 REGULAR TOOL KIT

61 Tubeless Tyre Mount/Demount Regular Tool Kit Weight: Code No. 21.685kg 220503 The Kit contains the following items: Tool: Code No. Qty: Weight: 2.600kg 220414 Mounting lever 1 No. 6.600kg Demounting Lever 1 No. 220314 Impact Bead Breaker 1 No. 10.500kg 220134 Bead Holding Tool 810gms 1 No. 220500 Valve Core Screw Driver 1 No. 20gms 330002

1 No.

1 No.

Sarv Paste (Economy)

Brush for Truck Tyre

Use

Duster 1 No. 15gms D0015 : Mounts all type of tubeless tyres 20" to 24.5". Demounts tyre in 8 seconds and remounts in 20 seconds. Works on standard and super single duplex tyres.

1.000kg

140gms




2200130



Code No.

220603



62 Tubeless Tyre Mount/Demount Regular Tool Kit				
			Weight: 10.00kg	Code No. 221503
	The Kit contains the fo	_	Ü	0 1 11
	Tool:	Qty:	Weight:	Code No.
	 Mounting Lever 	1 No.	2.600kg	220414
	 Demounting Lever 	1 No.	6.600kg	220314
	 Bead Holding Tool 	1 No.	810gms	220500



63 Tubeless Tyre Mount/Demount Smart Tool Kit

	(With Bag)	29.185kg	220603B
The Kit contains the follow	ing items:		
Tool:	Qty:	Weight:	Code No.
Bag with Wheels (optional)	1 No.	4.800kg	220412
Mounting Lever	1 No.	3.100kg	220514
Demounting Lever	1 No.	8.800kg	220614
Impact Bead Breaker	1 No.	10.500kg	220134
Read Holding Tool	1 No	810ams	220500

Weight:

24.385kg

 Valve Core Screw Driver 1 No. 20gms 330002 1.000kg Sarv Paste (Economy) 1 No. 2200130 Brush for Truck Tyre 140gms 1 No. 220415 Duster 1 No. 15gms D0015

Use : Mounts all type of tubeless tyres 20" to 24.5". Demounts tyre in 8 seconds and remounts in 20 seconds.



63 220603 SMART TOOL KIT

64 Mount/Demount Tools Kit for Tractor Tyres

Mechanical Screw Jack 50ton 1 No. 17.150gms ST-M Combination Plier 1 No. 300gms 11018 Valve Core Screw Driver 1 No. 200gms 33000 Sledge Hammer 1 No. 4.450kg 22107 Tyre Lever 1145mm 1 No. 3.450kg 22106	703 703B
Combination Plier 1 No. 300gms 11018 Valve Core Screw Driver 1 No. 200gms 33000 Sledge Hammer 1 No. 4.450kg 22107 Tyre Lever 1145mm 1 No. 3.450kg 22100	e No.
1 No. 1.540kg 2210g 1.540kg 2210g 1.540kg 2210g 1.540kg 2210g 1.540kg 2210g 1.540kg 2202g 1.	002 077 066 055 044 255 108 088

Use: Used for Mounting / Demounting while wheel flitted on the tractor.

64 220703 MOUNT/DEMOUNT TOOLS KIT FOR TRACTOR TYRES



65 220905 TUBELESS TYRE MOUNT DEMOUNT TOOL KIT FOR 17.5" TYRES

55 Tubeless Tyre Mount/Demount Tool Kit for 17.5" Tyre

(With Bag)	Weight: 21.325kg 26.125kg	Code No. 220905 220905B
------------	----------------------------------	-------------------------------

The Kit contains the following items:

	•		
Tool:	Qty:	Weight:	Code No.
Bag with Wheels (optional)	1 No.	4.800kg	220412
 Mounting Lever 	1 No.	2.450kg	220814
 Demounting Lever 	1 No.	6.950kg	221414
 Impact Bead Breaker 	1 No.	10.500kg	220134
 Bead Holding Tool 	1 No.	250gms	220513
 Valve Core Screw Driver 	1 No.	20gms	330002
 Sarv Paste (Economy) 	1 No.	1.000kg	2200130
Brush for Truck Tyre	1 No.	140gms	220415
Duster	1 No.	15gms	D0015

Use : Specifically designed to mount/demount 17.5" tyres without damaging the tyre bead and rim.



450gms

Code No. 220118

220118F

226018

224518















Material: Made out of Special Spring Steel. Nickel Plating.
Use: For removing tyres on all types of steel rims.

28mm

2 Tyre Mount/Demount Tool (Steel) for Automatic Tyre Changers for Passenger Cars

Tapered Bore Dia:	Bore Dia:	Weight:	Code No.
	28mm	660gms	220218
24mm	31mm	690gms	220218TB
	28mm	560gms	222418
	29mm	570gms	220518
	29mm	580gms	220518P
29mm	33mm	580gms	220618
29mm	33mm	620gms	220618N
	28mm	600gms	220718
	28mm	550gms	226518
	28mm	550gms	226518H
	28mm	550gms	222518
	28mm	550gms	222518J
	28mm	550gms	220818
	30mm	550gms	226318
	28mm	670gms	220918

Material: Made out of Special Spring Steel. Nickel Plating.

3 Tyre Mount/Demount Tool (Steel) with Rubber Ring for Automatic Tyre Changers for Passenger Cars

Tapered Bore Dia:	Bore Dia:	Weight:	Code No.
	28mm	670gms	220918R
28mm	30mm	617gms	225018R
28mm	30mm	617gms	225118R

Material : Made out of Special Spring Steel. Nickel Plating.

Rubber Ring for Tyre Mount/Demount Tool (Steel) with Collar

Size:Weight:Code No.35mm15gmsRUBRING

Note: RUBRING fits on Mount / Demount tools 220918, 220918R, 225018R, 225118R.





3 225018R

















4 Tyre Mount/Demount Tool (Plastic) for Automatic Tyre Changers

Bore Dia:	Weight:	Code No.
28mm	170gms	220318
	150gms	221618
	150gms	221618Y
28mm	230gms	226418
28mm	190gms	222218
28mm	220gms	220418
	190gms	221418
Consumable Plastic part	11gms	221418RS
28mm	180gms	222118
	195gms	221818
28mm	240gms	221918

Material: Made from Special Blended Nylon Plastic (Nylon 66).

: Wearing Mount/Demount Tool Head protects tyre & rim from metal to metal contact damage. Using Plastic Mount/Demount Tool Head is much safer for delicate and expensive wheels yet durable enough to withstand the stress of larger tyres and wheels.

Note : The Consumable Plastic part 221418RS can be used on the Plastic Mount/Demount tools 221418 and 222118.

5 Wide Tool Head for Lever less Tyre Changers

 Size:
 Weight:
 Code No.

 L-138mm
 153gms
 222318

Material: Made from Special Blended Nylon Plastic (Nylon 66).

6 Tool Head for Lever less Tyre Changers

 Size:
 Weight:
 Code No.

 L-170mm
 170gms
 222818

Material: Made from Special Blended Nylon Plastic (Nylon 66).

Use: Useful in low profile application.







































7 Tyre Mount/Demount Tool (Plastic) for Automatic Tyre Changers

Bore Dia:	Weight:	Code No
28mm	210gms	225918
	175gms	221718
	175gms	221718Y
29mm	205gms	221518
29/30mm	190gms	222018

Material: Made from Special Blended Nylon Plastic (Nylon 66).

: Wearing Mount/Demount Tool Head protects tyre & rim from metal to metal contact damage. Using Plastic Mount/Demount Tool Head is much safer for delicate and expensive wheels yet durable enough to withstand the stress of larger tyres and wheels.

8 Tyre Mount/Demount Tool (Plastic) for Automatic Tyre Changers

Tapered Bore Dia:	Bore Dia:	Weight:	Code No
25mm	30mm	156gms	226718
25mm	30mm	177gms	228818

Material: Made from Special Blended Nylon Plastic (Nylon 66).

: Wearing Mount/Demount Tool Head protects tyre & rim from metal to metal contact damage. Using Plastic Mount/Demount Tool Head is much safer for delicate and expensive wheels yet durable enough to withstand the stress of larger tyres and wheels.

9 Tyre Mount/Demount Tool (Plastic) with Hardware

Tapered Bore Dia:	Bore Dia:	Weight:	Code No.
25mm	30mm	195gms	226718KIT
25mm	30mm	258gms	228818KIT

Material: Made from Special Blended Nylon Plastic (Nylon 66).

: Wearing Mount/Demount Tool Head protects tyre & rim from metal to metal contact damage. Using Plastic Mount/Demount Tool Head is much safer for delicate and expensive wheels yet durable enough to withstand the stress of larger tyres and wheels.













10 228918KIT

10 Quick Change Kit
Weight:

 Weight:
 Code No.

 1.875kg
 228918KIT

The 228918Kit contains the following items:

Tool:Qty:Weight:Code No.• Plastic Head with Quick 1 No.995grms228918Change ConnectorConnector set1 No.880gms228918C• Spanner1 No.Spanner

Use : Quick change kit helps interchange the steel and plastic

mount demount heads quickly and easily.



11 224418KIT

11 Quick Change Kit

Weight: Code No.
1.832kg 224418KIT

The Kit contains the following items:

Tool: Qty: Weight: Code No.

Quick Change Adaptor 1 No. 1.271kg 224418

Plastic Head with 1 No. 561gms 224618
Tool Holder

Use : Quick change kit helps interchange the steel and plastic mount demount heads quickly and easily.



12 225318KIT

12 Quick Change Tool Holder Kit

 Weight:
 Code No.

 1.660kg
 225318KIT

The Kit contains the following items:

Tool:Qty:Weight:Code No.• Quick Change Adaptor1 No.1.271kg224418• Tool Holder1 No.389gms224618TH

Use : These tool holders helps interchange the steel and plastic mount demount heads quickly and easily.



13 Combo Tool

 Size:
 Weight:
 Code No.

 480mm
 2.241kg
 220116

Material: Durable Alloy Steel.

Finish : Sand Blasted Nickel Chrome Plated.

: Specially designed to mount/demount tyre on center post tyre

changers for effortlessly and damage free.

Plastic Inserts for Combo Tool

 Size:
 Weight:
 Code No.

 Small
 12gms
 221116

 Big
 23gms
 222116

Material: Nylon 6

Note : The Plastic Inserts are sold separately.



Code No.







223418 223018 223118 28mm 955gms 222918 28mm 741gms 223218 28mm 465gms 223718 28mm 522gms 223718FR 25mm 28mm 504gms 226218 28mm 772gms 225618

Material: Made from Special Blended Nylon Plastic (Nylon 66).

15 225518

14 223018





14 223118

15 Tool Holder for Plastic Mount/Demount Tools

Tapered Bore Dia:	Bore Dia:	Weight:	Code No
	28mm	500gms	221318
	28mm	550gms	221318H
29mm	33mm	150gms	222618
	28mm	250gms	224718
	28mm	300gms	224718F
	29/30mm	450gms	225518
	28mm	492gms	223918
25mm	28mm	294gms	225818
	28mm	705ams	224818

Material: Made out of Special Steel.

: Tool Holders are fitted on various Plastic Mount / Demount Tools Use

as per following code nos.:

- Fits on







14 223218

Tool Holder: Mount/Demount Tool: 221318 - Fits on 220318, 220418, 222118 221318H - Fits on 220318, 220418, 222118 222618 - Fits on 221618, 221618Y 224718 - Fits on 221718, 221718Y 224718F - Fits on 221718, 221718Y, 225218 224818 - Fits on 221918 - Fits on 225518 221518, 222018 - Fits on







223918

225818



222218, 226418



15 221318

15 221318H

15 222618









15 224718

15 224718F

15 225518











15 223918

15 225818

15 224818





Colour:	Weight:	Code No.
Black	75gms	220028
Black	2gms	220828
White	4gms	221138
Black	4gms	221038
Black	3gms	223738
White	3gms	221338
3lack	3gms	221039
Black	12gms	221649
3lack	4.5gms	2242838S0
Black	29gms	220739
Black	5gms	220538
Black	6gms	220628
Yellow	6gms	224138
Black	4gms	224238
Black	5gms	220328
Yellow	5gms	221738
Black	4gms	220228
Black	5gms	220728
Yellow	5gms	220728Y
Black	6gms	220838
Black	5gms	222938
Yellow	5gms	222938Y
Black	2gms	223138
Red	2gms	224038
Yellow	6gms	220639
Black	7gms	220438
Black	15gms	220638
Yellow	14gms	222339
/ellow	13gms	220839
Black	2gms	220338
White	2gms	223238
Black	7gms	222638
Black	2gms	222738
Black	1gms	222838
Red	5gms	223938
Red	1gms	223439
Red	15gms	226238
Vhite	3gms	221838WH
Yellow	3gms	221838
Yellow	4gms	221938
Material: Made from Special [, and the second	22 1330



www.sarveshwari.com ______












18 221638

18 220738



Colour:	Weight:	Code No.
Black	4gms	221028
White	2gms	222038
White	2gms	222138
Black	4gms	220528
Yellow	5gms	221238
Black	5gms	220938
Yellow	3gms	221438
Black	3gms	220928
Yellow	3gms	220928Y
Yellow	4gms	222438
Silver	7gms	SCRM4X6
Yellow	8gms	222538
Grey	9gms	223338
Yellow	5gms	223838
Red	2gms	223838R
Grey	5gms	225038
Grey	2gms	225138
Yellow	9gms	222338
White	1gm	223438
White	6gms	223538
White	2gms	223638
White	7gms	222238

Material: Made from Special Durable Plastic (Nylon 6).

18	Mounting	Head	Protector
----	----------	------	-----------

<u> </u>		
Colour:	Weight:	Code No.
Yellow	20gms	221538
Black	20gms	221638
Black	15gms	220738
Material : Special Plastic		

19 Jaw Protection Insert

Colour:	Weight:	Code No.
Black	3gms	223038
Yellow	3gms	223038Y
Black	4gms	224738
Black	1gms	220428

Material: Special Plastic.

: These inserts snap into place on the sloped surface of the metal tyre changing Jaw assembly. Helps to reduce metal to metal contact between the wheel rim and tyre changing Jaw.

20 Max Plus Grip Jaw Protection Insert

Colour:	Weight:	Code No.
Black	12gms	225238

Material : Special Plastic.

Use : Grip max jaw insert works in conjunction with the grip max plus







26













1	Plastic Jaw Covers for	or Clamping Aluminu	ım Alloy Rims	
	Colour:		Weight:	Code No.
	Black		35gms	2200121
	Black		35gms	2200221
	Black		40gms	2202421
	Black		36gms	2203321
	Black		35gms	2200321
	Black		35gms	2200321F
	Black		50gms	2200921
	Black		40gms	2201321
	Black		27gms	2202321
	Black		25gms	2200721
	Yellow		25gms	2200721Y
	Black		45gms	2200821
	Black		43gms	224938
	Black		80gms	2200621
	Black		45gms	2201921
	Black	Angled Jaw Cover	•	2201821
	Black	Angled Jaw Cover	20gms	2202021
	Black		12gms	2202521
	Black		15gms	2202221
	Black		17gms	2201021
	Yellow		17gms	2201021Y
	Black	Angled Jaw Cover	•	2202121
	Black		17gms	2201521
	Black		12gms	2201721
	Yellow		22gms	2201221

22 Slide Jaw Protector Weight: Code No. Colour: Size: 60gms 2201421 Yellow L-278mm 12gms 222548 Black L -146mm

: Used as the Jaw cover of Jaws of T/C Machines.

Material: Engineering Plastic.

Use







23 Bead Breaker	Blade Protection		
Weight:	Code No.	Weight:	Code No.
90gms	220448	85gms	220948
90gms	220448GR	100gms	222348
90gms	220448WH	100gms	220348
70gms	222248	100gms	220348Y
90gms	220648	170gms	221148
96gms	220848	230gms	220548

Material: Engineering Plastic.

 Prevents metal to metal contact when bead loosening low profile tyres on expensive alloy wheels thereby preventing damage to the wheel

24	Clamping	Jaws for	Passen	ger Car	Tyre Cha	ngers

Weight:	Code No.	Weight:	Code No
125gms	2200021	230gms	2200521
170gms	2201621	390gms	2202621
230gms	2200421	140gms	2202721

Material: Special Steel, hardened and tempered for longer life and durability.

Use : Four Jaws are required per machine for keeping the Jaw alignment even.

25 Rubber Tulip Pad

 Colour:
 Weight:
 Code No.

 Black
 155gms
 221548

 Use
 : Mounted at the end of the arms that clamps the rim and prevent damage to the rim while providing grip to rotate the rim.

26 External Rubber Clamping Jaw

 Colour:
 Weight:
 Code No.

 Black
 525gms
 221648

Use : They work with machine which have hollow center of the tulip arms. If there is no hole on the top of the arms then these are not right parts to use.

27 Feeler Pin

 Colour:
 Length:
 Weight:
 Code No.

 Grey
 150mm
 20gms
 221848

Material: Special Plastic.

28 Bead Removal Tool for Lever Less Tyre Changing Machines

 Colour:
 Length:
 Weight:
 Code No.

 Yellow
 277mm
 65gms
 221048

 Red
 277mm
 65gms
 221048R

Material: Engineering Plastic. Glass filled for good strength and durability.

29 Bead Pressing Clamp

Colour:Length:Width:Thickness:Weight:Code No.BlacK296mm148mm45mm600gms221049

 Use : Allows for quick compression of the tyre bead, significantly enhancing the efficiency of tyre mounting and demounting while reducing operation time.







24 2200521

24 2202621

24 2202721







29 221049





30 Bead Breaker Roller

 Thickness
 Dia:
 Weight:
 Code No.

 30mm
 125mm/25mm
 345gms
 224338

 48mm
 150 mm /25mm
 589gms
 225338

 81mm
 250mm/30mm
 1.600kg
 225718

Material: PA6 Glass Filled for 224338/ Nylon 6 for 225338/ Nylon for 225718.

Use: Used for breaking the bead.

31 Support Plate

ThicknessDia:Weight:Code No.7mm130mm264gms22SPRM

Material: Rubber and Steel.

32 Support Plate Cover

 Colour:
 Dia:
 Weight:
 Code No.

 Black
 240mm
 150gms
 221748

 Black
 230mm
 280gms
 222048

Material: Rubber For 221748. PU For 222048.

Use : It protects the rim while servicing the reverse wheels. Should be

removed if not servicing the reverse wheels.

33 In-Between Cone

 Height:
 Dia:
 Weight:
 Code No.

 64mm
 95mm
 165gms
 222448

 90mm
 140mm
 380gms
 224638

Material: PA6 Glass Filled.

Use : The Cone slides on the removable spindle shaft assembly and is used to hold the wheel down while removing/replacing the tyre.

Note: 224638 Cone is for bigger rims.

34 Cone Cover

Colour: Dia: Weight: Code No. Black 45-130mm 170gms 221448 Yellow 40-125mm 55gms 221348 28-120mm Yellow 60gms 222148

Material: Nylon.

Use : Protective Plastic cover that snaps securely over the wheel hold

down cone to prevent damage to the wheel.

35 CONESET (Set of 3 Cones)

Cones Dia Height Weight: Code No. Cone 1 224639 119mm-40mm 44mm 815gms Cone 2 149mm-55mm 45mm 3.000kg 195mm-100mm 3.800kg Cone 3 45mm

Material: Special Steel.

36 Jaw Guide Kit

 Weight:
 Code No.

 Material : CRC Sheet.
 720gms
 2201121

Use : Used in a set of four pieces to increase or decrease the rim

clamping size.

37 Motor Cycle Adaptor Kit

 Size:
 Weight:
 Code No.

 L-111mm, W-41mm, H-107mm
 900qms
 220039

Material: Special Steel.

Finish: White Zinc Plating.

se : The kit of 4 Clamps and protectors fits most rim clamp tire changers.
Allows standard Tire Changing Machine to grip Motorcycle wheels.

Lifts spoked wheels away from Turn Table. Easy to set up and remove.

Plastic Protection Kit for 220039

Weight: Code No. 165gms 220039P

38 Universal Motor cycle Adaptor Kit

 Size:
 Weight:
 Code No.

 L-170mm, W-70mm, H-153mm
 8.000kg
 220040

Material: Special Steel.

Finish: White Zinc Plating.

Use: Due to it's higher height it can also be used for changing tyres of

electric vehicles having motor fitted.

Note: Plastic Protection Kit 220039P Works also for 220040.







44 2200411 Bead Pressing Tool Kit

39 Tyre Lever Boot Short

Weight: Code No. 11gms

220009

Material: Nylon-6.

: Plastic protection for light metal rims used with tyre levers 220001

and 220002.

40 Tyre Lever Boot Long

Colour: Weight: Code No. Black (Ribbed end) 60gms 220019 Yellow (Ribbed end) 60gms 220019Y Black (Plain end) 58gms 220119

Material: Nylon-6.

Use : Plastic protection for light metal rims used with tyre levers.

41 Rim Protector for Passenger Car

Colour: Weight: Code No. Size: 150mm long 2200010 White 35gms 2200110 Black 150mm long 35gms Red 150mm long 35gms 2200210 Blue 150mm long 35gms 2200310 Yellow 35gms 150mm long 2200410

Material: Nylon-6.

: Used to clip over an alloy wheel to reduce scratching along wheel.

Rim Protector PU for Passenger Car

Colour: Size: Weight: Code No. 2200410PU Yellow 150mm long 40gms

Material: Made from Poly Urethane (PU).

: Used to clip over an alloy wheel to reduce scratching along wheel.

Rim Protector for LM Rims

Colour: Code No. Size: Weight: Yellow 230mm long 2200510 46gms

Material: Nylon-6.

: Used to clip over an alloy wheel to reduce scratching along wheel. Use Suitable for car & motorcycle rims. Can also be used as protector

against cutting while mounting run flat tyres on steel rims.

Bead Pressing Tool Kit

Code No. Weight: 2200411 1.475kg

The Kit contains the following items:

Qty: Weight: Code No. 890gms Bead Presser with Plastic Roller **BPPR** 1 No. Bead Presser Holder **BPH** 1 No. 365gms Bead Presser Bracket 1 No 220gms **BPB**

Material: MS Pipe.

: Used to clip over an alloy wheel to reduce scratching along wheel.

45 Bead Holding Rope

Size: Weight: Code No. 1080mm long 400gms 2200511 1130mm long 700gms 2200611

Material: SS wire and Nylon Blocks with Steel Bush.

: Keeps Passenger Car tyre bead from slipping during mounting of top. Holds the Bead in 6 positions in the drop center.







46	Swab	Mainht.	Codo No
		Weight:	Code No.
	Standard	100gms	2200215
	Standard (Thinner)	80gms	2200216
	Long	110gms	2200315
	Long (Thinner)	85gms	2200316
	Use : Used to lubricate tyre bead	ds while removing or mour	nting tyres on rims

Tyre Mounting Aid

Weight: Code No. 2200011 320gms

Material: Nylon-6

: Holds tyre bead below the rim flange for fast and damage free tyre mounting. Fits on all Passenger Car rims. Will not scratch

decorative/Aluminum rims.

48 Tyre Mounting Aid (Supplied with Base 3)

Weight: Code No. 2200311 400gms

Material: Nylon-6

: Holds tyre bead below the rim flange for fast and damage free

tyre mounting. Fits on all Passenger Car rims. Will not scratch

decorative/Aluminum rims.

Note: 2200311 is supplied with base 3 (Size: 20mm)

49 Tyre Mounting Aid

Weight: Code No. 300gms 2200211

Material: Nylon-6

: Holds tyre bead below the rim flange for fast and damage free

tyre mounting. Fits on all Passenger Car rims. Will not scratch

decorative/Aluminum rims. Base : For Tyre Mounting Aid 2200211 (optional)

Size: Weight: Code No. Base 1 44mm 165gms 2200211A

20mm 2200211B Base 2 80gms Use : Base 1 and Base 2 are used for increasing the base height and

are optional to use.

Rim Clamp for Tubeless Truck Tyres

Weight: Code No. 2200013 1.600kg 1.700kg 2200113

Material: Special Steel Chrome plated to prevent corrosion.

: Clamps on wheel to prevent tyres from slipping by holding

tyre bead.

Rim Clamp for Tubeless Truck Tyres (Alloy Rims)

Weight: Code No. 2200313 1.750kg

Material: Special Steel Chrome Plated to prevent corrosion.

: Clamps on wheel to prevent tyres from slipping by holding

tyre bead.

Plastic Protective Jaw Kit for Rim Clamp 2200313

Weight: Code No. 2200313P 24gms

Weight: 95gms

220213 Material: Made from indestructible Polymers Nylon-66.

: Keeps Truck tyre bead from slipping during mounting of top bead. Two bead holders are used simultaneously. No need to stand on tyre to mount.

53 Truck Tyre Bead Holder

52 Truck Tyre Bead Holder

Material: Weight: Code No. **CRC Sheet** 220400 330gms MS Casting 810gms 220500 MS Casting 250gms 220513

Use : The bead holder locks onto the flange of the wheel and holds tyre bead in place to eliminate standing on the tyre or

changing the bead around the wheel.

Code No.





54 Special Brush for Tyres with Wooden Handle for Passenger Cars & Trucks Size (Handle): Dia. Handle: Weight: Code No. 290mm long 25mm Wooden 80gms 220515 290mm long 25mm Plastic 75gms 220515P Use : Used to lubricate tire beads when mounting or removing tires.

55 Special Brush for Tyres with Wooden Handle for Trucks & Earthmovers

Size (Handle): Dia. Handle: Weight: Code No. 300mm long 50mm Wooden 140gms 220415 230mm long 50mm Plastic 140gms 220415P 230mm long 50mm Wooden 180gms 220615

Use: Used to lubricate tire beads when mounting or removing tires.

56 Brush for Tyres with Plastic Handle

Size (Handle):Handle:Weight:Code No.170mm longPlastic75gms220715Use: Used to lubricate tire beads when mounting or removing tires.

57 Brush for Tyres with Lid and Wooden Handle

 Size (Handle):
 Handle:
 Weight:
 Code No.

 160mm long
 Wooden
 65gms
 220815

 Use
 : Used to lubricate tire beads when mounting or removing tires.

58 Angled Applicator Brush for Tyres with Wooden/Plastic Handle

Size (Handle):Handle:Weight:Code No.210mm longWooden95gms220915300mm longPlastic125gms221215Use: Used to lubricate tire beads when mounting or removing tires.

59 Special Brush for Tyres

Size (Handle):Handle:Weight:Code No.160mm longWooden100gms2200015160mm longPlastic80gms2200115Use: Used to lubricate tire beads when mounting or removing tires.

60 Special Brush for Tyres with Wooden Handle

Size (Handle): Dia: Handle: Weight: Code No. 340mm long 25mm Wooden 47gms 221015 340mm long 50mm Wooden 68gms 221115 : Used to lubricate tire beads when mounting or removing tires. Use

61 Brass Wire Brush

WidthLength:Height:Weight:Code No.29mm83mm28mm40gms221315

Use: Used for Cleaning Rims.

62 Sarv Paste (Economy)

 Colour:
 Weight:
 Code No.

 White
 1 kg
 2200130

 White
 4 kg
 2200430

 White
 5 kg
 2200530

 Use
 : Quick drying, non greasy tyre paste. Used for lubricating tyre

beads in mounting & demounting operations.

63 Lube Bucket

 Colour:
 Weight:
 Code No.

 Red
 188gms
 2200630

Material : Special Plastic








62 2200530



63 2200630





Valve Core Screw Driver double ended 1"stem length (VG5/Caps)

Weight: Code No.

35gms 330001

Material: Carbon Steel and Plastic handle.

Use : Removing & fixing valve cores in Passenger Cars and Trucks.

Large and standard bore.

Valve Core Screw Driver standard single ended 1" stem length

Colour: Weight: Code No. Red 20gms 330002 Blue 20gms 330002BLU

Material: Carbon Steel and Plastic handle. : Removing & fixing valve cores.

3 Valve Core Screw Driver double ended 1" stem length (VG5/VG8)

Colour: Weight: Code No. Red 3300012 35gms 35gms 3300012BLU

Material: Carbon Steel and Plastic handle.

: Removing & fixing valve cores, VG5 from one end and VG8 from

the other end.

4 Valve Core Screw Driver standard single ended 1" stem length

Colour: Weight: Code No. Red 3300014 20gms Black 20gms 3300014BK Red 45gms 3300614

Material: Carbon Steel and Plastic handle. Use : Removing & fixing valve core VG5. Note : 3300614 is used for large bore valves VG8.

Valve Core Screw Driver standard single ended 1.5" stem length

Code No. Weight: 3300114 20gms

Material: Carbon Steel and Plastic handle. : Removing & fixing Valve Core VG5.

6 Valve Core Screw Driver standard single ended 4" stem length

Code No. Weight: 30gms 3300214

Material: Carbon Steel and Plastic handle.

: Removing & fixing Valve Cores VG5 from remote distance.

Valve Core Screw Driver (VG5/VG8)

Weight: Code No. 35gms 3300314

Material: Carbon Steel & Plastic handle. Metal part is Nickel Chrome Plated.

8 Valve Core Screw Driver 2" Stem Length with Torque

Weight: Code No. 3300414 40gms

Torque: Pre-set tightening torque 0.4 Nm.

Material: Carbon Steel & Plastic handle. Metal part is Nickel Chrome Plated.

: Prevents over screwing of the core while removing & fixing.

9 Cable Type Valve Fishing Tool

Length: Weight: Code No. 3300015 215mm 35gms 300mm 40gms 3300035 600mm 60gms 3300065

Material: Carbon Steel.


: Tool for easy valve installation in tubeless tyres.

10 Rigid Plastic Extensions

Total Length: Weight: Code No. 115mm 3300215 7gms 125mm 9_{qms} 3300125

Use : Mainly used to lengthen the valves on Trucks.





11 Ventifix Plastic with Revolving Nozzle

 Colour:
 Weight:
 Code No.

 Red
 85gms
 330043

Material: Polyamide-6 for imparting super bending strength to the lever.

Use: For removing tubeless Motorcycle valves.

12 Ventifix Plastic

 Colour:
 Weight:
 Code No.

 Blue
 75gms
 330003BLU

 Green
 75gms
 330003

Material: Polyamide-6 for imparting super bending strength to the lever.

Finish : All metal parts are Nickel Chrome Plated.

se : For mounting Rubber snap-in valves on Passenger Car. Protects

light metal alloy rims from scratch.

13 Ventifix Plastic with Valve Core Screw Driver at End

Colour:Weight:Code No.Green75gms330073Material: Polyamide-6 for imparting super bending strength to the lever.

Use : For mounting Rubber snap-in valves on Passenger Car & to

open valve core screw.

14 Ventifix Plastic Reinforced with Metal Rod

 Colour:
 Weight:
 Code No.

 Yellow
 120gms
 330003YS

 Red
 120gms
 330003RS

Material: Polyamide-6 for imparting super bending strength to the lever.

Finish : All metal parts are Nickel Chrome Plated.

Use : Reinforced with inner metal rod for increase durability and stability Ideal for quick removal of valve stems and for sealing newly

installed valve stems.

15 Ventifix Plastic Reinforced with Metal Rod & Valve Core Remover at End

 Colour:
 Weight:
 Code No.

 Red
 126gms
 330003SCR

16 Ventifix Steel

 Colour:
 Material:
 Weight:
 Code No.

 Silver
 Carbon Steel
 300gms
 330004

 Silver
 Steel Sheet
 150gms
 330024

Use

: Ruggedly constructed Steel tool is designed to provide sure grip and leverage necessary for positioning seating or removal of snap-in type valves. Deep thread head assures ease of valve stem attachment.

17 Ventifix Aluminum with Rubber & Nylon Block

Colour:Weight:Code No.Golden242gms330083

Use

: Specially designed tool for insertion / removal of all kind of valves. Suitable for TPMS valves. The Rubber and Nylon pad prevents scratching of the wheel rim.

18 Ventifix Plastic (Heavy Duty)

 Colour:
 Weight:
 Code No.

 Red
 95gms
 330023

 Black
 95gms
 3300123

 Yellow
 95gms
 3300223

Material: Polyamide-6 for imparting super bending strength to the lever.

: For mounting Rubber snap-in valves on Passenger Car & to open valve core screw. Multiple ridges help keep the tool in place on wheels with different sizes.





_				
10	Valva	Corp	SCrow	Driver

Size:	Weight:	Code No
1"	15gms	3300021
2"	40gms	3300061
4"	42gms	3300041
5"	45gms	3300051

Material: Carbon Steel with Aluminum handle.

20 Valve Core Screw Driver Flexible

Size:	Weight:	Code No.
6"	46gms	3300611
8"	60gms	3300011

Material: Carbon Steel and flexible Steel Wire rope with Aluminum handle.

Use: This Valve Core Screw Driver holds the valve core with a clip.

Also the fitting / removing of valve cores is much easier.

21 Valve Core Screw Driver with Magnet

Size:	Weight:	Code No.
4"	45gms	3300541

Material: Carbon Steel. Magnet on the top of handle provides easy picking of valve core.

22 Valve Core Screw Driver For OTR Tyres

Size:	Weight:	Code No
4"	100gms	3300441

Material: Carbon Steel with Aluminum handle.

23 Valve Cap Screw Driver For OTR Tyres

Weight:	Code No
120gms	3300641

Material: Special Steel.

24 Tubeless Valve Stem Puller

Colour:	Handle Material:	Weight:	Code No
Red	Aluminum	150gms	330006
Black	Steel	265gms	330026
Blue	Steel	310gms	330036
Black	Steel	275gms	330046
Green	Steel	275gms	330056

Use : Installs and removes tubeless valves in seconds and protects the expensive alloy rim from scratch. Metal tip helps push out old snap in valve. All handles are PVC coated for hand protection.

25 Tubeless Valve Stem Puller (Heavy Duty)

Weight:	Code No
400gms	3300018

Material: Made out of Carbon Steel Strip.

Finish: Nickel/Zinc plated to prevent rusting.

Use : Heavy duty Pull a Stem Tool to pull old or insert new tubeless

Rubber valve of all sizes.



25 3300018







26 330007

26 330008





26 330009

26 330029





27 3300115

27 3300116





26 Valve Extension Holder

Colour:	Type:	Size:	Weight:	Code No.
Golden	Double Strip	8mm	35gms	330007
Golden	Double Clip	16mm	60gms	330008
Golden	Single Clip	16mm	55gms	330009
Golden	Single Clip	26mm	60gms	330029

Material: Carbon Steel and Spring Steel Wire.

Finish : Zinc Plated.

Use: To secure position of flexible valve extensions.

27 Heavy Duty 4 Way Valve Core Repair Tool

Finish:	Material:	Weight:	Code No
Auto black	Carbon Steel	25gms	3300115
Zinc plated	Special Steel	20gms	3300116

Use : Repairs and reconditions inside and outside Valve threads and removes broken cores.

28 Tyre Valve Tool Kit

				Weight:	Code No.
				285gms	3300118

The Kit Contains the following items:

lool:	Qty.	
Screw Tool	1 No.	185gms
 Tapered Tube 	1 No.	25gms
 Valve Hook Tool 	1 No	75gms

Use: Hook is used to remove the old valve body. The screw tool and tapered tube are used for fitting lubricant with tyre tube or similar. Suitable for passenger car, ATV, UTV, Truck & Motorbike.

Note: Suitable for tyres with TPMS

29 Tyre Valve Milling and Cleaning Kit

			Weight: 430gms	Code No. 3300119
The Kit of	contains the following items:			
Tool		Otre	Majahtı	

1001:	Qty:	vveignt:
 Holder for Grinding Pin, Short 65mm 	1 No.	28gms
 Holder for Grinding Pin, long 197mm 	1 No.	109gms
 Grinding Pin 17mm 	1 No.	22gms
 Grinding Pin 20mm 	1 No.	25gms
Magnetic	1 No.	85gms
1/4" Bit extension. 140mm	1 No.	64gms
Valve Seat Scraper with guide pin 100mm	1 No.	72gms

Use

: Effectively removes corrosion resides and flaking clear coat that can cause air leakage due to uneven valve seating in alloy rims. Compatible with rubber valves, threaded steel valves & TPMS valves.

30 Valve Hole Cleaning Brush

Dia:	Length:	Weight:	Code No.
18mm	165mm	60ams	3300120







1 Sticher Serrated Plastic

 Thickness:
 Dia:
 Weight:
 Code No.

 4mm
 28mm
 30gms
 440728

Material: Nylon Plastic.

Jse: The Sticher is used to remove air from underneath tyre patch

repairs and to ensure proper adhesion.

2 Sticher Serrated Plastic Handle

 Thickness:
 Dia:
 Weight:
 Code No.

 7mm
 20mm
 75gms
 442071

Use : The Sticher is used to remove air from underneath tyre patch

repairs and to ensure proper adhesion.

3 Special Sticher for Mushroom Kit

Thickness: Dia: Weight: Code No. 9mm 35mm 85gms 440727

Use : The Sticher is used to remove air from underneath tyre patch

repairs and to ensure proper adhesion.

4 Sticher Wooden Handle

Type:	Thickness:	Dia:	Weight:	Code No.
Economy Serrated	3mm	35mm	110gms	440009
Serrated	3mm	38mm	135gms	443831
Serrated	6mm	38mm	160gms	443861
Serrated	2mm	25mm	105gms	442521
Serrated	4mm	50mm	200gms	445041
Smooth	10mm	40mm	195gms	440008
Hara The Official	! 4			

Use : The Sticher is used to remove air from underneath tyre patch repairs and to ensure proper adhesion.

5 Flexible Skiving Knife

Model: Weight: Code No. Size: Extra Sharp 100mm long 50gms 440004 **Taper Point** 100mm long 50gms 85008 Extra Curve 52gms 85009 120mm long Round Point 90mm long 55gms 85010

se : Used to cut and remove excess tyre repair plug ropes from the

exterior of the type tread.

6 Hoe Style Inner Liner Scraper

 Colour:
 Weight:
 Code No.

 Blue
 120gms
 440005

 Black
 120gms
 440005BK

Use : For cleaning the inner liners for both puncture and section repair

prior to buffing.

Tyre Injury Measuring Tool

Weight: Code No. 95gms 4400041

95gms 4400

Use : A special tool used for measuring tyre injury varying from

3mm to 10mm.

8 Tyre Probe

Handle: Size: Weight: Code No. Wooden 100mm long 110gms 4400021 Plastic 100mm long 65gms 4400031 100mm long 64gms 4400061 Wooden

Use : For verifying damages, course of injuries and removing small

foreign objects from the tyre tread.

Tyre Puncture Nail Puller

 Model:
 Size:
 Weight:
 Code No.

 185mm long
 72gms
 85017


Use: Used it for removing nails from the tyre during puncture repairs.

Hooked Awl

Handle:Size:Weight:Code No.Wooden300mm long175gms4400051

Use : For conveyor belt splicing & repairing.





11 Rotary Gouges

Dia: Speed: Weight: Code No. Maximum 4500 rpm 85007-30 30mm 43gms Maximum 4500 rpm 50mm 103gms 85007-50

Use : Rotary Gouges quickly remove rubber from the hole easily.

Wire Puller

Length: Weight: Code No. 190mm 12gms 85021

Use : Used to pull plugs through the repair hole while repairing a tire.

13 Angular Milling Cutter (High Speed Steel)

Blade Length:	Total Length:	Dia:	Weight:	Code No.
30mm	60mm	3mm	3gms	4400317
50mm	110mm	4mm	5gms	4400417
50mm	80mm	4.5mm	13gms	4400457
30mm	90mm	6mm	16gms	4400017
45mm	80mm	6mm	18gms	4400617
45mm	75mm	6mm	16gms	4401617
50mm	110mm	6mm	20gms	4402617
50mm	110mm	8mm	40gms	4400817
60mm	110mm	8mm	40gms	4401817
40mm	110mm	9mm	45gms	4400917
50mm	110mm	9mm	45gms	4401917
64mm	115mm	10mm	55gms	4401017
72mm	120mm	13mm	95gms	4401317

14 Angular Milling Cutter in Screw Driver Handle

Blade Length: Dia: Weight: Code No. 4403617 50mm 6mm 30gms 30gms 45mm 6mm 4404617

: For the precise injury preparation on radial and cross-ply tires.

Material: High Speed Steel.

: The screw driver handle encloses the Angular Milling Cutter to be Use

used manually.

: Angular Milling Cutter 4402617 is used in code No. 4403617. Note

Angular Milling Cutter 4400617 is used in code No. 4404617.

Car Tyre Spreader

Use

Length: Code No. Weight: 235mm 55gms 4400320 330mm 4400420 90gms

Material: Plastic.

: Used in pair to open the beads of tyre. Use

Tyre Bench Spreader for Passenger Car

Size: Weight: Code No. L-431mm, W-101mm, H-101mm 3.600kg 4400020 L-457mm, W-127mm, H-254mm 5.600kg 4400120

Material: CRC Steel

: Tyre spreader is used for preparing the inspection and repair of Use Car and Truck tyres.

Tyre Bench Spreader for Passenger Car / Motorcycle

Weight: Code No. L-600mm, W-290mm, H-250mm 4400220 6.500kg

Material: CRC Steel

Use

: Holds the tube & provides a smooth base for processing. Spreads Car & Motorcycle tyres. Can be mounted on work bench. Suitable for very long stiff beads. High stability and strength.

18 Tyre Bench Spreader for Truck

Weight: Code No. L-640mm, W-315mm, H-270mm 4400620 14kg

Material: CRC Steel.





PG-1


PG-7



NSTAND

22 4400010KIT





19 Air Gun

Size: Weight: Code No. 220mmx170mmxSuction Port Ø 28mm 300gms 610008

: High Performance Vacuum Tube provides excellent function of vacuum & even tiny dust as fine powder can be cleaned efficiently.

20 Spherical Rasp

Stem Length: Dia: Weight: Code No. 40mm 440627 38mm 48gms : Used to remove & grind away ribs inside the tyre prior to puncture Use

Tyre Marking Chalk

Colour: Dia: Length: Packing: **Box Weight:** Code No. White 17mm 88mm 12pcs/Box 330grm TMCHALKW17 TMCHALKY17 Yellow 88mm 12pcs/Box 330grm 17mm White 13.5mm 97mm 10Pcs/Box 165grm TMCHALKW13 13.5mm 97mm 10Pcs/Box Yellow 165grm TMCHALKY13

: 12 pieces of TMCHALKW17 / TMCHALKY17 are packed in one box. 10 pieces of TMCHALKW13 / TMCHALKY13 are packed in one box.

Weight:

382.5gms

Code No.

NSTAND

Code No.

4400010KIT

22 Chrome T- Handle Kit

The Kit contains the following items: Tool: Size: Code No. Qty: 4400010H Chrome T-handle 1 No. Spiral Probe 5" 1 No. PG-6 Open Eye Needle 4" 1 No. PG-1 Allen Key 1 No. PG-7

Note: Needle Stand is used for keeping the other needle handy when not in use.

1 No.

23 Pistol Grip Handle Kit

Needle Stand

Weight: 4400011KIT 137.5gms The Kit contains the following items: Tool: Size: Qty: Code No.

Pistol Grip Handle 4400011H 1 No. Spiral Probe 5" 1 No. PG-6 Open Eye Needle 4" 1 No. PG-1 Allen Key 1 No. PG-7 Needle Stand **NSTAND** 1 No.

Note: Needle Stand is used for keeping the other needle handy when not in use.

24 Handle only for insertion with socket key and screw

Weight: Code No. Aluminum T-Handle 105gms 4400110H Chrome T- Handle 338gms 4400010H Pistol Grip Handle 85gms 4400011H

Note: The Handles are supplied with Allen key.

25 Needles Only

Tool:	Size:	Weight:	Code No.
Open Eye Needle	3" (76mm)	10gms	PG-0
Open Eye Needle	4" (101mm)	15gms	PG-1
Open Eye Needle	6" (152mm)	15gms	PG-2
Open Eye Needle	8" (203mm)	20gms	PG-3
Side Split Needle	5" (127mm)	13gms	PG-11
Side Split Needle	8" (203mm)	20gms	PG-4
Close Eye Needle	4" (101mm)	10gms	PG-5
Close Eye Needle	8" (203mm)	22gms	PG-8
Close Eye Needle	9" (228mm)	25gms	PG-9
Spiral Probe	5" (127mm)	20gms	PG-6
Allen Key		5gms	PG-7
Truck Rasp Needle	8" (203mm)	25ams	PG-10





26	Open Eye Needle in	Plastic T-Handle		
	Colour:	Size:	Weight:	Code No.
	Black	3"	60gms	4400015
	Black	5"	70gms	4400415
27	Close Eye Needle in	n Plastic T-Handle		
	Colour:	Size:	Weight:	Code No.
	Black	3"	65gms	4400215
28	_	urling in Plastic T-Ha		
	Colour:	Size:	Weight:	Code No.
	Black	3"	60gms	4400315
29	Spiral Probe Needle	In Plastic T-Handle		
	Colour:	Size:	Weight:	Code No.
	Black	4"	65gms	4400115
30	Rasp Passenger Ca	r In Plastic T-Handle		
	Colour:	Size:	Weight:	Code No.
	Black	4"	55gms	4400515
31	Spiral Probe in Scre	ew Driver PCV Handle	<u> </u>	
O I	Colour:	Size:	Weight:	Code No.
	Black	4"	•	
	DIACK	4	55gms	4400123
32	Rasp Passenger Ca	ar in Screw Driver PV	C Handle	
	Colour:	Size:	Weight:	Code No.
	Red	4"	45gms	4400012
	Black	4"	45gms	4400012BK
33	Close Eve Passeng	er Car Needle in Scre	w Driver PVC Handl	е
00	Colour:	Size:	Weight:	Code No.
	Red	4"	45gms	4400112
	Black	- 4"	45gms	4400112BK
34		Screw Driver PVC H		
	Colour:	Size:	Weight:	Code No.
	Red	4"	40gms	4400122
35	Side Split Needle w	ith Knurling in Screw	Driver PVC Handle	
	Colour:	Size:	Weight:	Code No.
	Black	3"	35gms	4400156
	Black	4"	45gms	4400146
36	Passanger Car Rea	mer in Screw Driver I	OVC Handle	
50	Colour:			Codo No
		Size: 3"	Weight:	Code No.
	Black	ა 	25gms	4400614
37		w Driver PVC Handle		
	Thickness:	Size:	Weight:	Code No.
	6mm	6"	80gms	4400414
	6mm	8"	100gms	4400214
	8mm	8"	120gms	4400514
38	Truck Close Eve Ne	edle in Screw Driver	Handle	
	Colour:	Size:	Weight:	Code No.
	Black	8"	85gms	4400314
	Black	7"	75gms	4400714BK
		.		
39		eavy Duty with Knurl	_	
	Colour:	Size:	Weight:	Code No.
	Red	8"	105gms	4400116
40	Side Split Needle w	ith Knurling in Triang	ular Handle	
		Size:	Weight:	Code No.
		4"	30gms	4400126
		40 4400426		
		40 4400126		
				40





			Professional Tyre & Ga	rage Tools since 1988
41	Open Eye Needle in	Pistol Grip Handle		
	Colour:	Size:	Weight:	Code No.
	Red & Black	3"	70gms	4401318
	Red	3"	80gms	4400118
	Black	3"	80gms	4400118BK
	Red	4"	82gms	4400818
	Red	5"	85gms	4400218
	Black	5"	85gms	4400218BK
	Red	6"	90gms	4400718
	Red	8"	100gms	4400518
42	Spiral Probe in Pist	ol Grip Handle		
	Colour:	Size:	Weight:	Code No.
	Red	4"	85gms	4400018
		4	Oogilis	4400010
43	Close Eye Needle in	Pistol Grip Handle		
	Colour:	Size:	Weight:	Code No.
	Black	3"	85gms	4401218BK
	Red	4"	85gms	4400318
	Black	7"		
		7 8"	87gms	4401118BK
	Red	ŏ	87gms	4401018
11	Passenger Car Rasi	n in Pistol Grin Hand	ماله	
44	Colour:	Size:	Weight:	Code No.
	Red	4"	90gms	4400114
	Black	4 4"		4400114 4400114BK
	DIACK	4	90gms	4400114BN
45	Truck Rasp in Pisto	l Grin Handle		
10	Colour:	Size:	Weight:	Code No.
	Red	8"		4400014
		o 8"	100gms	
	Black	0	100gms	4400014BK
46	Side Split Needle Ho	= =	ling in Pistol Grip	Handle
	Colour:	Size:	Weight:	Code No.
	Red	8"	107gms	4400918
47	Side Split Needle in	Pistol Grin Handle		
	•	-	Maight	Codo No
	Colour:		Weight:	Code No.
	Black	6"	85gms	4400016
	Red	8"	110gms	4400418
18	Open eye needle (Fe	or Ricycle)		
40	Colour:	• •	Maight	Codo No
		Size:	Weight:	Code No.
	Red	40.5mm	11gms	44IT47
40	Reamer (For Bicycle	a)		
43	Colour:	size:	Weight:	Code No.
	Red	40.5mm		44RT47
	Reu	40.511111	11gms	44K14/
			<u> </u>	
			10 4417	47
			48 44IT	4/
	49 4	4RT47		





1 440037



2 440098



1 Sarv Premium Kit (Tubeless Tyre Repair Kit in Plastic Box)

		Weight: 1.600 kg	Code No. 440037
The Kit contains the following items:		·	
Tool:	Size:	Qty:	Code No.
 Spiral Probe in Chrome T- Handle 	4"	1 No.	44SP37
 Open Eye Needle in Chrome T-Handle 	5"	1 No.	440E37
Allen Key		1 No.	CT-3
Cutting Knife		1 No.	44SK47
Paste		1 No.	44PA37
 Flap of 5 Repair Strings 	4"	4 No.	44RS07

2 Sarv Premium Kit (tubeless Tyre Repair Kit In Plastic Box)

	weight: 350gms	440098
The Kit contains the following items:		
Tool:	Qty:	Code No.
 Spiral Probe In Aluminium / Zinc Die Casting T-handle 4" 	1 No.	44SP98
 Open Eye Needle In Aluminium / Zinc Die Casting 		
T-handle With Slider Protection 5"	1 No.	440E98
Allen Key	1 No.	CT-3
 Cutting Knife 1 No. 	1 No.	44SK47
Paste	1 No.	44PA37

3 Sarv Super Seal Kit (Mushroom Type Tubeless Tyre Repair Kit)

		350gms	440027
The Kit contains the following items	; :		
Tool:	Size:	Qty:	Code No.
 Mushroom Patch 	3mm	10 No.	440127
 Mushroom Patch 	6mm	5 No.	440227
 Tube of Solution 	20ml	5 No.	440827
 Angular Milling Cutter 	6mm	1 No.	4401617
 Angular Milling Cutter 	3mm	1 No.	4400317
 Spherical Rasp 	38mmø	1 No.	440627
 Special Sticher for Mushroom Kit 		1 No.	440727

Use


: Rapid, reliable and permanent repair. Specially designed for puncture made by nails, scarves, bolts in tyres. Total compatibility with all makes of tyres.



3 440027

Code No.









6 440067



7 44RS07

Sarv - Seal Kit (Tubeless Tyre F	Repair Kit)		
		Weight:	Code No.
		185gms	440007
The Kit contains the following	items:		
Tool:	Size:	Qty:	Code No.
 Spiral Probe in PG Handle 	4"	1 No.	44SP07
 Open Eye Needle in PG Handle 	3"	1 No.	440E07
 Cutting Knife 		1 No.	44CK07
 Flap of 5 Repair Strings 	4"	1 No.	44RS07
 Instruction Sheet 		1 No.	

5 Sarv - Chrome Seal Kit (Tubeless Tyre Repair Kit)				
		Weight:	Code No.	
		445gms	440057	
The Kit contains the follow	ing items:			
Tool:	Size:	Qty:	Code No.	
 Chrome T-Handle 		1 No.	4400010H	
Spiral Probe	4"	1 No.	44SP57	
 Open Eye Needle 	3"	1 No.	440E57	
Allen Key		1 No.	CT-3	
Cutting Knife		1 No.	44CK07	
Flap of 5 Repair Strings	4"	1 No.	44RS07	
Instruction Sheet		1 No.		

6 Sarv - Blister Seal Kit (Tubeless Tyre Repair Kit)

		Weight: 165gms	Code No. 440067
The Kit contains the following	items:		
Tool:	Size:	Qty:	Code No.
 Spiral Probe in PG Handle 	4"	1 No.	44SP07
 Open Eye Needle in PG Handle 	3"	1 No.	440E07
 Small Cutting Knife 		1 No.	44SK47
 Flap of 5 Repair Strings 	4"	1 No.	44RS07

Repair Strings

Colour:	Size (Flap):	Weight:	Code No.
Brown	4" long	15gms	44RS07
Brown	4" long	15gms	44RS07BK
Black	8" long	25gms	44RS08
Brown	8" long	25gms	44RS08BK

Packaging: 1 flap consists of 5 repair Strings.





7 44RS08







2 610002





4 612204


4 612204-0-9

4 612204-A-Z





5 612205



6 610007

1 Universal Plus Brake Lathe Silencer and Chip Deflector with Velcro

Length:	Pad Thickness:	Weight:	Code No
210mm	9.53mm	85gms	610001

Note : Do not use on Pro-cut Brake Lathe.

Use : Eliminates vibration while cutting. Also ensures safety by deflecting

chips towards the floor away form operators face. The strap keeps

the silencer in place throughout the cut.

2 Extra Thick Clip on Silencer and Chip Deflector for On-Car Brake Lathe

Length: Pad Thickness: Weight: Code No. 210mm 19mm 85gms 610002

Note : Use with the on Pro-cut on-car Brake Lathe only.

: Used on car lathes, the silencer rides behind the tool bit to Use

meet the vibration and noise where it starts. Long lasting pad.

Battery Terminal Plier

Open Size	Length:	Weight:	Code No.
1/2"	180mm	300gms	610003

Material: Alloy Steel

: Used to Clean & Spread Battery Cable Clamp Terminals.

Tyre Branding Tool Rectangular

Power use:	Size:	Weight:	Code No.
300W / 110volts	70x35mm	1.00kg	611104
300W / 220volts	70x35mm	1.00kg	612204

Description: Single Slot Bolds Seven (Max), 12mm Replaceable Numbers

& Letters.

Letters	Size:	Code No.
(A-Z)	12mm	611104-A-Z
(A-Z)	12mm	612204-A-Z
Numbers	Size:	Code No.
	UU.	00001101
(0-9)	12mm	611104-0-9

Description: Number 0-9 & Letters A-Z (Sold Separately).

5 Tyre Branding Tool Round (with Protection Bag)

Power use:		Weight:	Code No.
450W / 110volts	(With bag)	3.25kg 4.000kg	611105
450W / 220volts	(With bag)	3.25kg 4.000kg	612205

Description: Single Slot Holds Four (Max), 25mm Replaceable Letters. The Brander is supplied in Heavy duty Canvas Bag.

Letters	Size:	Code No.
(A-Z)	25mm	611105-A-Z
(A-Z)	25mm	612205-A-Z

Description: Letters A-Z (Sold Separately).

Heavy Duty Wheel Puller

Hook:	Weight:	Code No.
Single Hook	6.00kg	610006
Double Hook	6.70kg	610007

Use : Used to remove Stuck hub heavy duty wheels. Eliminate need to crawling under vehicle.





1 SCR-202T, 203T





3 ST-HTJ01

JIB Crane (For Truck & Bus Tyres)

Code No. SCR-202,203T

Lifting Height: Min 280mm/Max 1840mm Closed Height: 1550mm Boom Length: 1180mm Chain Length: 410mm Load Carrying Cap.: 2/3 Ton **Boom Extension:** 780mm Min 1450mm/Max 2000mm Overall Weight: Length: 140 kg

2 High Rise Jack Stand (For Truck & Bus Tyres)

Capacity:	Min. Ht.	Max. Ht.	Base Dia.	Weight:	Code No.
4 Ton	990mm	1210mm	575mm	50kg	HRJS-4Y
12 Ton	1295mm	1905mm	711mm	78kg	HRJS-12Y

- Used to support raised heavy duty vehicles, to facilitate maintenance and inspection procedures.
- The support stand is designed to be used in sets of 4, 6 or 8 and must be placed under a level, raised vehicle, at the support points designated by the vehicle manufacturer.
- Jack Stand features a double locking pawl and tooth design for extra protection.
- The one piece multi position ductile ratchet bar provides super strength & durability.
- The quick adjustment mechanism securely locks it into the desired location hence providing superior safety.

Hydraulic Gear Box Trolley

Code No.

ST-HTJ01

Capacity: Length: Weight: Width: 140kg 1580mm 1Ton 810mm Platform Length (PL) & Width (PW) Lifting Height (H) Min 710mm/Max 1045mm & Max 410mm Min 200mm/Max 800mm

4 Pneumatic Hydraulic Axle Alignment Jack

Code No. STLWAAJ-02

Length: Width: Height Min: **Height Max:** 700mm 350mm 517mm 651mm

Closed Positon Open Position Total Weight Operating Pressure 297mm 603mm 36kg 8 Bar

Working Pressure Load Capacity Oil Capacity 250 Bar 4 Ton 4Ltr



4 STLWAAJ-02





5 STLPWT02



6 ST-440GT



7 Hydraulic Jack

5 Pneumatic Impact Wrench Holding Trolley (For Truck & Bus Tyres)

Code No. STLPWT02

Length: Width: Height: Weight: 14 kg 670mm 440mm Min500mm

Max 1000mm

:It is used for holding 1" & 3/4" Impact Wrench which is approximately 12-15kg of weight for easily assembling & disassembling of wheel nuts of Passenger Car/Bus/Trucks without much effort.

Tyre and Tube Vulcanizer (For Truck & Bus Tyres)

Code No. ST-440GT

Tyre Size: 24" 30"/ 34" Throat Depth/ Height:

Max. Repairing: 6 1/2"x 4 1/2" Repair Areas of the tyre Sidewall Shoulder Crown/Tread

Operating Temp: $135^{\circ}\text{C} \sim 150^{\circ}\text{C}$ Dimensions (LXBXH): 730x510x1850 Supply Voltage: AC: 220V ± 10% (50 Hz) Weight: Current Rating: 5A

• Used for passenger Car, Truck Tyre. Thermostatically controlled heat unit reaches operating temperature quickly for fast cure rates including tread.

Repair different areas of passenger tyres

• Three different size of plates for curing different sizes patch (upto5.5") Dual controllable heating system.

7 Hydraulic Jack

Capacity

Use

Ton:	Min. Length:	Max. Length:	Stroke Length:	Code No
1011.	wiii. Leilgiii.	Max. Length.	Olloke Leligui.	ooue No.
3	270mm	390mm	120mm	STL-RJ3T
6	330mm	510mm	180mm	STL-RJ6T
9	280mm	450mm	170mm	STL-RJ9T
12	330mm	481mm	150mm	STL-RJ12T
16	332mm	483mm	150mm	STL-RJ16T
22	313mm	493mm	180mm	STL-RJ22T

8 Magnetic Nail Lifter Trolley (For Truck & Bus Tyres)

Code No. SMNL150

Magnetic Size: 18" x 11" x 3" Total Length: 22 "

Frame Size : 19.2" x 13" x 3.6"

Total Height: 6" **Handle Total Height From Floor:** 34" **Handle Total Height Without Floor:** 28"

Use


: Used for quick Clearing of dangerous ferrous scrap metals which include iron chips, shavings, nails, nuts, screws, tacks, barbed wire and staples etc.







8 SMNL150














1 550604













1 Rubber Pad for Passenger Car Lift

Size:	Weight:	Code No.
L-160mm, B-120mm, H-20mm	550gms	550204
L-160mm, B-120mm, H-40mm	1.300kg	550004
L-160mm, B-120mm, H-60mm	1.500kg	550604
L-160mm, B-120mm, H-80mm	2.260kg	550804
L-150mm, B-100mm, H-50mm	800gms	553104
L-150mm, B-100mm, H-100mm	1.970kg	553204

Use : Used at the time of lift of vehicle for Wheel Alignment and repairs.

Durable & long lasting.

2 Rubber Wheel Chock

Size:	Weight:	Code No
L-230mm, B-99mm, H-94mm	1.436kg	553004
L-275mm, B-120mm, H-178mm	2.900kg	554504
L-233mm, B-180mm, H-140mm	3.700kg	551904
L-245mm, B-260mm, H-140mm	7.700kg	558304

Material: Rubber.

Use: Prevents vehicles from rolling down during maintenance or storage.

3 Metal Wheel Chock

Size:	Weight:	Code No
L-238mm, B-120mm, H-150mm	1.800kg	557804
L-392mm, B-220mm, H-230mm	5.100kg	557904
L-318mm, B-160mm, H-190mm	3.500kg	558104
L-515mm, B-260mm, H-280mm	9.000kg	

Material: Metal.

Use: Prevents vehicles from rolling down during maintenance or storage.

4 Plastic Wheel Chock

 Size:
 Weight:
 Code No.


 L-205mm, B-120m, H-108mm
 265gms
 558305

Material: Plastic.


Use: Prevents vehicles from rolling down during maintenance or storage.


5 Rubber Door Guard

Size:Weight:Code No.L-360mm, B-35mm, H-35mm550gms558404Use: Door Guard is used for the safety of passenger car door during lifting.






















7 554004



7 556004



7 552104MET



7 557004TH



7 552204

6 Rubber Pad for Passenger Car Lifts

Size:	Weight:	Code No.
L-124mm, B-99mm, H-24mm	330gms	554404
L-145mm, B-50mm, H-75mm	315gms	555904
L-105mm, B-82mm, H-08mm	85gms	554304
L-98.6mm, B-96mm, H-22mm	100gms	557504PU

7 Round Rubber Pad for Passenger Car Lifts

Dia:	Thickness:	Weight:	Code No.
123 mm	21mm	155gms	554204
127mm	25mm	250gms	554004
127mm	28mm	250gms	555004
140mm	16mm	300gms	556004
120mm(with steel plate)	16mm	450gms	552104MET
138mm	28mm	300gms	557004
138mm	28mm	300gms	557004TH
139mm	28mm	340gms	552204
144mm	20mm	270gms	552304

Use : Used at the time of lifting of vehicle for Wheel Alignment and repairs. Durable and long lasting.



7 555004



7 557004



7 552304





8 552404



8 552504



8 552604



8 552604MET



8 552704



8 552704MET



8 552804



8 552904



8 554104MET



8 554105MET



8 554604W



8 554704



8 554904MET



8 555104

8 Round Rubber Pad for Passenger Car Lifts

	•		
Dia:	Thickness:	Weight:	Code No.
149mm	28mm	300gms	552404
121mm	28mm	250gms	552504
125.5mm	25mm	150gms	552604
127mm(with Steel plate)	25mm	460gms	552604MET
102mm	21mm	100gms	552704
103mm(with Steel plate)	21mm	300gms	552704MET
148mm	25mm	260gms	552804
123mm	23mm	162gms	552904
127mm(with Steel plate)	25mm	390gms	554104MET
117mm(with Steel plate)	25mm	253gms	554105MET
120mm	34mm	286gms	554604W
134mm	25mm	181gms	554704
125mm(with Steel plate)	28mm	350gms	554904MET
120mm	19mm	178gms	555104
100mm	22mm	130gms	555204
145mm	25mm	293gms	555304
120mm	22mm	133gms	555404
123mm	26mm	181gms	555504
140mm	27mm	285gms	555604
160mm	30mm	345gms	555704
120mm	19mm	132gms	555804
120mm	19mm	250gms	557604
122mm	27mm	380gms	557265W
140mm	20mm	266gms	557605

Use : Used at the time of lifting of vehicle for Wheel Alignment and repairs.

Durable and long lasting.



8 555204



8 555404



8 555604



8 555804



8 557265W



8 555304



8 555504



8 555704




8 557604



8 557605





4	Dubbar	Dad for	Passenger	Car look	(Causes)
	Rubbei	rau ioi	rassenuer	Gal Jack	(Suuare)


Size:	Weight:	Code No.
L-118mm, B-118mm, H-23mm	155gms	552004

USE: Rubber Pads Protect the Lifting Point.

2 Rubber Pad for Passenger Car Jack (Round)


Dia:	Thickness:	Weight:	Code No.
110mm	20mm	210gms	557266
101mm	47mm	391gms	556504
83mm	46mm	276gms	556604
66mm	39mm	146gms	556704
50mm(with Steel plate)	38mm	318gms	556804
100mm	53mm	309gms	556904
66mm	45mm	130gms	557104
62mm	23mm	65gms	557204
52mm	14mm	29gms	557304
39mm	15mm	21gms	557404
77mm	47mm	120gms	558204
		770gms	558204KIT


Note: Floor jack pad 558204 is suitable for Tesla models 3,S,X,Y



53mm















Bead Breaking Rubber Pad

Weight:	Code No.	Weight:	Code No.
910gms	551004	3.250kg	551804
480gms	551104	1.300kg	559004
355gms	556304	890gms	558004
455gms	556404	1.500kg	551404

Use: Used with Tyre Changing Machines to prevent scratches on rims during bead breaking.







RUBBER & NYLON PADS FOR TYRE CHANGERS








2 551204WPC









551704

2 Bead Breaking Rubber Pad

Weight: Code No.
1.7kg 551204

Protection Cover for Bead Breaking 265gms 551204WPC

Rubber Pad 551204
Material : Special Plastic.

Jse : It protects the wheel when using the shovel to loosen the bead

of the wheel

Note : 551204WPC protection cover fits on the bead breaking pad 551204.

3 Bead Breaking Rubber Pad		
beau breaking Nubber Fau	Weight:	Code No.
	1.350kg	551304
Material : PU.	1.070kg	556204


4 Large Bead Loosener Front Pad (Nylon)

Weight:	Code No.
250ams	551504

5 Small Bead Loosener Front Pad (Nylon)

	Weight: 130gms	Code No. 551704
6 Large Centre Rubber Pad	Weight: 1.200kg	Code No. 551604

7 Centre Rubber Pad Weight: Code No. 923gms 556104



6 551604



7 556104



Professional Tyre & Garage Tools since 1988



Sarveshwari Engineers has now been assessed with the EUROPEAN CERTIFICATION COUNCIL INC.



Sarveshwari Engineers has now been assessed with the ICM CERTIFICATION PRIVATE LIMITED



Sarveshwari Engineers has now been assessed with the Quality Management System which conforms to ISO 14001: 2015



Sarveshwari Engineers has also been assessed with Environmental Management System which conforms to ISO 26000: 2010



AWARDS WON BY Sarveshwari Group



MSME GLOBAL GOLDEN BUSINESS EXCELLENCE AWARD 2024

Award : Small Medium Enterprise of the Year 2024

> Mr. MAHENDRA N. GOEL Owner

Sarveshwari Techanologies Ltd



GLOBAL GOLDEN BUSINESS EXCELLENCE AWARD 2023

Award:

The Emerging Entrepreneur of the Year

Mr. MAHENDRA N. GOEL Owner

Sarveshwari Engineers



TRILA COMPANY OF THE YEAR TYRE SERVICES EQUIPMENT 2018

Award:

Tyre & Rubber Industry Leadership Acknowledgment Awards 2018



BUSINESS SPHERE GROUP 2012-2013

Award:

Top Company in Manufacturing Quality
Wheel Balancing Accessories & Tyre Changing Products.

One of the trailblazers:

Mr. MAHENDRA N. GOEL President

Sarveshwari Engineers



STAR PERFORMER IN 2012-13 BASIC IRON & STEEL SMALL ENTERPRISES

Awarded by : EEPC INDIA to **Sarveshwari Engineers**



MANUFACTURING & EXPORTS TO

70+ COUNTRIES SINCE 1988



Sarveshwari Engineers

355 Deepali, Pitampura, Delhi - 110 034 (INDIA) Tel.: 91-11-2702 3750, 91-11-2702 1499

Web: www.sarveshwari.com E-mail: info@sarveshwari.com













