



sarv[®]
Professional Tyre & Garage Tools since 1987

TYRE CHANGING MACHINE ACCESSORIES



2025-2026
**PREMIUM
QUALITY**



COMPLETE TYRE CARE, MADE EASY

SOLUTIONS FOR • Vehicle Garages • Professional Tyre Shops • Garage Equipment Manufacturers

Garage Tools & Accessories For Automotive & Tyre Service Industry

 www.sarveshwari.com



1 220118



1 220118F



1 226018



1 224518



2 220218



2 220218TB



2 222418



2 220518



2 220518P



2 220618



2 220618N



2 220718



2 226518



2 226518H



2 220918



3 220918R



3 225018R



3 225118R



3 RUBRING

1 Tyre Mount/Demount Tool (Steel) for Automatic Tyre Changers for Motorcycles

Bore Dia:	Weight:	Code No.
28mm	430gms	220118
28mm	450gms	220118F
28mm	360gms	226018
28mm	450gms	224518

Material : Made out of Special Spring Steel. Nickel Plating.

Use : For removing tyres on all types of steel rims.

2 Tyre Mount/Demount Tool (Steel) for Automatic Tyre Changers for Passenger Cars

Tapered Bore Dia:	Bore Dia:	Weight:	Code No.
-----	28mm	660gms	220218
24mm	31mm	690gms	220218TB
-----	28mm	560gms	222418
-----	29mm	570gms	220518
-----	29mm	580gms	220518P
29mm	33mm	580gms	220618
29mm	33mm	620gms	220618N
-----	28mm	600gms	220718
-----	28mm	550gms	226518
-----	28mm	550gms	226518H
-----	28mm	550gms	222518
-----	28mm	550gms	222518J
-----	28mm	550gms	220818
-----	30mm	550gms	226318
-----	28mm	670gms	220918

Material : Made out of Special Spring Steel. Nickel Plating.

3 Tyre Mount/Demount Tool (Steel) with Rubber Ring for Automatic Tyre Changers for Passenger Cars

Tapered Bore Dia:	Bore Dia:	Weight:	Code No.
-----	28mm	670gms	220918R
28mm	30mm	617gms	225018R
28mm	30mm	617gms	225118R

Material : Made out of Special Spring Steel. Nickel Plating.

Rubber Ring for Tyre Mount/Demount Tool (Steel) with Collar

Size:	Weight:	Code No.
35mm	15gms	RUBRING

Note : RUBRING fits on Mount / Demount tools 220918R, 220918R, 225018R, 225118R.



2 222518



2 222518J




2 220818



2 226318



4 220318



4 221618



4 221618Y



4 226418



4 222218



4 220418



4 221418RS



4 221418



4 222118



4 221818



4 221918

4 Tyre Mount/Demount Tool (Plastic) for Automatic Tyre Changers

Bore Dia:	Weight:	Code No.
28mm	170gms	220318
-----	150gms	221618
-----	150gms	221618Y
28mm	230gms	226418
28mm	190gms	222218
28mm	220gms	220418
-----	190gms	221418
Consumable Plastic part	11gms	221418RS
28mm	180gms	222118
-----	195gms	221818
28mm	240gms	221918

Material : Made from Special Blended Nylon Plastic (Nylon 66).
Use : Wearing Mount/Demount Tool Head protects tyre & rim from metal to metal contact damage. Using Plastic Mount/Demount Tool Head is much safer for delicate and expensive wheels yet durable enough to withstand the stress of larger tyres and wheels.
Note : The Consumable Plastic part 221418RS can be used on the Plastic Mount/Demount tools 221418 and 222118.

5 Wide Tool Head for Lever less Tyre Changers

Size:	Weight:	Code No.
L-138mm	153gms	222318

Material : Made from Special Blended Nylon Plastic (Nylon 66).

6 Tool Head for Lever less Tyre Changers

Size:	Weight:	Code No.
L-170mm	170gms	222818

Material : Made from Special Blended Nylon Plastic (Nylon 66).
Use : Useful in low profile application.



5 222318



6 222818





7 225918



7 221718



7 221718Y



7 221518



8 226718



8 228818



7 Tyre Mount/Demount Tool (Plastic) for Automatic Tyre Changers

Bore Dia:	Weight:	Code No.
28mm	210gms	225918
-----	175gms	221718
-----	175gms	221718Y
29mm	205gms	221518
29/30mm	190gms	222018

Material : Made from Special Blended Nylon Plastic (Nylon 66).

Use : Wearing Mount/Demount Tool Head protects tyre & rim from metal to metal contact damage. Using Plastic Mount/Demount Tool Head is much safer for delicate and expensive wheels yet durable enough to withstand the stress of larger tyres and wheels.

8 Tyre Mount/Demount Tool (Plastic) for Automatic Tyre Changers

Tapered Bore Dia:	Bore Dia:	Weight:	Code No.
25mm	30mm	156gms	226718
25mm	30mm	177gms	228818

Material : Made from Special Blended Nylon Plastic (Nylon 66).

Use : Wearing Mount/Demount Tool Head protects tyre & rim from metal to metal contact damage. Using Plastic Mount/Demount Tool Head is much safer for delicate and expensive wheels yet durable enough to withstand the stress of larger tyres and wheels.

9 Tyre Mount/Demount Tool (Plastic) with Hardware

Tapered Bore Dia:	Bore Dia:	Weight:	Code No.
25mm	30mm	195gms	226718KIT
25mm	30mm	258gms	228818KIT

Material : Made from Special Blended Nylon Plastic (Nylon 66).

Use : Wearing Mount/Demount Tool Head protects tyre & rim from metal to metal contact damage. Using Plastic Mount/Demount Tool Head is much safer for delicate and expensive wheels yet durable enough to withstand the stress of larger tyres and wheels.



7 222018



9 226718KIT



9 228818KIT





228918

228918C

10 228918KIT

10 Quick Change Kit

Weight:
1.875kg

Code No.
228918KIT

The 228918Kit contains the following items:

Tool:	Qty:	Weight:	Code No.
• Plastic Head with Quick Change Connector	1 No.	995grms	228918
• Connector set	1 No.	880gms	228918C
• Spanner	1 No.		Spanner

Use : Quick change kit helps interchange the steel and plastic mount demount heads quickly and easily.


224618

224418

11 224418KIT

11 Quick Change Kit

Weight:
1.832kg

Code No.
224418KIT

The Kit contains the following items:

Tool:	Qty:	Weight:	Code No.
• Quick Change Adaptor	1 No.	1.271kg	224418
• Plastic Head with Tool Holder	1 No.	561gms	224618

Use : Quick change kit helps interchange the steel and plastic mount demount heads quickly and easily.


224418

224618TH

12 225318KIT

12 Quick Change Tool Holder Kit

Weight:
1.660kg

Code No.
225318KIT

The Kit contains the following items:

Tool:	Qty:	Weight:	Code No.
• Quick Change Adaptor	1 No.	1.271kg	224418
• Tool Holder	1 No.	389gms	224618TH

Use : These tool holders helps interchange the steel and plastic mount demount heads quickly and easily.

13 221116

13 222116

13 220116

13 Combo Tool

Size:
480mm

Weight:
2.241kg

Code No.
220116

Material : Durable Alloy Steel.

Finish : Sand Blasted Nickel Chrome Plated.

Use : Specially designed to mount/demount tyre on center post tyre changers for effortlessly and damage free.

Plastic Inserts for Combo Tool

Size:	Weight:	Code No.
Small	12gms	221116
Big	23gms	222116

Material : Nylon 6

Note : The Plastic Inserts are sold separately.



14 Tyre Mount/Demount Tool (Plastic) with Tool Holder

Tapered Bore Dia:	Bore Dia:	Weight:	Code No.
-----	33mm	354gms	223618
-----	28mm	712gms	223418
-----	29/30mm	668gms	223018
-----	29mm	678gms	223118
-----	28mm	955gms	222918
-----	28mm	741gms	223218
-----	28mm	465gms	223718
-----	28mm	522gms	223718FR
-----	25mm	504gms	226218
-----	28mm	772gms	225618

Material : Made from Special Blended Nylon Plastic (Nylon 66).

15 Tool Holder for Plastic Mount/Demount Tools

Tapered Bore Dia:	Bore Dia:	Weight:	Code No.
-----	28mm	500gms	221318
-----	28mm	550gms	221318H
29mm	33mm	150gms	222618
-----	28mm	250gms	224718
-----	28mm	300gms	224718F
-----	29/30mm	450gms	225518
-----	28mm	492gms	223918
25mm	28mm	294gms	225818
-----	28mm	705gms	224818

Material : Made out of Special Steel.

Use : Tool Holders are fitted on various Plastic Mount / Demount Tools as per following code nos. :

Tool Holder:	Mount/Demount Tool:
221318	- Fits on 220318, 220418, 222118
221318H	- Fits on 220318, 220418, 222118
222618	- Fits on 221618, 221618Y
224718	- Fits on 221718, 221718Y
224718F	- Fits on 221718, 221718Y, 225218
224818	- Fits on 221918
225518	- Fits on 221518, 222018
223918	- Fits on 222218, 226418
225818	- Fits on 228818





17 221028



17 222038



17 222138



17 220528



17 221238



17 220938



17 221438



17 220928



17 220928Y



17 222438



17 SCRM4X6



17 222538



17 223338



17 223838



17 223838R



17 225038



17 225138



17 222338



17 223438



17 223538



17 223638



17 222238



18 221538



18 221638



18 220738

17 Plastic Inserts of Tyre Mount/Demount Tools

Colour:	Weight:	Code No.
Black	4gms	221028
White	2gms	222038
White	2gms	222138
Black	4gms	220528
Yellow	5gms	221238
Black	5gms	220938
Yellow	3gms	221438
Black	3gms	220928
Yellow	3gms	220928Y
Yellow	4gms	222438
Silver	7gms	SCRM4X6
Yellow	8gms	222538
Grey	9gms	223338
Yellow	5gms	223838
Red	2gms	223838R
Grey	5gms	225038
Grey	2gms	225138
Yellow	9gms	222338
White	1gm	223438
White	6gms	223538
White	2gms	223638
White	7gms	222238

Material : Made from Special Durable Plastic (Nylon 6).

18 Mounting Head Protector

Colour:	Weight:	Code No.
Yellow	20gms	221538
Black	20gms	221638
Black	15gms	220738

Material : Special Plastic.

19 Jaw Protection Insert

Colour:	Weight:	Code No.
Black	3gms	223038
Yellow	3gms	223038Y
Black	4gms	224738
Black	1gms	220428

Material : Special Plastic.

Use : These inserts snap into place on the sloped surface of the metal tyre changing Jaw assembly. Helps to reduce metal to metal contact between the wheel rim and tyre changing Jaw.

20 Max Plus Grip Jaw Protection Insert

Colour:	Weight:	Code No.
Black	12gms	225238

Material : Special Plastic.

Use : Grip max jaw insert works in conjunction with the grip max plus clamps.



19 223038



19 223038Y



19 224738



19 220428



20 225238



21 2200121



21 2200221



21 2202421



21 2203321



21 2200321



21 2200321F



21 2200921



21 2201321



21 2202321



21 2200721



21 2200721Y



21 2200821



21 224938



21 2200621



21 2201921



21 2201821

21 Plastic Jaw Covers for Clamping Aluminum Alloy Rims

Colour:	Weight:	Code No.
Black	35gms	2200121
Black	35gms	2200221
Black	40gms	2202421
Black	36gms	2203321
Black	35gms	2200321
Black	35gms	2200321F
Black	50gms	2200921
Black	40gms	2201321
Black	27gms	2202321
Black	25gms	2200721
Yellow	25gms	2200721Y
Black	45gms	2200821
Black	43gms	224938
Black	80gms	2200621
Black	45gms	2201921
Black	35gms	2201821
Black	20gms	2202021
Black	12gms	2202521
Black	15gms	2202221
Black	17gms	2201021
Yellow	17gms	2201021Y
Black	22gms	2202121
Black	17gms	2201521
Black	12gms	2201721
Yellow	22gms	2201221

Angled Jaw Cover
Angled Jaw Cover

Angled Jaw Cover

Use : Used as the Jaw cover of Jaws of T/C Machines.

22 Slide Jaw Protector

Colour:	Size:	Weight:	Code No.
Yellow	L-278mm	60gms	2201421
Black	L -146mm	12gms	222548

Material : Engineering Plastic.



21 2202021



21 2202521



21 2202221



21 2201021



21 2201021Y



21 2202121



21 2201521



21 2201721



21 2201221



22 2201421



22 222548



23 220448



23 220448GR



23 220448WH



23 222248



23 220648



23 220848



23 220948



23 222348



23 220348



23 220348Y



23 221148



23 220548



24 2200021



24 2201621



24 2200421



25 221548



26 221648



27 221848

23 Bead Breaker Blade Protection

Weight:	Code No.	Weight:	Code No.
90gms	220448	85gms	220948
90gms	220448GR	100gms	222348
90gms	220448WH	100gms	220348
70gms	222248	100gms	220348Y
90gms	220648	170gms	221148
96gms	220848	230gms	220548

Material : Engineering Plastic.

Use : Prevents metal to metal contact when bead loosening low profile tyres on expensive alloy wheels thereby preventing damage to the wheel.

24 Clamping Jaws for Passenger Car Tyre Changers

Weight:	Code No.	Weight:	Code No.
125gms	2200021	230gms	2200521
170gms	2201621	390gms	2202621
230gms	2200421	140gms	2202721

Material : Special Steel, hardened and tempered for longer life and durability.

Use : Four Jaws are required per machine for keeping the Jaw alignment even.

25 Rubber Tulip Pad

Colour:	Weight:	Code No.
Black	155gms	221548

Use : Mounted at the end of the arms that clamps the rim and prevent damage to the rim while providing grip to rotate the rim.

26 External Rubber Clamping Jaw

Colour:	Weight:	Code No.
Black	525gms	221648

Use : They work with machine which have hollow center of the tulip arms. If there is no hole on the top of the arms then these are not right parts to use.

27 Feeler Pin

Colour:	Length:	Weight:	Code No.
Grey	150mm	20gms	221848

Material : Special Plastic.

28 Bead Removal Tool for Lever Less Tyre Changing Machines

Colour:	Length:	Weight:	Code No.
Yellow	277mm	65gms	221048
Red	277mm	65gms	221048R

Material : Engineering Plastic. Glass filled for good strength and durability.

29 Bead Pressing Clamp

Colour:	Length:	Width:	Thickness:	Weight:	Code No.
Black	296mm	148mm	45mm	600gms	221049

Use : Allows for quick compression of the tyre bead, significantly enhancing the efficiency of tyre mounting and demounting while reducing operation time.



24 2200521



24 2202621



24 2202721



28 221048



28 221048R



29 221049



30 224338



30 225338



30 225718



31 22SPRM



32 221748



32 222048



33 222448



33 224638



34 221448



34 221348



34 222148



35 224639



36 2201121



37 220039



37 220039P



38 220040

30 Bead Breaker Roller

Thickness	Dia:	Weight:	Code No.
30mm	125mm/25mm	345gms	224338
48mm	150 mm /25mm	589gms	225338
81mm	250mm/30mm	1.600kg	225718

Material : PA6 Glass Filled for 224338/ Nylon 6 for 225338/ Nylon for 225718.

Use : Used for breaking the bead.

31 Support Plate

Thickness	Dia:	Weight:	Code No.
7mm	130mm	264gms	22SPRM

Material : Rubber and Steel.

32 Support Plate Cover

Colour:	Dia:	Weight:	Code No.
Black	240mm	150gms	221748
Black	230mm	280gms	222048

Material : Rubber For 221748.
PU For 222048.

Use : It protects the rim while servicing the reverse wheels. Should be removed if not servicing the reverse wheels.

33 In-Between Cone

Height:	Dia:	Weight:	Code No.
64mm	95mm	165gms	222448
90mm	140mm	380gms	224638

Material : PA6 Glass Filled.

Use : The Cone slides on the removable spindle shaft assembly and is used to hold the wheel down while removing/replacing the tyre.

Note : 224638 Cone is for bigger rims.

34 Cone Cover

Colour:	Dia:	Weight:	Code No.
Black	45-130mm	170gms	221448
Yellow	40-125mm	55gms	221348
Yellow	28-120mm	60gms	222148

Material : Nylon.

Use : Protective Plastic cover that snaps securely over the wheel hold down cone to prevent damage to the wheel.

35 CONESET (Set of 3 Cones)

Cones	Dia	Height	Weight:	Code No.
Cone 1	119mm-40mm	44mm	815gms	224639
Cone 2	149mm-55mm	45mm	3.000kg	
Cone 3	195mm-100mm	45mm	3.800kg	

Material : Special Steel.

36 Jaw Guide Kit

Weight:	Code No.
720gms	2201121

Material : CRC Sheet.

Use : Used in a set of four pieces to increase or decrease the rim clamping size.

37 Motor Cycle Adaptor Kit

Size:	Weight:	Code No.
L-111mm, W-41mm, H-107mm	900gms	220039

Material : Special Steel.

Finish : White Zinc Plating.

Use : The kit of 4 Clamps and protectors fits most rim clamp tyre changers. Allows standard Tyre Changing Machine to grip Motorcycle wheels. Lifts spoked wheels away from Turn Table. Easy to set up and remove.

Plastic Protection Kit for 220039

Weight:	Code No.
165gms	220039P

38 Universal Motor cycle Adaptor Kit

Size:	Weight:	Code No.
L-170mm, W-70mm, H-153mm	8.000kg	220040

Material : Special Steel.

Finish : White Zinc Plating.

Use : Due to it's higher height it can also be used for changing tyres of electric vehicles having motor fitted.

Note: Plastic Protection Kit 220039P Works also for 220040.



39 220009



Ribs

40 220019



Ribs

40 220019Y



Plain

40 220119



41 2200010



41 2200110



41 2200210



41 2200310




41 2200410



42 2200410PU



43 2200510



44 2200411 Bead Pressing Tool Kit

39 Tyre Lever Boot Short

Weight: 11gms

Code No. 220009

Material : Nylon-6.

Use : Plastic protection for light metal rims used with tyre levers 220001 and 220002.

40 Tyre Lever Boot Long

Colour:	Weight:	Code No.
Black (Ribbed end)	60gms	220019
Yellow (Ribbed end)	60gms	220019Y
Black (Plain end)	58gms	220119

Material : Nylon-6.

Use : Plastic protection for light metal rims used with tyre levers.

41 Rim Protector for Passenger Car

Colour:	Size:	Weight:	Code No.
White	150mm long	35gms	2200010
Black	150mm long	35gms	2200110
Red	150mm long	35gms	2200210
Blue	150mm long	35gms	2200310
Yellow	150mm long	35gms	2200410

Material : Nylon-6.

Use : Used to clip over an alloy wheel to reduce scratching along wheel.

42 Rim Protector PU for Passenger Car

Colour:	Size:	Weight:	Code No.
Yellow	150mm long	40gms	2200410PU

Material : Made from Poly Urethane (PU).

Use : Used to clip over an alloy wheel to reduce scratching along wheel.

43 Rim Protector for LM Rims

Colour:	Size:	Weight:	Code No.
Yellow	230mm long	46gms	2200510

Material : Nylon-6.

Use : Used to clip over an alloy wheel to reduce scratching along wheel. Suitable for car & motorcycle rims. Can also be used as protector against cutting while mounting run flat tyres on steel rims.

44 Bead Pressing Tool Kit

Weight: 1.475kg

Code No. 2200411

The Kit contains the following items:

Tool:	Qty:	Weight:	Code No.
• Bead Presser with Plastic Roller	1 No.	890gms	BPPR
• Bead Presser Holder	1 No.	365gms	BPH
• Bead Presser Bracket	1 No.	220gms	BPB

Material : MS Pipe.


Use : Used to clip over an alloy wheel to reduce scratching along wheel.

45 Bead Holding Rope

Size:	Weight:	Code No.
1080mm long	400gms	2200511
1130mm long	700gms	2200611


Material : SS wire and Nylon Blocks with Steel Bush.

Use : Keeps Passenger Car tyre bead from slipping during mounting of top. Holds the Bead in 6 positions in the drop center.




45 2200511

45 2200611



46 2200215

46 2200216



46 2200315

46 2200316



47 2200011

48 2200311



49 2200211

49 2200211A

19 2200211B



50 2200013

50 2200113



51 2200313

51 2200313P



52 220213



53 220400

53 220500

53 220513

46 Swab	Weight:	Code No.
Standard	100gms	2200215
Standard (Thinner)	80gms	2200216
Long	110gms	2200315
Long (Thinner)	85gms	2200316
Use : Used to lubricate tyre beads while removing or mounting tyres on rims.		

47 Tyre Mounting Aid	Weight:	Code No.
	320gms	2200011
Material : Nylon-6		
Use : Holds tyre bead below the rim flange for fast and damage free tyre mounting. Fits on all Passenger Car rims. Will not scratch decorative/Aluminum rims.		

48 Tyre Mounting Aid (Supplied with Base 3)	Weight:	Code No.
	400gms	2200311

Material : Nylon-6
Use : Holds tyre bead below the rim flange for fast and damage free tyre mounting. Fits on all Passenger Car rims. Will not scratch decorative/Aluminum rims.

Note : 2200311 is supplied with base 3 (Size: 20mm)

49 Tyre Mounting Aid	Weight:	Code No.
	300gms	2200211

Material : Nylon-6
Use : Holds tyre bead below the rim flange for fast and damage free tyre mounting. Fits on all Passenger Car rims. Will not scratch decorative/Aluminum rims.

Base : For Tyre Mounting Aid 2200211 (optional)

	Size:	Weight:	Code No.
Base 1	44mm	165gms	2200211A
Base 2	20mm	80gms	2200211B
Use : Base 1 and Base 2 are used for increasing the base height and are optional to use.			

50 Rim Clamp for Tubeless Truck Tyres	Weight:	Code No.
	1.600kg	2200013
	1.700kg	2200113

Material : Special Steel Chrome plated to prevent corrosion.

Use : Clamps on wheel to prevent tyres from slipping by holding tyre bead.

51 Rim Clamp for Tubeless Truck Tyres (Alloy Rims)	Weight:	Code No.
	1.750kg	2200313

Material : Special Steel Chrome Plated to prevent corrosion.

Use : Clamps on wheel to prevent tyres from slipping by holding tyre bead.

Plastic Protective Jaw Kit for Rim Clamp 2200313	Weight:	Code No.
	24gms	2200313P

52 Truck Tyre Bead Holder	Weight:	Code No.
	95gms	220213

Material : Made from indestructible Polymers Nylon-66.

Use : Keeps Truck tyre bead from slipping during mounting of top bead. Two bead holders are used simultaneously. No need to stand on tyre to mount.

53 Truck Tyre Bead Holder	Material:	Weight:	Code No.
	CRC Sheet	330gms	220400
	MS Casting	810gms	220500
	MS Casting	250gms	220513
Use : The bead holder locks onto the flange of the wheel and holds tyre bead in place to eliminate standing on the tyre or changing the bead around the wheel.			



54 220515



55 220415



55 220615



56 220715



57 220815



58 220915



58 221215



59 220015



59 2200115



60 221015



60 221115



61 221315

54 Special Brush for Tyres with Wooden Handle for Passenger Cars & Trucks

Size (Handle):	Dia.	Handle:	Weight:	Code No.
290mm long	25mm	Wooden	80gms	220515
290mm long	25mm	Plastic	75gms	220515P

Use : Used to lubricate tire beads when mounting or removing tires.

55 Special Brush for Tyres with Wooden Handle for Trucks & Earthmovers

Size (Handle):	Dia.	Handle:	Weight:	Code No.
300mm long	50mm	Wooden	140gms	220415
230mm long	50mm	Plastic	140gms	220415P
230mm long	50mm	Wooden	180gms	220615

Use : Used to lubricate tire beads when mounting or removing tires.

56 Brush for Tyres with Plastic Handle

Size (Handle):	Handle:	Weight:	Code No.
170mm long	Plastic	75gms	220715

Use : Used to lubricate tire beads when mounting or removing tires.

57 Brush for Tyres with Lid and Wooden Handle

Size (Handle):	Handle:	Weight:	Code No.
160mm long	Wooden	65gms	220815

Use : Used to lubricate tire beads when mounting or removing tires.

58 Angled Applicator Brush for Tyres with Wooden/Plastic Handle

Size (Handle):	Handle:	Weight:	Code No.
210mm long	Wooden	95gms	220915
300mm long	Plastic	125gms	221215

Use : Used to lubricate tire beads when mounting or removing tires.

59 Special Brush for Tyres

Size (Handle):	Handle:	Weight:	Code No.
160mm long	Wooden	100gms	220015
160mm long	Plastic	80gms	2200115

Use : Used to lubricate tire beads when mounting or removing tires.

60 Special Brush for Tyres with Wooden Handle

Size (Handle):	Dia:	Handle:	Weight:	Code No.
340mm long	25mm	Wooden	47gms	221015
340mm long	50mm	Wooden	68gms	221115

Use : Used to lubricate tire beads when mounting or removing tires.

61 Brass Wire Brush

Width	Length:	Height:	Weight:	Code No.
29mm	83mm	28mm	40gms	221315

Use : Used for Cleaning Rims.

62 Sarv Paste (Economy)

Colour:	Weight:	Code No.
White	1kg	2200130
White	4kg	2200430
White	5kg	2200530

Use : Quick drying, non greasy tyre paste. Used for lubricating tyre beads in mounting & demounting operations.

63 Lube Bucket

Colour:	Weight:	Code No.
Red	188gms	2200630

Material : Special Plastic




62 2200130

62 2200430

62 2200530

63 2200630

MANUFACTURING AND EXPORTS TO
90+ COUNTRIES SINCE **1987**



WORLDWIDE
PRESENCE



sarv[®]
Professional Tyre & Garage Tools since 1987

Sarveshwari Engineers

355 Deepali, Pitampura, Delhi - 110 034 (INDIA)

Tel.: 91-11-2702 3750, 91-11-2702 1499

Web: www.sarveshwari.com

E-mail : info@sarveshwari.com



or Like our Facebook Page Sarveshwari Engineers



or Subscribe to our YouTube Channel Sarveshwari Engineers